

23" LED Monitor Specifications

Part Number	EN1080P23LED
Monitor Size	23"
Resolution	1920x1080
Viewing Line	650 lines (TVL)
Pixel Pitch	0.2655mm
Brightness	300 cd/m ₂
Contrast Ratio	1000 : 1
Response Time	5ms
Viewing Angle	H: 176°, V: 176°
3D Comb Filter	3D digital comb filter
De-interlace & Noise Reduction	Yes
OSD	Portuguese, English, Spanish, French, German, Italian, and Russian
Display Colors	16.7 million
Speakers	2 each (3 watts)
Video Inputs	HDMI, VGA, BNC, C VBS
Video Outputs	BNC (1)
Audio Inputs	1 input
Audio Outputs	1 output
Mount Capability	VESA Standard
Power Consumption	≤40W
Power Source	AC100-240V
Dimensions (L x W x H)	225 x 215 x 70mm
Dimensions (L x W x H) Without Stand	565 x 340 x 46mm
Weight	6.5kg
Operating Temp	0°C~40°
Certifications	FCC, CB, CE, ROHS
Desk Stand	Stand and wall-mount bracket for option
Accessories Included	Remote control and user guide, power cord, HDMI cable



Specifications

Part Number	EN7519VGA
Monitor Size	19"
Resolution	WXGA+ 1366x768
Pixel Pitch	0.3 (H) x 0.3 (V) mm
Brightness	250 cd/m ₂
Contrast Ratio	1000 : 1
Response Time	5ms
Viewing Angle	H: 160°, V: 160°
Display Colors	16.7 million
Speakers	Built-in, 1.5W x 2
Mount Capability	VESA Standard, 100mm
Power Consumption	28W (On), 1W (standby), 0.5W (Off)
Power Source	AC 100-240V, 50-60Hz
Dimensions (L x W x H)	17.3" x 7.5" x 13.9"
Weight	7.94 lbs.
Operating Temp	5°C - 35°C/ 41°F - 95° F
Certifications	FCC, UL/CUL, CCC, VCCI, CE, CB, Gost-R, China Energy Label Level 1, Energy Star, 5.0, KC, PSB, MPRII, E-Standby, BSMI
Desk Stand	Yes, removable
Accessories Included	VGA Cable, Power Cable, Audio Cable, User Manual

EN1080P Specifications

Part Number	EN1080P26A	EN1080P32A	EN1080P42A	EN1080P55A	EN1080P65A	EN1080P70A
Monitor Size	26"	32"	42"	55"	65"	70"
Resolution	1366x768	1366 x 768	1920x1080			
Viewing Line	600 lines (TVL)			800 lines (TVL)		
Pixel Pitch	0.4215mm	0.51075mm	0.4845mm	0.6mm	.66mm	.73mm
Brightness	≥400 cd/m ₂	400 cd/m ₂		450 cd/m ₂		700 cd/m ₂
Contrast Ratio	1000 : 1			1400 : 1	1400 : 1	1450 : 1
Response Time	5ms					
Viewing Angle	H: 160°, V: 150°		H: 178°, V: 178°			
3D Comb Filter	3D digital comb filter	Yes			3D digital comb filter	
De-interlace & Noise Reduction	Yes					
OSD	Portuguese, English, Spanish, French, German, Italian, and Russian					
Display Colors	16.7 million					
Speakers	2 each (10 watts)					
Video Inputs	BNC (2), VGA (1), S-Video (1), HDMI (1)					
Video Outputs	2 BNC					
Audio Inputs	2 Inputs					
Audio Outputs	2 outputs					
Mount Capability	VESA Standard					
Power Consumption	≤140W	<170 W	<260 W	<400 W	≤500W	≤800W
Power Source	AC100-240V			AC110-240V	AC100-240V	
Dimensions (L x W x H)	440 x 370 x 75mm	38.2" x 11.8" x 26"	44.1" x 11.8" x 30.7"	58.7" x 11.8" x 37.8"	n/a	
Dimensions (L x W x H) Without Stand	659 x 408 x 102mm	782 x 479 x 112mm	1017 x 608 x 115mm	1323 x 794 x 129mm	1540 x 915.92 x 133.3mm	1633.4 x 967.4 x 187.5mm
Weight	10kg	55.1 lbs.	77.2 lbs.	121.3 lbs.		
Operating Temp	0°C~40°	0°C - 40°C/ 41°F - 104° F			0°C~40°	
Certifications	FCC, CB, CE, ROHS	Energy Star, FCC-DOC, CE, RoHS	FCC, CB, CE, ROHS	ROHS		

8" Monitor Specifications



Part Number	EN7508	EN7508M
Monitor Size	8"	
Resolution	800x600	
Viewing Line	500 lines (TVL)	
Brightness	250 cd/m ₂	
Contrast Ratio	500: 1	
Response Time	25ms	
Viewing Angle	H: 130°, V: 120°	
OSD	English, Spanish, French, German and Simplified Chinese	
Display Colors	16.7 million	
Video Inputs	BNC (2), VGA (1)	
Mount Capability	VESA Standard 75 x 75mm	
Power Consumption	<18 W	
Power Source	12VDC, 2A	
Dimensions (L x W x H)	10.6" x 3.9" x 12.6"	
Dimensions (L x W x H) Without Stand	10.6" x 3.9" x 10.6"	10.6" x 3.9" x 10.6"
Weight	3.7 lbs	
Operating Temp	-10°C - 50°C/ 14°F - 122° F	
Certifications	Energy Star, FCC-DOC, CE, CCC, and RoHS	
Desk Stand	Yes	
Accessories Included	Power supply, remote control, user guide & stand	

5.6" Test Monitor Specifications

Part Number	EN200	EN220
Monitor Size	5.6"	
Contrast Ratio	85: 1	
Display Colors	Full Color	
Video Inputs	0.75 VP-p ~ 1 VP-p, 3.5 pin	
Audio Inputs	50mV min., stereo In, 3.5 pin	
Power Consumption	12VDC nominal +/- 10%	12VDC, 600mA (8W max.)
Power Source	12VDC nominal +/- 10%	
Dimensions (L x W x H)	6.4" x 5.2" x 2.1"	
Operating Temp	0°C - 60°C/ 32°F - 140° F	
Accessories Included	N/A	Service Kit (includes pouch, battery pack & clip, cable 1, cable 2, AD-3, and AD-4)

1080p 22 & HDMI Specifications

Part Number	EN1080P22	EN7517HDMI A	EN7519HDMI A
Monitor Size	22"	17"	19"
Resolution	1920x1080	1280 x 1024 (SXGA)	
Viewing Line	650 lines (TVL)	570 TV Lines	
Pixel Pitch	0.24825mm	0.264mm	0.294mm
Brightness	300 cd/m ₂		
Contrast Ratio	1000 : 1	800:1	
Response Time	5ms		
Viewing Angle	H: 170°, V: 170°		
3D Comb Filter	3D digital comb filter	Yes	
De-interlace & Noise Reduction	Yes		
OSD	English, Spanish, French, German, Italian and Russian		
Display Colors	16.7 million		
Speakers	3W	2 each (3 watts)	
Video Inputs	HDMI, VGA, BNC, C VBS	HDMI (1), VGA (1), BNC (1), RCA (1)	HDMI (1), VGA (1), BNC (1)
Video Outputs	BNC (1)		
Audio Inputs	Stereo PC		
Audio Outputs	1 output		
Mount Capability	VESA Standard		
Power Consumption	≤ 35W	<45 W, <2W (standby)	
Power Source	AC100-240V		
Dimensions (L x W x H)	23.5" x 5.75" x 14.25"	20.39" x 18.31" x 6.5"	22.83" x 6.5" x 20.28"
Dimensions (L x W x H) Without Stand	20.5" x 2.5" x 12.25"	20.39" x 2.75" x 13.25"	
Weight	12.1 lbs	13.22 lbs	15.43 lbs
Operating Temp	5°C - 40°C/ 41°F - 104° F		
Certifications	FCC, CB, and CE	UL, CE, FCC, CB	
Desk Stand	Yes	Removable Stand	
Accessories Included	Remote control and user guide, VGA cable, Audio cable, and HDMI cable	VGA Cord, PC Audio Cord	

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>