EV9100-73 IN-10 CL-1 In-line Filter		
		BENEFITS
<image/> <section-header><image/><section-header><image/><image/><image/><image/><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	IN-10 CL1: EV9100-73	Provides clear, fresh, quality ingredient water for drinking water applications One micron carbon block reduces dirt and particles as well as harmful cysts Reduces lead Reduces chlorine taste and odor 10" in - line design is compact and installs out of sight behind equipment
INSTALLATION TIPS	OPERATION TIPS	A P P L I C A T I O N / S I Z I N G
Use 1/4" water line Flush IN-10 CL-1 by running water through filter for three minutes at full flow	Change cartridges on a regular 6 month preventative maintenance program Change cartridges when capacity is reached or when pressure falls below 10 psi Service flow rate must not exceed 0.5 gpm Always flush the filter cartridge at time of installation and cartridge change	For drinking water applications and bottless water coolers Capacity: 750 gallons

## IN-10 CL-1 In-line Filter

## S P E C I F I C A T I O N S

Overall Dimensions: Length: 11" Diameter: 2.5"

Inlet connection: 1/4"

Outlet connection: 1/4"

Capacity: 750 gallons

Service Flow Rate: Maximum 0.5 gpm (1.9 Lpm)


Pressure Requirements: 10 - 125 psi (0.7 – 8.6 bar), non-shock

Temperature: 35 - 100°F (2 - 38°C)

Operating Weight: 1.0 lbs.

No electrical connection required

The contaminants or other substances removed or reduced by this drinking water system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used with disinfected water that may contain filterable cysts



## WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.



Worldwide Headquarters: EVERPURE, LLC 1040 Muirfield Drive Hanover Park, Illinois 60133 Toll Free (800) 323 - 7873 Tel (630) 307 - 3030 http://www.everpure.com In Europe: Pentair Water Belgium B.V./B.A. Industriepark Wolfstee Toekomstlaan 30 B-2200 Herentals BELGIUM TEL: +32.(0).14.283.500 FAX: +32.(0).14.283.505 In Japan: Hashimoto MN Bldg. 7F 3-25-1 Hashimoto Sagamihara-Shi Kanagawa 229-1103 JAPAN TEL: 81.(0)42.775.3011 FAX: 81.(0)42.775.3015 Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com