



EV9273-77

S-101 Filter Cartridge

Delivers premium quality RO water for drinking water applications



S-101 Cartridge: EV9273-77

BENEFITS

- Comprehensive water filtration and treatment technology delivers ultra clear, fresh, premium quality drinking water
- Reduces lead, nitrates, arsenic, and fluoride, plus reduces barium, cadmium, mercury, TDS and other dissolved solids and heavy metals
- Reduces chlorine taste and odor and other contaminants
- Reduces possible health hazards such as asbestos fibers and other potentially harmful contaminants, such as Cryptosporidium and Giardia Cysts
- Reduces scale build-up that can clog appliances
- Sanitary cartridge replacement is simple, quick and clean. Internal filter parts are never exposed to handling or contamination
- Compact, under-sink sizing
- NSF Certified under NSF Standard 58 and WQA Gold Seal validated

INSTALLATION TIPS

- Install vertically with cartridge hanging down
- Allow 2-1/2" clearance below the cartridges for easy cartridge replacement
- Flush system by running water through cartridges per Installation and Use manual

OPERATION TIPS

- Change S-101 Cartridge every 300 gallons or 6 months
- Always flush the filter cartridges at time of installation and cartridge change

APPLICATION/SIZING

- For office water applications
- Nominal production rate: Varies depending on specific water conditions

S-101 Filter Cartridge

SPECIFICATIONS

Overall Dimensions:
14.5"H x 3.25"Diameter


Service Flow Rate:
Maximum 0.5 gpm (1.9 Lpm)

Pressure Requirements:
10 - 125 psi (0.7 – 8.6 bar), non-shock

Maximum Temperature:
35 - 100°F (2 - 38°C)

No electrical connection required

The contaminants or other substances removed or reduced by this drinking water system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used with disinfected water that may contain filterable cysts.



WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.



System Tested and Certified by NSF International against NSF/ANSI Standard 58 for the reduction of:
Arsenic, Barium, Cadmium, Copper, Cyst, Fluoride, Hexavalent Chromium, Lead, Nitrate/Nitrite, Radium 226/228, Selenium, TDS, Trivalent Chromium

EVERPURE®

Worldwide Headquarters:
EVERPURE, LLC
1040 Muirfield Drive
Hanover Park, Illinois 60133
Toll Free (800) 323-7873
Tel (630) 307-3000
Fax (630) 307-3030
<http://www.everpure.com>

In Europe:
Pentair Water Belgium B.V./B.A.
Industriepark Wolfstee
Toekomstlaan 30
B- 2200 Herentals
BELGIUM
TEL: +32.(0).14.283.500
FAX: +32.(0).14.283.505

In Japan:
Hashimoto MN Bldg. 7F
3-25-1 Hashimoto Sagamihara-Shi
Kanagawa 229-1103
JAPAN
TEL: 81.(0)42.775.3011
FAX: 81.(0)42.775.3015

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>