



EV9273-91

# ROM 10 Cartridge

Delivers premium quality water for office and vending applications



ROM 10 Replacement Cartridge: EV9273-91

## BENEFITS

Removes over 95% of minerals and reduces nitrates/nitrites, lead, fluoride, sodium and organics.

Reduces cysts such as Cryptosporidium and Giardia.

Reduces lime scale build-up in water-using equipment.

## INSTALLATION TIPS

Install vertically with cartridge hanging down and allow 2 inches above and below unit for cover removal and service access

Use 1/4" water line

The water inlet must supply a minimum of 0.5 gpm

Allow at least a 1-1/2" clearance below the cartridge for easy cartridge replacement

Flush cartridge by running water through system for five minutes at full flow

## OPERATION TIPS

Change ROM 10 cartridge on a regular 36-month preventative maintenance program

Change ROM 10 cartridge when output capacity diminishes by 15%, or when output pressure becomes too low.

Always flush the ROM cartridge at time of installation and cartridge change

## APPLICATION/SIZING

Cartridge sized for the following applications:

- Coffee
- Drinking Water

Daily Production Rate: 100 gpd (378 Lpd)

# ROM 10 Cartridge

## SPECIFICATIONS

**Overall Dimensions:**

17"H x 3.25"D

**Daily Production Rate:**

100 GPD (378 lpd) Nominal.

Water pressure, feed water quality and temperature will effect actual daily production rate

**Service Flow Rate:** Dependant on water volume and pressure in storage tank(s), and line size(s) to equipment


**Pressure Requirements:**

40 - 100 psi (276-689 kPa), non-shock.

**Inlet Temperature:**

40-100°F (4-38°C)

The contaminants or other substances removed or reduced by this system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.



## WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.

**EVERPURE®**

*Worldwide Headquarters:*

EVERPURE, LLC  
1040 Muirfield Drive  
Hanover Park, Illinois 60133  
Toll Free (800) 323-7873  
Tel (630) 307-3000  
Fax (630) 307-3030  
<http://www.everpure.com>

*In Europe:*

Pentair Water Belgium B.V./B.A.  
Industriepark Wolfstee  
Toekomstlaan 30  
B- 2200 Herentals  
BELGIUM  
TEL: +32.(0).14.283.500  
FAX: +32.(0).14.283.505

*In Japan:*

Hashimoto MN Bldg. 7F  
3-25-1 Hashimoto Sagamihara-Shi  
Kanagawa 229-1103  
JAPAN  
TEL: 81.(0)42.775.3011  
FAX: 81.(0)42.775.3015

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>