



EV9318-40

Solaria Water Appliance

Low volume premium water appliance for drinking water applications



Solaria Water Appliance: EV9318-40

BENEFITS

- Proven commercial grade quality
- Produces piping hot water on demand at 190°F 100 cups of water per hour, delivering more volume than the competition
- Compact unit mounts on wall in virtually any cabinet
- Insulated stainless steel tank is energy efficient and maintenance free
- Powerful 1300 watts for quicker recovery
- Easy to install with quick connect fittings
- Fingertip temperature adjustment
- Heater protection with self-resetting thermal fuse, which prevents accidental dry starts
- UL listed

INSTALLATION TIPS

- Open vent faucet is required, connecting to a standard faucet will damage the tank and void the warranty
- Position the appliance in the point of installation, away from sources of heat and direct sunlight
- Do not install the appliance outdoors and in very damp rooms
- The appliance should be positioned in such a way as to leave approximately 4.00 to 6.00 inches of space free for air to circulate freely
- Ensure John Guest fittings are secure before operation
- Power cord installed is installed at factory - connect to electrical power

OPERATION TIPS

- To ensure the highest quality water, use in combination with an Everpure filtration system
- Open supply line valve
- Purge air from all water lines by using water through faucet. A steady stream assures all air is removed
- A steady stream assures all air is removed
- Rotate fan to insure proper clearance and free fan action
- Connect to electrical power
- Thermostat can be adjusted from 140°F to 190°F

APPLICATION/SIZING

- Sized for coffee, office, water applications
- Maximum Hot Water Capacity: 100 cups per hour

Solaria Water Appliance

SPECIFICATIONS

Overall dimensions:
11.2"H x 6.8"W x 8.1"D


Inlet & Outlet connections:
1/4" O.D. for inlet and outlet

Power Supply:
120 VAC at 50 Hz, 1300 W

Maximum Hot Water Capacity:
100 cups per hour

Tank Volume:
5/8 gallon

Temperature:
140°F to 190°F



WARRANTY

The Solaria water appliance is warranted to be free from defects for one year from date of purchase. A detailed warranty statement is included with each unit.



This water appliance is approved by Underwriters Laboratories Inc. in accordance with NSF/ANSI 61-2002e.

Everpure, Micro-Pure, Doulbers™ and the silver canister color are registered trademarks of Everpure, LLC © 2008

EVERPURE®

Worldwide Headquarters:
EVERPURE, LLC
1040 Muirfield Drive
Hanover Park, Illinois 60133
Toll Free (800) 323-7873
Tel (630) 307-3000
Fax (630) 307-3030
<http://www.everpure.com>

In Europe:
Pentair Water Belgium B.V./B.A.
Industriepark Wolfstee
Toekomstlaan 30
B- 2200 Herentals
BELGIUM
TEL: +32.(0).14.283.500
FAX: +32.(0).14.283.505

In Japan:
Hashimoto MN Bldg. 7F
3-25-1 Hashimoto Sagamihara-Shi
Kanagawa 229-1103
JAPAN
TEL: 81.(0)42.775.3011
FAX: 81.(0)42.775.3015

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>