



EV9100-78

IN-15 CR In-line Filter

Designed for great taste and odor reduction and hardness removal



IN-15 CR: EV9100-71

BENEFITS

Provides clear, fresh, quality ingredient water for espresso applications

Combines carbon and resin for taste and odor reduction with hardness removal

Inhibits the formation of limescale, which can shorten the life of equipment

15" in-line design is compact and installs out of sight behind equipment

INSTALLATION TIPS

Use 1/4" water line

Flush IN-15 CR by running water through filter for three minutes at full flow

OPERATION TIPS

Change cartridges on a regular 6 month preventative maintenance program

Change cartridges when capacity is reached or when pressure falls below 10 psi

Service flow rate must not exceed 0.75 gpm

Always flush the filter cartridge at time of installation and cartridge change

APPLICATION/SIZING

For low volume, espresso applications with flow rates up to 0.75 gpm

Capacity: 1,600 grains

IN-15 CR In-line Filter

SPECIFICATIONS

Overall Dimensions:

Length: 15"

Diameter: 2.0"

Inlet connection: 1/4"

Outlet connection: 1/4"

Capacity: 1,600 grains

Service Flow Rate:

Maximum 0.75 gpm (2.8 Lpm)

Pressure Requirements:

10 - 125 psi (0.7 - 8.6 bar), non-shock

Temperature:


35 - 100°F (2 - 38°C)

Operating Weight:

2.0 lbs.

No electrical connection required

The contaminants or other substances removed or reduced by this drinking water system are not necessarily in your water. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used with disinfected water that may contain filterable cysts.



WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.

EVERPURE®

EVERPURE, LLC
1040 Muirfield Drive
Hanover Park, Illinois 60133
Toll Free (800) 323-7873
Tel (630) 307-3000
Fax (630) 307-3030
<http://www.everpure.com>

In Europe:
N.V. EVERPURE (EUROPE) S.A.
INDUSTRIEPARK WOLFSTEE
TOEKOMSTLAAN 30
B-2200 HERENTALS
BELGIUM
TEL 32 -14-283500
FAX 32-14-283505

In Japan:
EVERPURE JAPAN LLC
HASHIMOTO MN BLDG. 7F
3-25-1 HASHIMOTO SAGAMIHARA-SHI
KANAGAWA 229-1103
JAPAN
TEL 81-(0)42-775-3011
FAX 81-(0)42-775-3015

Everpure, LLC
1040 Muirfield Drive
Hanover Park, IL 60133
Ph: 630-307-3000 Fax: 630-307-3030

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>