

# SSW-10 Wrap ScaleStick®

# Inhibits mineral scale deposits and provides corrosion control in water-fed equipment



SSW-10 Wrap ScaleStick: EV9799-04 CWS-10 Carbon Block Filter Wrap: EV9799-06 SWS-10 Sediment Filter Wrap: EV9799-05

EV9799-04

#### BENEFITS

Features Hydroblend™ compound, a unique blend that inhibits mineral scale deposits and provides corrosion protection in low flow waterfed equipment

Patented design (patent no. 5,580,448) dispenses a controlled amount of Hydroblend<sup>TM</sup> for long-term protection and provides greater effectiveness than standard phosphate treatments

Unaffected by high temperatures, permitting a wide variety of applications

Integral feed cartridge fits most standard 10 inch housings

Translucent cartridge allows simple visual monitoring of product usage and ensures against wasteful premature cartridge replacement

Wrap ScaleStick® (SSW-10) are specially designed to be used with a sediment filter wrap (SWS-10) or carbon block filter wrap (CWS-10) to provide sediment filtration, chlorine reduction and scale control in one compact unit. They are designed to fit over and around the Wrap ScaleStick® and are sold separately

#### INSTALLATION TIPS

Housing not included. Order Model A-10 Clear 10" Housing (EV9100-01) separately for temperatures less than 125 F

Make sure selected housing fits temperature/pressure conditions

Install vertically with black o-band seal up

Wrap ScaleStick® cartridges are shorter than standard ScaleStick® cartridges and do not have the o-band seal. They cannot be installed without the special filter wraps. Standard ScaleStick® cartridges cannot be installed into filter wraps

#### OPERATION TIPS

Deliming of equipment prior to application is recommended, but not required

Inspect ScaleStick® cartridges at least every 6 months

Replace ScaleStick<sup>®</sup> before Hydroblend<sup>™</sup> compound is completely dissolved

Pre-existing equipment scale may come loose and clog equipment. Remove any loose scale to assure satisfactory operation

#### APPLICATION/SIZING

For water-using equipment:

Steamers and Combi-ovens Ice Machines Coffee and Espresso Machines Proofers

## SPECIFICATIONS

**Dimensions:** 

Wrap ScaleStick SSW-10: 9-9/16"H x 1-5/16" Diameter

Filter Wraps:

7-11/16"H x 2-13/16" Diameter

Service Flow Rate:

0.1 - 6 gpm


Maximum Temperature: 150°F\*

\*If inlet feed water temperature is above 125°F a hot water housing must be used.

Note: Filter Wraps are not to be used in hot water feed applications.

\*\*The ScaleStick® trademark is used pursuant to an agreement between PWC Enterprises and Everpure, Inc.

## SSW-10 Wrap ScaleStick®



### WARRANTY

Everpure water treatment systems (excluding replaceable elements) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase. Everpure replaceable elements (filter cartridges and water treatment cartridges) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase. See printed warranty for details. Everpure will provide a copy of the warranty upon request.



This SSW-10 is Certified by NSF International against NSF/ANSI Standard 42 for material requirements only.

COMPONENT



Worldwide Headquarters: EVERPURE, LLC 1040 Muirfield Drive Hanover Park, Illinois 60133 Toll Free (800) 323-7873 Tel (630) 307-3000 Fax (630) 307-3030 http://www.everpure.com

In Europe: Pentair Water Belgium B.V./B.A. Industriepark Wolfstee Toekomstlaan 30 B-2200 Herentals BELGIUM TEL: +32.(0).14.283.500

3-25-1 Hashimoto Sagamihara-Shi Kanagawa 229 - 1103 JAPAN TEL: 81.(0)42.775.3011 FAX: 81.(0)42.775.3015 FAX: +32.(o).14.283.505

In Iapan:

Hashimoto MN Bldg. 7F

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com