

THE EXMARK VIKING

THIS FIXED-DECK MOWER REPRESENTS THE BEST VALUE IN HYDRO WALK-BEHINDS.

- Powered by 15 hp Kawasaki® engines
- Available with 36" and 48" cutting decks
- Kawasaki's KAI-Series engines feature an improved air filtration system for increased reliability and performance
- Ground speeds up to 6.2 mph
- Features Exmark®'s exclusive Enhanced Control System (ECS)
- Large (16 x 7.50-8) rear tires provide increased traction and performance



BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.

WWW.EXMARK.COM

OF COURSE, IT'S AN EXMARK®.

Since opening our doors, we've been busy making high-quality, professional-grade mowers. And the Viking™ is no exception. We take pride in the fact that anything bearing the Exmark® name is an exceptional piece of equipment. You can feel confident knowing that it's the brand landscape pros choose 2 to 1 over any other. Visit exmark.com

DECKS

STYLE — Fixed-deck side-discharge standard with option to bag or

WIDTHS AVAILABLE

36" (91.4 cm), 48" (121.9 cm).

CUTTING HEIGHTS

1.0" (2.5 cm) to 4.25" (10.8 cm) in 0.25" (0.64 cm) increments.

BLADES

Excalibur™ 0.20" (5.1mm) thick alloy steel.

BLADE SPINDLES

1.0" (25.4 mm) diameter.

BLADE-TIP SPEED

Approximately 18,500 fpm.

ENGINE AVAILABLE

15 hp Kawasaki[®] KAI V-Twin. See your dealer for available CARB compliant models.

PTO ENGAGEMENT

Mechanical blade engagement with blade brake.

VIKING[™]

MODEL	CONTROLS	ENGINE	CUTTING WIDTH
VH15KA362	ECS	15 hp Kawasaki®	36" (91 cm)
VH15KA483	ECS	15 hp Kawasaki	48" (122 cm)

FRONT CASTER TIRES

Double-yoke, 9 x 3.50-4, smooth tread, semi-pneumatic.

DRIVE TIRES

36" 16 x 6.50-8, 4-ply TurfMaster,[®] 48" 16 x 7.50-8, 4-ply TurfMaster.





BEST-SELLING BRAND OF MOWING EQUIPMENT FOR THE LANDSCAPE PROFESSIONAL.

WWW.EXMARK.COM

EXMARK MANUFACTURING COMPANY INC. • 2101 ASHLAND AVENUE • P.O. BOX 808 • BEATRICE, NE 68310-0808 • CALL 402.223.6300 • FAX 402.223.6384

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs and standard equipment without notice and without incurring obligations.

and Viking[™] is a registered trademark of Exmark Mfg. Co., Inc. ©2006 Exmark Manufacturing Company, Inc. All rights reserved. Printed in the U.S.A. 2006. Exmark[®] landscape contractor riding mower equipment is designed for professional use and is manufactured to the standard for commercial turf care equipment, which differs from

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com