

Mini DisplayPort Male to VGA Male Cable

The Extron® **Mini DP-VGA/6** is a six-foot long cable with a male Mini DP connector on one end and a male VGA cable connector on the other end.

The Mini DP to VGA cable offers interconnectability between Mini DisplayPort sources and all VGA devices. In addition, it offers the following features:

- DisplayPort 1.1 compliance
- Supports resolutions up to 1920 x 1200 at 60 Hz
- Passes EDID from a VGA display to a Mini DP source




Mini DP-VGA/6
26-672-06




Laptop with Mini
DisplayPort Output

Source



6' Mini DP to VGA Cable



Projector w/VGA Input
Sink

This powered cable must be used directly at the Mini DP source; it is not intended to be used at a Mini DisplayPort video display. Do not use additional cables or adapters between the source output and the male end of the Mini DP cable.

The cable is unidirectional and is not intended to convert a VGA source to output a Mini DisplayPort signal.

Mini DisplayPort Male to DVI-D Male Cable

The Extron® **Mini DP-DVID/6** is a six-foot long cable with a male Mini DP connector on one end and a male DVI-D cable connector on the other end.

The Mini DP to DVI-D cable offers interconnectability between Mini DP sources and all DVI devices. In addition, it offers the following features:

- DisplayPort 1.1 compliance
- High-bandwidth Digital Content Protection (HDCP) compliance
- Supports resolutions up to 1920 x 1200 at 60 Hz
- Passes EDID from a DVI display to a Mini DP source
- Gold plating on all contact surfaces for high performance and reliability




Mini DP-DVID/6
26-673-06




Laptop with Mini
DisplayPort Output

Source



6' Mini DP to DVI-D Cable



Projector w/DVI Input
Sink

This powered cable must be used directly at the Mini DP source; it is not intended to be used at a Mini DisplayPort video display. Do not use additional cables or adapters between the source output and the male end of the Mini DP cable.

The cable is unidirectional and is not intended to convert a DVI source to output a Mini DisplayPort signal.

Mini DisplayPort Male to HDMI Female Cable with HDMI Male to Male Coupler


The Extron® **Mini DP-HDMIF/6** is a six-foot long cable with a male Mini DP connector on one end and a female HDMI connector on the other end.

The Mini DP to HDMI Female cable, along with the HDMI male to male coupler, offers interconnectability between Mini DisplayPort sources and all HDMI devices. In addition, it offers the following features:

- DisplayPort 1.1 compliance
- High-bandwidth Digital Content Protection (HDCP) compliance
- Supports resolutions up to 1920 x 1200 at 60 Hz or 1080p at 60 Hz with audio
- Supports Standard HDMI speed and will pass EDID from a sink device
- Gold plating on all contact surfaces for high performance and reliability



Mini DP-HDMIF/6 with HDMI M-Male coupler
26-679-06



This powered cable must be used directly at the Mini DisplayPort source; it is not intended to be used at a Mini DisplayPort video display. Do not use additional cables or adapters between the source output and the male end of the Mini DP cable.

The cable is unidirectional and is not intended to convert an HDMI source to output a Mini DisplayPort signal.

NOTE: A LockIt® cable lacing bracket is provided with the HDMI Male to Male coupler. Use this bracket to secure the HDMI end of the cable to the HDMI input. This reduces stress on the HDMI input and prevents signal loss due to a loose cable connection. For information on attaching the LockIt brackets, see the *LockIt HDMI Lacing Bracket Installation Guide*, available on the Extron website at www.extron.com.

Mini DisplayPort Male to DisplayPort Male Cable


The Extron® **Mini DP-DP/6** is a six-foot long cable with a male Mini DP connector on one end and a male DisplayPort connector on the other end.

The Mini DP to DisplayPort cable offers interconnectability between Mini DisplayPort sources and all DisplayPort devices. In addition, it offers the following features:

- DisplayPort 1.1 compliance
- High-bandwidth Digital Content Protection (HDCP) compliance
- Supports resolutions up to WQXGA (2560x1600) and audio
- Passes EDID from a sink device
- Gold plating on all contact surfaces for high performance and reliability
- A latching mechanism on the DisplayPort plug to secure connectivity



Mini DP-DP/6
26-675-06



Extron USA Headquarters +1.800.633.9876 (Inside USA/Canada Only)		Extron Europe +800.3987.6673 (Inside Europe Only) +31.33.453.4040 +31.33.453.4050 FAX	Extron India 1800.3070.3777 (Inside India Only) +91.80.3055.3777 +91.80.3055.3737 FAX
Extron USA - West +1.714.491.1500 +1.714.491.1517 FAX	Extron USA - East +1.919.850.1000 +1.919.850.1001 FAX	Extron Japan +81.3.3511.7655 +81.3.3511.7656 FAX	Extron China +4000.EXTRON +4000.398766 (Inside China Only) +86.21.3760.1568 +86.21.3760.1566 FAX
Extron Asia +800.7339.8766 (Inside Asia Only) +65.6383.4400 +65.6383.4664 FAX	Extron Middle East +971.4.299.1800 +971.4.299.1880 FAX	Extron Korea +82.2.3444.1571 +82.2.3444.1575 FAX	

© 2012 Extron Electronics — All rights reserved. All trademarks mentioned are the property of their respective owners. www.extron.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>