## FRIGIDAIRE



# Home Comfort

FFRL0633Q1



## Signature Features

# **Effortless™ Temperature Control**

Our air conditioners maintain the preset room temperature, so you will remain comfortable at all times.

## Programmable 24-Hour On/Off Timer

With the 24-Hour On/Off Timer, you can ensure your home will be cool and comfortable when you want it to be without having to worry about running up your utility bills. The built-in timer allows you to preset the unit to turn on and off in half-hour increments.

### **Energy Saver Mode**

Reduce your utility bills in this mode. It cools similarly to central air, with the unit turning on and off at different intervals to ensure the room temperature stays at the set temperature.

### **Multi-Speed Fan**

Features three different fan speeds, for more cooling flexibility.

# Low-Profile Air Conditioner

#### **Product Dimensions**

Height	12-1/4"
Width	23-5/8"
Depth	18"

#### More Easy-To-Use Features

#### Sleep Mode

With Sleep Mode, the temperature gradually increases a few degrees over the evening, saving energy and creating a comfortable environment during the evening hours.

#### **ENERGY STAR®-Qualified**

Use less energy than standard air conditioners reducing your energy usage, and ultimately lowering your utility bills.

#### Remote Control

Offers you the flexibility to control the temperature and fan speed from anywhere in the room.

#### Effortless™ Clean Filter

Our antibacterial filter reduces bacteria, room odors and other airborne particles for a healthier, more comfortable environment.

#### SpaceWise® Adjustable Side Panels

With the Adjustable Side Panels, the side panels will extend to best fit your window.

#### Power Cord

Comes with an extra long three-prong cord — makes extension cords unnecessary.

#### **Effortless™ Restart**

Automatically resumes operating at its previous settings when power is restored to your unit.

#### Clean Filter Alert

Alert notifies you when your filter needs to be cleaned so you don't have to keep track of it yourself.

#### Ready-Select® Controls

Easily select options with the touch of a button.

ENERGY STAR\*





Performance	BTUs
Cool	6,000

## FRIGIDAIRE.

BTU (Cool) 6,000  Dehumidification (Pints/Hour) 1.3  Cool Area (Up To Sq.Ft.) 250  Energy Efficiency Ratio 11.2  Electrical 115  Amps (Cool) 4.7  Watts (Cool) 560  Length of Power Cord (Min./Max.) 6'/6.5'  Plug Type (NEMA) LCDI (5-15P)  Features  Electronic Controls Ready-Select*  Fan Speeds (Cool/Fan) 3/3  Low Voltage Start-Up Yes  Auto Cool Function Yes  Energy Saver Mode Yes  Filter Check Yes  24-Hour On/Off Timer Yes  Clean Air Ionizer  Remote Control 11.2		
Dehumidification (Pints/Hour)         1.3           Cool Area (Up To Sq.Ft.)         250           Energy Efficiency Ratio         11.2           Electrical            Volts         115           Amps (Cool)         4.7           Watts (Cool)         560           Length of Power Cord (Min./Max.)         6'/6.5'           Plug Type (NEMA)         LCDI (5-15P)           Features         Electronic Controls           Ready-Select*         Fan Speeds (Cool/Fan)           3/3         Low Voltage Start-Up           Yes         Auto Cool Function           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Performance	
Cool Area (Up To Sq. Ft.)         250           Energy Efficiency Ratio         11.2           Electrical         115           Volts         115           Amps (Cool)         4.7           Watts (Cool)         560           Length of Power Cord (Min./Max.)         6'/6.5'           Plug Type (NEMA)         LCDI (5-15P)           Features         Electronic Controls           Ready-Select*           Fan Speeds (Cool/Fan)         3/3           Low Voltage Start-Up         Yes           Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	BTU (Cool)	6,000
Energy Efficiency Ratio 11.2  Electrical 115  Amps (Cool) 4.7  Watts (Cool) 560  Length of Power Cord (Min./Max.) 6'/6.5'  Plug Type (NEMA) LCDI (5-15P)  Features  Electronic Controls Ready-Select*  Fan Speeds (Cool/Fan) 3/3  Low Voltage Start-Up Yes  Auto Cool Function Yes  Energy Saver Mode Yes  Sleep Mode Yes  Filter Check Yes  24-Hour On/Off Timer Yes  Clean Air Ionizer  Remote Control FIII Function	Dehumidification (Pints/Hour)	1.3
Electrical         115           Volts         115           Amps (Cool)         4.7           Watts (Cool)         560           Length of Power Cord (Min./Max.)         6'/6.5'           Plug Type (NEMA)         LCDI (5-15P)           Features           Electronic Controls         Ready-Select*           Fan Speeds (Cool/Fan)         3/3           Low Voltage Start-Up         Yes           Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Cool Area (Up To Sq.Ft.)	250
Volts         115           Amps (Cool)         4.7           Watts (Cool)         560           Length of Power Cord (Min./Max.)         6'/6.5'           Plug Type (NEMA)         LCDI (5-15P)           Features           Electronic Controls         Ready-Select*           Fan Speeds (Cool/Fan)         3/3           Low Voltage Start-Up         Yes           Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Energy Efficiency Ratio	11.2
Amps (Cool) 4.7  Watts (Cool) 560  Length of Power Cord (Min./Max.) 6'/6.5'  Plug Type (NEMA) LCDI (5-15P)  Features  Electronic Controls Ready-Select*  Fan Speeds (Cool/Fan) 3/3  Low Voltage Start-Up Yes  Auto Cool Function Yes  Energy Saver Mode Yes  Sleep Mode Yes  Filter Check Yes  24-Hour On/Off Timer Yes  Clean Air Ionizer  Remote Control Full Function	Electrical	
Watts (Cool) 560 Length of Power Cord (Min./Max.) 6'/6.5' Plug Type (NEMA) LCDI (5-15P)  Features  Electronic Controls Ready-Select* Fan Speeds (Cool/Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Yes Energy Saver Mode Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Remote Control Full Function	Volts	115
Length of Power Cord (Min./Max.) 6'/6.5' Plug Type (NEMA) LCDI (5-15P)  Features  Electronic Controls Ready-Select* Fan Speeds (Cool/Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Yes Energy Saver Mode Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Remote Control Full Function	Amps (Cool)	4.7
Plug Type (NEMA)  Features  Electronic Controls Fan Speeds (Cool / Fan) Low Voltage Start-Up Auto Cool Function Energy Saver Mode Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control  LCDI (5-15P)  Ready-Select*  Ready-Select*  Yes  3 / 3  Low Voltage Start-Up Yes  4 yes  4 yes  5 leep Mode Yes  5 leep Mode Yes  6 leer Yes  6 leer Check Yes  7 leer Check Yes  8 leer Check Yes  9 leer Check Yes  1 leer Check Yes  2 leer Check Yes  1 leer Check Yes  2 leer Check Yes  2 leer Check Yes  3 leer Check Yes  4 leer Check Yes  5 leer Check Yes  6 leer Check Yes  7 leer Check Yes  6 leer Check Yes  7 leer Check Yes  8 leer Check Yes  9 leer Check Yes  1 leer Check Yes  2 leer Check Yes  1 leer Check Yes  1 leer Check Yes  2 leer Check Yes  2 leer Check Yes  1 leer Check Yes  2 leer Check Yes  2 leer Check Yes  2 leer Check Yes  2 leer Check Yes  4 l	Watts (Cool)	560
Features  Electronic Controls Ready-Select* Fan Speeds (Cool / Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Yes Energy Saver Mode Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Remote Control Full Function	Length of Power Cord (Min./Max.)	6'/6.5'
Electronic Controls Ready-Select*  Fan Speeds (Cool/Fan) 3/3  Low Voltage Start-Up Yes  Auto Cool Function Yes  Energy Saver Mode Yes  Sleep Mode Yes  Filter Check Yes  24-Hour On/Off Timer Yes  Clean Air Ionizer  Remote Control Full Function	Plug Type (NEMA)	LCDI (5-15P)
Fan Speeds (Cool/Fan)         3/3           Low Voltage Start-Up         Yes           Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Features	
Low Voltage Start-Up         Yes           Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Electronic Controls	Ready-Select®
Auto Cool Function         Yes           Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Fan Speeds (Cool/Fan)	3/3
Energy Saver Mode         Yes           Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Low Voltage Start-Up	Yes
Sleep Mode         Yes           Filter Check         Yes           24-Hour On/Off Timer         Yes           Clean Air Ionizer         Full Function	Auto Cool Function	Yes
Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Remote Control Full Function	Energy Saver Mode	Yes
24-Hour On/Off Timer Yes  Clean Air Ionizer  Remote Control Full Function	Sleep Mode	Yes
Clean Air Ionizer  Remote Control Full Function	Filter Check	Yes
Remote Control Full Function	24-Hour On/Off Timer	Yes
	Clean Air Ionizer	
Air CFM (High/Low) 176/153/124	Remote Control	Full Function
170/100/124	Air CFM (High/Low)	176/153/124
Air Direction Control 8-Way	Air Direction Control	8-Way
Fresh Air/Exhaust Vent/Closed No/No/Yes	Fresh Air/Exhaust Vent/Closed	No/No/Yes
Filter Type Antibacterial Mesh	Filter Type	Antibacterial Mesh
Filter Access Tilt-Out	Filter Access	Tilt-Out
Slide-Out Chassis	Slide-Out Chassis	
Window Mounting Kit (Included) Pleated Quick Mount	Window Mounting Kit (Included)	Pleated Quick Mount
Warranty <sup>1</sup> Yes	Warranty <sup>1</sup>	Yes
Certifications	Certifications	
ENERGY STAR* Yes	ENERGY STAR*	Yes
Performance AHAM	Performance	AHAM
Specifications	Specifications	
Refrigerant R410a	Refrigerant	R410a
Shipping Weight (Approx.) 57 Lbs.	Shipping Weight (Approx.)	57 Lbs.

<sup>1</sup>Warranty 5 year sealed system/1 year full parts and labor.





NOTE: For planning purposes only. Always consult local and national electric codes.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A - Height	12-1/4"
B-Width	23-5/8"
C-Depth	18"

Window Dimensions	
D-Height (Min.)	12-1/2"
E-Width (Min./Max.)	26-1/2" / 41-1/2"

Accessories information available on the web at frigidaire.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com