FRIGIDAIRE.



Home Comfort

FRA106BU1



Signature Features

Effortless™ Remote Temperature Control

A themostat located on your air conditioner's remote control precisely maintains preset room temperature, so you will remain comfortable at all times.

Remote Control

Allows you to precisely control the temperature and fan speed from across the room.

Ready-Select® Controls

Easily select options with the touch of a button.

Effortless™ Clean Filter

Our antibacterial filter reduces bacteria, room odors and other airborne particles for a cool, comfortable environment.

Compact Air Conditioner

Product Dimensions

 Height
 14-1/2"

 Width
 19"

 Depth
 19"

More Easy-To-Use Features

Energy and Cost Savings

The unit operates at a low voltage – conserving energy and saving you money.

Multi-Speed Fan

Features three different fan speeds, for more cooling flexibility.

Sleep Mode

Quiet operation keeps you cool without keeping you awake. Plus, Sleep Mode gradually increases room temperature after being activated.

Quickly Cools

Quickly cool a room on hot days.

Comfort Control Design

Easily control the direction of your cool air, wherever your unit is.

Effortless™ Restart

Automatically resumes operating at its previous settings when power is restored to your unit.

Clean Filter Alert

Notifies you when your filter needs to be cleaned.

Power Cord

Comes with an extra long three-prong cord — makes extension cords unnecessary.

SpaceWise® Adjustable Design Optional Side Panels

Extend so you can adjust your unit to fit your window.

24-Hour On/Off Timer

Keep things cool on your schedule.

Energy STAR

ENERGY STAR®


Performance	BTUs
Cool	10,000




Performance I0,000 BTU (Cool) 10,000 Dehumidification (Pints/Hour) 3.0 Cool Area (Sq. Ft.) 500 Energy Efficiency Ratio 10.8 Electrical Volts Volts 115 Amps (Cool) 8.8 Watts (Cool) 925 Length of Power Cord (Min./Max.) 6'/6.5' Plug Type (NEMA) LCDI (5-15P) Features Incompage State Cool (Fan) Electronic Controls Ready-Select* Controls Fan Speeds (Cool / Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Puscential Controls Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Access <t< th=""><th></th><th></th></t<>		
Dehumidification (Pints/Hour) Cool Area (Sq. Ft.) Energy Efficiency Ratio Electrical Volts Amps (Cool) Length of Power Cord (Min./Max.) Features Electronic Controls Electronic Controls Fan Speeds (Cool/Fan) Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air Direction Control Air CFM (High/Med/Low) Filter Type Filter Access Filter Access Filter Access Filter Chashsis Window Mounting Kit (Included) Warranty¹ Yes Performance ENERGY STAR* Performance Refrigerant Sa.0 10.8	Performance	
Cool Area (Sq. Ft.) Energy Efficiency Ratio Electrical Volts Amps (Cool) Energh of Power Cord (Min./Max.) Plug Type (NEMA) Electronic Controls Electronic Controls Electronic Controls Electronic Controls Fan Speeds (Cool/Fan) Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air Direction Control Firsh Air/Exhaust Vent/Closed Filter Type Filter Access Filter Access Filter Chasis Window Mounting Kit (Included) Warranty¹ Yes Performance ENERGY STAR* Performance Refrigerant Nass 115 Ass Base Base Base Base Base Base Base Ba	BTU (Cool)	10,000
Energy Efficiency Ratio Electrical Volts Amps (Cool) B.8 Watts (Cool) Length of Power Cord (Min./Max.) Plug Type (NEMA) Electronic Controls Features Electronic Controls Fan Speeds (Cool/Fan) Auto Cool Function Energy Save Sleep Mode Yes Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) ENERGY STAR* Performance Refrigerant R410a	Dehumidification (Pints/Hour)	3.0
Electrical Volts	Cool Area (Sq. Ft.)	500
Volts 115 Amps (Cool) 8.8 8.8 Watts (Cool) 925 Length of Power Cord (Min./Max.) 6'/6.5' Plug Type (NEMA) LCDI (5-15P) Features Electronic Controls Ready-Select* Controls Fan Speeds (Cool/Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Energy Efficiency Ratio	10.8
Amps (Cool) Watts (Cool) Length of Power Cord (Min./Max.) Plug Type (NEMA) Features Electronic Controls Fan Speeds (Cool/Fan) LCDI (5-15P) Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Window Mounting Kit (Included) ENERGY STAR* Performance Refrigerant ECDI (5-15P) LCDI (5-15P) Ready-Select* Controls Ready-Select* AlcDi (5-15P) LCDI (5-15P) Ready-Select* Controls Ready-Select* Controls Ready-Select* LCDI (5-15P) LCDI (5-15P) Ready-Select* Controls Ready-Select* Ready-Selec	Electrical	
Watts (Cool) Length of Power Cord (Min./Max.) Plug Type (NEMA) Features Electronic Controls Fan Speeds (Cool/Fan) Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Window Mounting Kit (Included) Warranty¹ Pes Performance Specifications Refrigerant Pilug Type (NEMA) Pilo (16-15) Pleated Quick Mount Presh Performance AHAM R410a	Volts	115
Length of Power Cord (Min./Max.) Plug Type (NEMA) Features Electronic Controls Fan Speeds (Cool/Fan) Low Voltage Start-Up Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Firesh Air/Exhaust Vent/Closed Filter Type Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Pes Performance Specifications Refrigerant Ready-Select* Controls Ready-Select* Controls Pesady-Select*	Amps (Cool)	8.8
Plug Type (NEMA) Features Electronic Controls Fan Speeds (Cool/Fan) Low Voltage Start-Up Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Pes Performance Specifications Refrigerant Ready-Select* Controls Ready-Select* Controls Pes Agy Presh Air/Exhaust Vent/Closed Pleated Quick Mount Presh Performance AHAM R410a	Watts (Cool)	925
Features Electronic Controls Ready-Select* Controls Fan Speeds (Cool/Fan) 3/3 Low Voltage Start-Up Yes Auto Cool Function Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R400	Length of Power Cord (Min./Max.)	6'/6.5'
Electronic Controls Fan Speeds (Cool/Fan) Low Voltage Start-Up Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Slide-Out Chassis Window Mounting Kit (Included) ENERGY STAR* Performance Refrigerant Res Redady-Select* Controls Yes Yes Performence Ready-Select* Controls Yes Yes Performence Ready-Select* Controls Yes Yes Yes Performence Performence Ready-Select* Controls Yes Yes Performance Refrigerant Refrigerant Refrigerant Res Performance Res Res Performance Refrigerant Res Performance Res Res Res Res Res Res Res Res Res Re	Plug Type (NEMA)	LCDI (5-15P)
Fan Speeds (Cool/Fan) Low Voltage Start-Up Auto Cool Function Energy Save Sleep Mode Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Access Filter Access Window Mounting Kit (Included) Warranty¹ Performance Specifications Refrigerant Res Yes Res Yes Yes Yes Yes Yes	Features	
Low Voltage Start-Up Auto Cool Function Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Yes Certifications ENERGY STAR* Performance Attack Refrigerant Pyes Yes Yes Yes AHAM R410a	Electronic Controls	Ready-Select® Controls
Auto Cool Function Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R48	Fan Speeds (Cool/Fan)	3/3
Energy Save Yes Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R450	Low Voltage Start-Up	Yes
Sleep Mode Yes Filter Check Yes 24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Auto Cool Function	
Filter Check 24-Hour On/Off Timer Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Certifications ENERGY STAR* Performance Ayes Yes Yes Yes Yes Pefrigerant Yes Yes Performance R410a	Energy Save	Yes
24-Hour On/Off Timer Yes Clean Air Ionizer Yes Remote Control Full-Function Remote T'Stat Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warrantyl Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant Re410a	Sleep Mode	Yes
Clean Air Ionizer Remote Control Air CFM (High/Med/Low) Air Direction Control Filter Type Filter Access Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Certifications ENERGY STAR* Performance Specifications Refrigerant Pull-Function Remote T'Stat 8-Way Yes/Yes/Yes Filter Yyes Antibacterial Mesh Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Yes AHAM Specifications Refrigerant R410a	Filter Check	Yes
Remote Control Air CFM (High/Med/Low) Air Direction Control Air Direction Control Presh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty ¹ Ves Certifications ENERGY STAR* Performance AHAM Specifications Refrigerant Full-Function Remote T'Stat Preshvay Preshvay Preshvay Preshvay Refrigerant Full-Function Remote T'Stat Preshvay Preshvay Yes Partormance AHAM R410a	24-Hour On/Off Timer	Yes
Air CFM (High/Med/Low) 290/260/231 Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty ¹ Yes Certifications ENERGY STAR* Performance AHAM Specifications Refrigerant R410a	Clean Air Ionizer	Yes
Air Direction Control 8-Way Fresh Air/Exhaust Vent/Closed Yes/Yes/Yes Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR® Yes Performance AHAM Specifications Refrigerant R410a	Remote Control	Full-Function Remote T'Stat
Fresh Air/Exhaust Vent/Closed Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Yes Certifications ENERGY STAR® Performance AHAM Specifications Refrigerant R410a	Air CFM (High/Med/Low)	290/260/231
Filter Type Antibacterial Mesh Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Air Direction Control	8-Way
Filter Access Tilt-Out Slide-Out Chassis Window Mounting Kit (Included) Pleated Quick Mount Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Fresh Air/Exhaust Vent/Closed	Yes/Yes/Yes
Slide-Out Chassis Window Mounting Kit (Included) Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Filter Type	Antibacterial Mesh
Window Mounting Kit (Included) Warranty¹ Yes Certifications ENERGY STAR* Performance AHAM Specifications Refrigerant R410a	Filter Access	Tilt-Out
Warranty¹ Yes Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Slide-Out Chassis	
Certifications ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Window Mounting Kit (Included)	Pleated Quick Mount
ENERGY STAR* Yes Performance AHAM Specifications Refrigerant R410a	Warranty ¹	Yes
Performance AHAM Specifications Refrigerant R410a	Certifications	
Specifications Refrigerant R410a	ENERGY STAR*	Yes
Refrigerant R410a	Performance	АНАМ
	Specifications	
Shipping Weight (Approx.) 69 Lbs.	Refrigerant	R410a
	Shipping Weight (Approx.)	69 Lbs.

FRIGIDAIRE.







NOTE: For planning purposes only. Always consult local and national electric codes.
Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A - Height	14-1/2"
B-Width	19"
C-Depth	19"

Window Dimensions	
D-Height (Min.)	15-1/2"
E-Width (Min./Max.)	23"/36"

Accessories information available on the web at frigidaire.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com