

GALLERY_®



Freezers GLFH17F8H W/B



Signature Features

Express-Select® Controls with Upfront Display

Easily select options with the touch of a button.

Automatic Alerts

Freezer alerts you if the door is left open or if the temperature rises.

SpaceWise® Organization System

Our total organization system includes adjustable and fixed glass shelves, mid and lower level baskets with dividers, a retractable pizza shelf and adjustable door storage.

Store-More™ Tilt-Out Wire Door Bins

Store more in the door while the tilt-out feature provides easy access.

Frost Free 17 Cu. Ft. Upright

Product Dimensions

 Height (Including Hinges)
 65-3/4"

 Width
 32"

 Depth (Including Door)
 26-5/8"

More Easy-To-Use Features

Store-More™ Adjustable Door Bins

Flexible storage options with door bins designed to reposition with ease to fit your needs.

Soft Freeze™ Zone

A bin that remains slightly warmer than the freezer interior for convenient storage for Soft Freeze™ items such as ice cream.

SpaceWise® Adjustable Shelf

Lock with Pop-Out Key

Quick Freeze

Quickly freeze whatever you store to keep foods at their freshest.

Bright Lighting

Our bright lighting makes it easy to see what's inside

Power-On Indicator Light

Know at a glance that your freezer is working.

Color-Coordinated Handle

SpaceWise® Shelf Bookends

Clever and flexible bookends are designed hold more frozen food containers upright.

Energy Saver Plus Technology

ENERGY STAR®



Available in:







GALLERY.

Peatures			
Reversible Door Automatic Door Closer Leveling Legs Lock with Pop-Out Key Pefrost Adjustable Temperature Control Front Digital Display Temp Display Mode F/C High-Temp Duration Readout High-Temp Alarm Poor Ajar Alarm Airflow Ports Full-Width Adjustable Shelves Full-Width Fixed Shelves Full-Width Fixed Shelves Pase-Wise* Shelf Bookend Pase-Wise* Shelf Bookend Dasket Dividers Soft Freeze™ Zone Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Power Shelf Sq. Ft.) Annual Energy (kWH) Annual Energy (kWH) Amps @ 115 Volts Minimum Circuit Required (Amps) Free Sures Prost Post Post Post Post Post Post Post P	Features		
Automatic Door Closer Leveling Legs Yes Lock with Pop-Out Key Yes Defrost Frost Free Adjustable Temperature Control Express-Select* Front Digital Display Yes Temp Display Mode F/C High-Temp Duration Readout Yes High-Temp Duration Readout Yes Airflow Ports 3 Interior Lighting Bright Full-Width Adjustable Shelves 1 Glass Full-Width Fixed Shelves 2 Glass Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* Yes CSA Rating Household Ves Basket Read Shelf Square Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy (Connection Location Lower Right Rear Voltage Rating 115 Volts Minimum Circuit Required (Amps) 15	Door Handle Design	Reach-Through	
Leveling Legs Yes Lock with Pop-Out Key Yes Defrost Frost Free Adjustable Temperature Control Express-Select* Front Digital Display Yes Temp Display Mode F/C High-Temp Duration Readout Yes High-Temp Alarm Yes Door Ajar Alarm Yes Airflow Ports 3 Interior Lighting Bright Full-Width Adjustable Shelves 1 Glass Full-Width Fixed Shelves 2 Glass Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Fower Supply Connection Location Voltage Rating 115 Volts Minimum Circuit Required (Amps) 15 Minimum Circuit Required (Amps) Minimum Circuit Required (Amps) Minimum Circuit Required (Amps) Minimum Circuit Required (Amps) Mess Pers Post Free Prost Free	Reversible Door		
Lock with Pop-Out Key Defrost Frost Free Adjustable Temperature Control Front Digital Display Temp Display Mode High-Temp Duration Readout High-Temp Alarm Pes Airflow Ports Interior Lighting Full-Width Adjustable Shelves Removable Trivet SpaceWise® Shelf Bookend Lower Storage Basket Basket Dividers Store-More™ Adjustable Door Bins Full-Width Door Bins Store-More™ Tilt-Out Wire Door Bins Pefrost Drain Power-On Light Certifications ENERGY STAR® CSA Rating Household Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Amps @ 115 Volts Minimum Circuit Required (Amps) Minimum Circuit Required (Amps) Fisca Door Sacks Pinon Pess Finon Fin	Automatic Door Closer		
Defrost Free Adjustable Temperature Control Express-Select* Front Digital Display Yes Temp Display Mode F/C High-Temp Duration Readout Yes High-Temp Duration Readout Yes Airflow Ports 3 Interior Lighting Bright Full-Width Adjustable Shelves 1 Glass Full-Width Fixed Shelves 2 Glass Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115 Volts Minimum Circuit Required (Amps) 15	Leveling Legs	Yes	
Adjustable Temperature Control Express-Select® Front Digital Display Yes Temp Display Mode F/C High-Temp Duration Readout Yes High-Temp Duration Readout Yes Door Ajar Alarm Yes Airflow Ports 3 Interior Lighting Bright Full-Width Adjustable Shelves 1 Glass Full-Width Fixed Shelves 2 Glass Removable Trivet SpaceWise® Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115∨ Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Lock with Pop-Out Key	Yes	
Front Digital Display Temp Display Mode F/C High-Temp Duration Readout High-Temp Duration Readout Fyes Door Ajar Alarm Yes Airflow Ports January Airflow Ports January Jes	Defrost	Frost Free	
Temp Display Mode High-Temp Duration Readout High-Temp Alarm Poor Ajar Alarm Ves Airflow Ports Interior Lighting Bright Full-Width Adjustable Shelves Removable Trivet SpaceWise* Shelf Bookend Lower Storage Basket Lower Storage Basket Basket Dividers Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins Tixed Door Racks Defrost Drain Power-On Light Convertible Certifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy Cost (1065/kWH) Power @ 115 Volts Minjumum Circuit Required (Amps) I Storelias I Salary Ses I Se	Adjustable Temperature Control	Express-Select*	
High-Temp Duration Readout High-Temp Alarm Yes Door Ajar Alarm Airflow Ports Interior Lighting Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise® Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065 / kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) I Glass Birght Yes I Glass I Glass Fight Fi	Front Digital Display	Yes	
High-Temp Alarm Door Ajar Alarm Airflow Ports Interior Lighting Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise® Shelf Bookend Mid-Level Baskets Lower Storage Basket Basket Dividers Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® CSA Rating Annual Energy (kWH) Annual Energy Cost (1065 / kWH) Power Quite Required (Amps) Mid-Level Basket 1 Glass Reright Fight Fight Fight Foliass 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Certifications ENERGY STAR® CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065 / kWH) S65 Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Temp Display Mode	F/C	
Door Ajar Alarm Airflow Ports Airflow Ports Interior Lighting Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise® Shelf Bookend Mid-Level Baskets Lower Storage Basket Basket Dividers Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® CSA Rating Annual Energy (kWH) Annual Energy (connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) Mid-Level Basket 1 Glass 1 Glass 2 Glass Reight Fight Follows 2 Wes 2 Ves 5 Glass 1 Tollass Fves 1 Tollass	High-Temp Duration Readout	Yes	
Airflow Ports Interior Lighting Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise® Shelf Bookend Mid-Level Baskets Lower Storage Basket Basket Dividers Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® CSA Rating Annual Energy (kWH) Annual Energy (contection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) Mid-Level Basket 1 Glass 1 Glass 2 Glass Reinght 1 Glass 2 Wes 2 Wes 2 Wes 2 Wes 2 Wes 5 Glass 1 Household 2 Wes 5 Bright 1 Household 5 Power Supply Connection Location Lower Right Rear Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	High-Temp Alarm	Yes	
Interior Lighting Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065 / kWH) Power Guite Required (Amps) Mid-Level Basket 2 Glass Removable Py Selass 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR* Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) Annual Energy Cost (1065 / kWH) S65 Power Supply Connection Location Lower Right Rear Voltage Rating Connected Load (kW rating) @ 115 Volts¹ S8 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Door Ajar Alarm	Yes	
Full-Width Adjustable Shelves Full-Width Fixed Shelves Removable Trivet SpaceWise® Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065 / kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) I Sasket Selfass 1 I I I I I I I I I I I I I I I I I I	Airflow Ports	3	
Full-Width Fixed Shelves Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 1 2 Glass Removable 2 Glass 2 Glass Removable Pves 1 1 1 1 1 1 1 1 1 1 1 1 1	Interior Lighting	Bright	
Removable Trivet SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 1 1 1 1 1 1 1 1 1 1 1 1 1	Full-Width Adjustable Shelves	1 Glass	
SpaceWise* Shelf Bookend 2 Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Full-Width Fixed Shelves	2 Glass	
Mid-Level Baskets 1 Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (1065/kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Removable Trivet		
Lower Storage Basket 1 Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR™ Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	SpaceWise® Shelf Bookend	2	
Basket Dividers 2 Retractable Pizza Shelf Yes Soft Freeze™ Zone Yes Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Mid-Level Baskets	1	
Retractable Pizza Shelf Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065 / kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 1	Lower Storage Basket	1	
Soft Freeze™ Zone Store-More™ Adjustable Door Bins Full-Width Door Bins Store-More™ Tilt-Out Wire Door Bins Fixed Door Racks Defrost Drain Power-On Light Certifications ENERGY STAR® CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065 / kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 1	Basket Dividers	2	
Store-More™ Adjustable Door Bins 4 Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR™ Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Retractable Pizza Shelf	Yes	
Full-Width Door Bins 1 Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR™ Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts Minimum Circuit Required (Amps) 15	Soft Freeze™ Zone	Yes	
Store-More™ Tilt-Out Wire Door Bins 1 Fixed Door Racks Defrost Drain Power-On Light Yes Convertible Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Store-More™ Adjustable Door Bins	4	
Fixed Door Racks Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Full-Width Door Bins	1	
Defrost Drain Power-On Light Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Store-More™ Tilt-Out Wire Door Bins	1	
Power-On Light Convertible Certifications ENERGY STAR* Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Fixed Door Racks		
Convertible Certifications ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Defrost Drain		
Certifications ENERGY STAR® Yes CSA Rating Household Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065 / kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Power-On Light	Yes	
ENERGY STAR* CSA Rating Household Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) 15	Convertible		
CSA Rating Specifications Total Capacity (Cu. Ft.) Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (1065/kWH) Fower Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Minimum Circuit Required (Amps) Household Household 16.6 16.93 16.93 16.93 17.94 18.95 18.95 18.95 18.95 18.95 19	Certifications		
Specifications Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (1065/kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ 58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	ENERGY STAR*	Yes	
Total Capacity (Cu. Ft.) 16.6 Shelf Area (Sq. Ft.) 16.93 Annual Energy (kWH) 615 Annual Energy Cost (.1065/kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	CSA Rating	Household	
Shelf Area (Sq. Ft.) Annual Energy (kWH) Annual Energy Cost (.1065/kWH) Power Supply Connection Location Voltage Rating Connected Load (kW rating) @ 115 Volts¹ Amps @ 115 Volts Minimum Circuit Required (Amps) 16.93 16.93 15	Specifications		
Annual Energy (kWH) 615 Annual Energy Cost (.1065/kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Total Capacity (Cu. Ft.)	16.6	
Annual Energy Cost (1065/kWH) \$65 Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Shelf Area (Sq. Ft.)	16.93	
Power Supply Connection Location Lower Right Rear Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Annual Energy (kWH)	615	
Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Annual Energy Cost (.1065/kWH)	\$65	
Voltage Rating 115V Connected Load (kW rating) @ 115 Volts¹ .58 Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Power Supply Connection Location	Lower Right Rear	
Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Voltage Rating		
Amps @ 115 Volts 5 Minimum Circuit Required (Amps) 15	Connected Load (kW rating) @ 115 Volts ¹	.58	
		5	
Shipping Weight (Approx.) 208 Lbs.	Minimum Circuit Required (Amps)	15	
	Shipping Weight (Approx.)	208 Lbs.	

'An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.



* When installing freezer adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete basket access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited basket access with restricted removal.)



NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A-Height (Including Hinges)	65-3/4"
B-Width	32"
C-Depth (Including Door)	26-5/8"
D-Depth with Door Open 90°	57-3/8"

Accessories information available on the web at **frigidaire.com**

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com