

Frigidaire.

MWVI50K W/B

- 1.5 Cu. Ft. Oven Capacity
- 900 Watts
- 10 Power Levels
- Color-Coordinated Door with Window and Control Panel
- Touch Control with 24 Pads
- Digital Cooking Display
- 3 Auto-Reheat Categories
- I Auto-Defrost Categories

- Child Lock
- 2 Fan Speeds
- 12" Glass Turntable
- Electronic Clock/Timer
- 300 CFM Fan
- Cooking Surface Light
- Sensor Cooking
- One-Touch Options
- 2 User Preference Options
- Available in White and Black

ONE-YEAR LIMITED WARRANTY

Your appliance is covered by a one year limited warranty. For one year from your original date of purchase, Electrolux will pay all costs for repairing or replacing any parts of this appliance that prove to be defective in materials or workmanship when such appliance is installed, used, and maintained in accordance with the provided instructions.

DISCLAIMER OF IMPLIED WARRANTIES; LIMITATION OF REMEDIES

Customer's sole and exclusive remedy under this limited warranty shall be product repair as provided herein. Claims based on implied warranties, including warranties of merchantability or fitness for a particular purpose, are limited to one year or the shortest period allowed by law, but not less than one year Electrolux shall not be liable for consequential or incidental damages such as property damage and incidental expenses resulting from any breach of this written limited warranty or any implied warranty. Some states and provinces do not allow the exclusion or limitations on the duration of implied warranties or the duration of implied warranties or the summation of im

IF YOU NEED SERVICE

Keep your receipt, delivery slip, or some other appropriate payment record to establish the warranty period should service be required. If service is performed, it is in your best interest to obtain and keep all receipts. Service under this warranty must be obtained by contacting Electrolux at the addresses or phone numbers below. This warranty only applies in the USA and Canada. In the USA, your appliance is warranted by Electrolux Major Appliances North America, a division of Electrolux Home Products, Inc. In Canada, your appliance is warranted by Electrolux Canada Corp. Electrolux authorizes no person to change or add to any obligations under this warranty. Obligations for service and parts under this warranty must be performed by Electrolux or an authorized service company. Product features or specifications as described or illustrated are subject to change without notice.

OVER-THE-RANGE MICROWAVE OVENS

Models	FMV150K
Series	Frigidaire
Features	
Oven Cavity (Cu. Ft.)	1.5
Watts (IEC-705 Test Procedure)	900
Power Levels	10
Electronic Clock & Timer	•
Digital Cooking Display	5 Digit
Touch Pad Controls (# Pads)	24
Auto Reheat (# Categories)	3
Auto/Time Defrost	1
(# Categories)	·
Time Cooking	2 Stage
Child Lock	•
Glass Turntable (Diameter)	12"
Cooktop Light	•
Ventilation System	
Hood Fan	•
Ducted / Ductless	
Vent Installation	•
Exhaust Fan (CFM)	2 Speed 300/170/0
Grease Filter	
(Ductless Installation)	· ·
Power Ratings	
2450 Frequency (Mhz)	•
Watts @ 120 Volt Input	1450
AMPS @ 120 Volt Input	13
Specifications	
Product Net Weight (Approx.)	62 Lbs.
Exterior Width	29-7/8"
Exterior Height (Front)	15-3/4"
Exterior Depth	16-13/32"
Interior Oven Width	20-1/4"
Interior Oven Height	9-1/4"
Interior Oven Depth	14-13/32"
Carton Width	33-9/32"
	20-1/16"
Carton Height Carton Depth	19-9/32"
Shipping Weight (Approx.)	67 Lbs.
onipping vveignt (Approx.)	67 LDS.

*Consult Local and National Electric Codes

Blower plate allows for vertical

or horizontal ducting

rear extrusion

1613/32"





c UL us

INSTALLATION

The following dimension and cutout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual at Customer Service, online at *frigidaire.com*.

Locate 120V/60Hz grounded outlet inside upper cabinet Microwave MUST be mounted to Bottom edge of cabinet MUST be BOTH a top cabinet AND a wail* 30" min. from cooking surface 12' 30" min. Cabinet MUST Rear Wall 151/2" min. be capable of 14" supporting a total 66" min. max. 30" min load of 110 lbs. from floor to top of 2" min. Backsplash *Can NOT be installed in island or peninsula

cabinet arrangements

Frigidaire

Electrolux Major Appliances, North America 250 Bobby Jones Expressway, Martinez, GA 30907 I-800-FRIGIDAIRE • frigidaire.com

CANADA

Electrolux Canada Corporation 5855 Terry Fox Way, Mississauga, ON L5V 3E4 1-800-265-8352 • frigidaire.ca

Electrolux Major Appliances, N.A.

 $29^{7/8}$

Allow at least 26" clearance for door depth when open

Power cord

15¹/₃₂" | | 15³/₄"

extrusion

location

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com