

**GARMIN**

# rimo<sup>®</sup> 600 series

owner's manual



© 2011 Garmin Ltd. or its subsidiaries

All rights reserved. Under the copyright laws, this manual may not be copied, in whole or in part, without the written consent of Garmin. Garmin reserves the right to change or improve its products and to make changes in the content of this manual without obligation to notify any person or organization of such changes or improvements. Go to [www.garmin.com](http://www.garmin.com) for current updates and supplemental information concerning the use of this product.

Garmin®, the Garmin logo, Rino®, BlueChart®, and City Navigator® are trademarks of Garmin Ltd. or its subsidiaries, registered in the USA and other countries. HomePort™, BaseCamp™, chirp™, and ANT+™ are trademarks of Garmin Ltd. or its subsidiaries. These trademarks may not be used without the express permission of Garmin.

Windows® is a registered trademark of Microsoft Corporation in the United States and/or other countries. Mac® is a registered trademarks of Apple Computer, Inc. microSD™ is a trademark of SD-3C, LLC. Other trademarks and trade names are those of their respective owners.

# Table of Contents

|                                     |           |
|-------------------------------------|-----------|
| <b>Getting Started.....</b>         | <b>3</b>  |
| Keys.....                           | 3         |
| Manual Conventions.....             | 4         |
| Battery Information.....            | 4         |
| Acquiring Satellite Signals.....    | 6         |
| Registering Your Device.....        | 6         |
| Turning On the Backlight.....       | 6         |
| Locking the Screen.....             | 7         |
| <b>Radio.....</b>                   | <b>8</b>  |
| About the Radio.....                | 8         |
| Choosing a Channel.....             | 8         |
| Radio Settings.....                 | 9         |
| About Contacts.....                 | 10        |
| Notes.....                          | 10        |
| About Peer-to-Peer Positioning..... | 11        |
| Using SAME Weather Alerts.....      | 12        |
| Radio Page Status Indicators.....   | 13        |
| <b>Waypoints and Tracks.....</b>    | <b>15</b> |
| Waypoints.....                      | 15        |
| About Sharing Data.....             | 16        |

|                                     |           |
|-------------------------------------|-----------|
| Tracks.....                         | 16        |
| Navigating a Saved Track.....       | 17        |
| <b>Navigation.....</b>              | <b>18</b> |
| Navigating to a Destination.....    | 18        |
| Map.....                            | 19        |
| Compass.....                        | 19        |
| Navigating to a Contact.....        | 21        |
| Geocaches.....                      | 21        |
| Routes.....                         | 21        |
| Using Sight 'N Go.....              | 23        |
| <b>Camera and Photos.....</b>       | <b>24</b> |
| Taking a Photo.....                 | 24        |
| Viewing Photos.....                 | 24        |
| <b>Customizing Your Device.....</b> | <b>26</b> |
| Customizing the Data Fields.....    | 26        |
| Customizing the Home Screen.....    | 26        |
| Creating a Custom Profile.....      | 26        |
| Customizing Specific Pages.....     | 27        |
| System Settings.....                | 28        |
| Display Settings.....               | 29        |
| Setting the Device Tones.....       | 29        |

## Table of Contents

---

|  |           |                                  |           |
|--|-----------|----------------------------------|-----------|
| Map Settings.....                          | 29        | Viewing Device Information ..... | 39        |
| Tracks Settings.....                       | 30        | Specifications .....             | 39        |
| Changing the Units of Measure ...          | 31        | About the Batteries.....         | 40        |
| Time Settings.....                         | 31        | Caring for the Device.....       | 41        |
| Position Format Settings .....             | 32        | Data Management.....             | 42        |
| Heading Settings .....                     | 32        | Additional Maps .....            | 45        |
| Altimeter Settings .....                   | 33        | Optional Accessories.....        | 45        |
| Geocache Settings .....                    | 34        | Data Field Options.....          | 46        |
| Routing Settings .....                     | 34        | Troubleshooting.....             | 51        |
| Marine Map Settings.....                   | 35        | FCC Licensing Information.....   | 53        |
| Fitness.....                               | 36        | <b>Index .....</b>               | <b>54</b> |
| Resetting Data.....                        | 36        |                                  |           |
| <b>Tools .....</b>                         | <b>37</b> |                                  |           |
| Trip Computer.....                         | 37        |                                  |           |
| Elevation Plot.....                        | 37        |                                  |           |
| Viewing the Calendar and<br>Almanacs ..... | 37        |                                  |           |
| Calculating the Size of an Area ...        | 37        |                                  |           |
| Setting an Alarm .....                     | 38        |                                  |           |
| Opening the Stopwatch .....                | 38        |                                  |           |
| <b>Device Information .....</b>            | <b>39</b> |                                  |           |
| Updating the Software .....                | 39        |                                  |           |

## Getting Started

### WARNING

See the *Important Safety and Product Information* guide in the product box for product warnings and other important information.

When using your device the first time, you should complete the following tasks to set up the device and get to know the basic features.

1. Install the batteries ([page 4](#)).
2. Register the device ([page 6](#)).
3. Acquire satellites ([page 9](#)).
4. Set up the radio ([page 9](#)).
5. Mark a waypoint ([page 15](#)).
6. Record a track ([page 17](#)).
7. Navigate to a destination ([page 18](#)).
8. Calibrate the compass ([page 19](#)).

## Keys



| Key | Description   |
|-----|---|
| ①   | Select to send out a call tone. If enabled ( <a href="#">page 11</a> ), the call key sends your position when released. |

|   |   |
|---|---|
| ② | Hold to turn on or off the device. Select to adjust backlight, volume, squelch level, and to lock or unlock the screen. |
| ③ | Hold to talk. <b>PTT</b> stands for push-to-talk.   |

## Manual Conventions

All the pages are found on the home screen. Use ← or → to scroll through the pages. The small arrows (>) used in the text indicate that you should select a series of items in order, for example, “Select **Delete** > **Yes**.”

## Battery Information

The device operates on the included lithium-ion battery pack or four AA batteries.

For tips on maximizing battery life and other battery information, see [page 40](#).

## Installing the Lithium-ion Battery

**NOTE:** The lithium-ion battery pack can be used only with the Rino® 650 and 655t.

1. Locate the battery pack ① that came in the product box.




2. Align the metal contacts on the battery pack with the metal contacts on the back of the device.
3. Gently press the battery pack into place.

4. Turn the D-ring clockwise.

## Charging the Lithium-ion Battery

Before you use the device the first time, charge the battery.

Charging a fully depleted battery takes 6 hours. The device will not charge when outside the temperature range from 32°F to 113°F (from 0°C to 45°C).

1. Plug the AC charger into a standard wall outlet.
2. Lift weather cap.
3. Plug the small end of the AC charger into the two-pin connector .



4. Charge the device completely. A fully charged battery can run for up to 14 hours before it must be recharged.

## Installing AA Batteries

Instead of the lithium-ion battery pack, you can use alkaline, NiMH, or lithium batteries. This is especially handy when you are on the trail and cannot charge the lithium-ion battery pack. Use NiMH or lithium batteries for best results.

1. Turn the D-ring counter-clockwise, and remove the cover.

## Getting Started

---

2. Lift the latch on the cover to separate the battery compartment.
3. Insert four AA batteries, observing polarity.



4. Replace the battery cover, and turn the D-ring clockwise.
5. Update the battery type in the system settings ([page 40](#)).

## Acquiring Satellite Signals

It may take 30 to 60 seconds to acquire signals.

1. Go outdoors to an open area.
2. Turn on the device.

3. Wait while the device searches for satellites.

A question mark flashes while the device determines your location.

The GPS bars indicate satellite strength. When the bars are green, the device has acquired satellite signals.

## Registering Your Device

- Go to <http://my.garmin.com>.
- Keep the original sales receipt, or a photocopy, in a safe place.

## Turning On the Backlight

The backlight will turn off after a period of inactivity. To change the backlight timeout, see [page 29](#).

- Select **ⓘ**.
- Touch the screen.

Alerts and messages also activate the backlight.



## Adjusting the Backlight Brightness

The backlight levels vary for the different power sources. For example, the highest backlight setting while running on AA batteries is lower than the highest while running on the lithium-ion battery. This is to extend the AA battery life.

1. While the device is on, select **1**.
2. Use + and - to adjust the brightness level.

## Locking the Screen

**NOTE:** This action does not lock the keys.

1. Select **1**.
2. Select **Lock Screen**.

## Radio

The radio page provides the user interface for Family Radio Service (FRS) and General Mobile Radio Service (GMRS) radio operations.

### About the Radio

The Rino has a total of 30 channels and 121 squelch codes.

| Channel | Frequency  |
|---------|--|
| 1-7     | GMRS and FRS channels.                           |
| 8-14    | FRS channels.                                    |
| 15-22   | GMRS channels.                                   |
| 15R-22R | Repeater channels<br>( <a href="#">page 9</a> ). |

GMRS frequencies are regulated by the FCC. In order to transmit on GMRS frequencies, you must obtain a license from the FCC ([page 53](#)).

### Muting the Radio

1. Select .
2. Select **Volume**.

### Choosing a Channel

1. Select **Radio > Channel**.
2. Use + or - to select a channel.



### Scanning Channels

You can scan the channels for voice activity.

Select **Radio > Scan**.

### Setting Up a Scan List

You can pick which channels and codes to scan. Selecting specific channels and codes reduces the scan time and helps prevent missing a transmission.

1. Select  > **Setup Scanlist**.
2. Select a channel to add.
3. Select .

## Monitoring for Activity

You can monitor a single channel for any activity, including static and weak voice signals. This is helpful if a signal is going out of range.

Select **Radio > Monitor**.

## Radio Settings

Select **☰ > Setup Radio**.

- **Send Location**—enables you to send your current location after each transmission ([page 11](#)).
- **Allow Polling**—enables polling. Polling allows another Rino user to get your location by sending a poll request.
- **Power Level**—adjusts power level on GMRS frequencies.
- **Weather Alert**—allows you to search for weather alerts on the current channel or all available channels.
- **Squelch Tone Mode:**
  - **CTCSS**—Continuous Tone Controlled Squelch System allows you to ignore unwanted calls from persons using the same channel.
  - **DCS**—Digital-Coded Squelch allows you to ignore unwanted calls from persons using the same channel.
- **Repeater Channel**—enables the GMRS repeater channels 15R-22R. GMRS repeater channels are not available on devices sold in Canada. Position reporting is not allowed by the FCC on repeater channels.
- **Headset Type**—allows you to select the type of headset you are using. To purchase accessories, go to <http://buy.garmin.com> or contact your Garmin dealer.

- **Vox Level**—Voice operated transmission controls the sensitivity level of any Vox accessory.

## About Contacts


The first time a signal is received from another Rino user, the new contact page appears. From that page, you can show their location on the map, navigate to their location ([page 21](#)), or add them to your contacts list.

## Adding a New Contact

When a new contact signal is received, the new contact page appears.

Select **OK** to save the contact.

## Editing Contacts

1. Select **Contacts**.
2. Select a contact.
3. Select an item.
4. Select .

## Viewing Contacts on the Map


1. Select **Contacts**.
2. Select a contact.
3. Select **View Map**.

## Notes

**NOTE:** Notes transmit to all users on your current channel and code.

You can send notes to other Rino users on your current channel and code. You can review previously received notes from your contacts. You can edit and save favorite notes to quickly send them later.

## Creating a Note

1. Select **Notes** > **<Send Note>** **<New Note>**.
2. Write the note.  
The maximum character limit is 13.
3. Select .
4. Select an option:

- Select **Send Note** to send without saving.
- Select **Save**.
- Select **Send and Save**.

### **Sending a Favorite Note**

1. Select **Notes** > **<Send Note>**.
2. Select a note to send.
3. Select **Send Note**.

## **About Peer-to-Peer Positioning**

**NOTE:** Locations may only be sent once every 30 seconds, due to FCC restrictions.

You can send your location to another Rino using peer-to-peer positioning. You can also track the movement of other Rino users and navigate to their locations.

## **Enabling Peer-to-Peer Positioning**

Select **Setup** > **Radio** > **Send Location** > **On**.

### **Sending a Location**

Before you can send a location, you must enable peer-to-peer positioning ([page 11](#)).

1. Select **Share Wirelessly** > **Send**.
2. Select **Use FRS/GMRS**.
3. Select a category.
4. Select an item.
5. Select **Send**.

## Using SAME Weather Alerts

**NOTE:** SAME weather alerts are available in the US only on the Rino 650 and 655t.

SAME (Specific Area Message Encoding) weather alerts allow you to receive county weather alerts on your device.

1. From the radio page, select **Weather**.
2. Select a channel.

**NOTE:** You can receive SAME weather alerts only on the current weather channel.

The weather radio must remain on until alerts are received.

## Viewing SAME Weather Alerts on the Map

When you receive a SAME weather alert, a message appears containing the alert information. The device shows your county map with color-coded watches and warnings.

Select **Weather Map** to view the weather alert on the map.

You can scan over a county warning on the map and select the information button to see more detailed information.

## Radio Page Status Indicators

| Message                   | Description  |
|---------------------------|--|
| Activity on channel       | A signal is being received, but does not match the current code.                 |
| Radio Off                 | The 2-way radio is turned off.   |
| Ready to transmit of FRS  | FRS channel is selected and the device can transmit.                             |
| Ready to transmit on GMRS | GMRS channel is selected and the device can transmit.                            |
| Receiving transmission    | The device is receiving a transmission on the selected channel.                  |
| Ready to receive weather  | The device is set to a weather channel and waiting to receive weather broadcast. |







|                   |  |
|-------------------|--|
| Receiving weather | The device is receiving a weather broadcast. |
|-------------------|--|

| Radio Status      | Description  |
|-------------------|--|
| <b>Radio --</b>   | Radio feature is off.  |
| <b>Radio 1/2W</b> | Transmit power at 1/2 watts. FRS channels transmit on this level only. |
| <b>Radio 1W</b>   | Transmit power at 1 watts.   |
| <b>Radio 2W</b>   | Transmit power at 2 watts.   |
| <b>Radio 5W</b>   | Transmit power at 5 watts.   |

**NOTE:** If your device battery is too low, the power level is decreased automatically. The transmit power is limited to 2 watts in Canada. The maximum output power of the Rino 610 is 1 Watt.

## Radio

---

| Status Bar   | Description  |
|--|--|
|  | The radio is on.   |
|  | The radio is receiving.  |
|  | The radio is transmitting.                                     |
|  | Peer-to-peer is enabled and is ready to transmit the position. |
|  | Weather alert is turned on.                                    |
|  | The radio is muted<br>( <a href="#">page 8</a> ).              |



# Waypoints and Tracks

## Waypoints

Waypoints are locations you record and store in the device.

### Creating a Waypoint

You can save your current location as a waypoint.

Select **Mark Waypoint**.

### Finding a Waypoint

1. Select **Where To? > Waypoints**.
2. Select a waypoint.

### Editing a Waypoint

Before you can edit a waypoint, you must create a waypoint.

1. Select **Waypoint Manager**.
2. Select a waypoint.
3. Select an item to edit.
4. Enter the new information.

5. Select .

### Deleting a Waypoint

1. Select **Waypoint Manager**.
2. Select a waypoint.
3. Select **Delete Waypoint**.

### Increasing the Accuracy of a Waypoint Location

Waypoint averaging allows you to increase the accuracy of a waypoint location by collecting multiple samples of the waypoint location.

1. Select **Waypoint Averaging**.
2. Select a waypoint.
3. Move to the location.
4. Select **Start**.
5. When the sample confidence status bar reaches 100%, select **Save**.

For best results, collect four to eight samples for the waypoint, waiting at least 90 minutes between samples.

## About Sharing Data

Your device can send or receive data when connected to another compatible device. You can share waypoints, geocaches, routes, and tracks.

## Sending and Receiving Data Wirelessly

Before you can share data wirelessly using ANT+™ wireless technology, you must be within 10 feet (3 m) of the compatible Garmin device.

1. Select **Share Wirelessly**.
2. Follow the on-screen instructions.

## Tracks

A track is a recording of your path. The track log contains information about points along the recorded path, including time, location, and elevation for each point.

## Managing Track Log Recording

1. Select **Setup > Tracks > Track Log**.
2. Select **Record, Do Not Show or Record, Show On Map**.  
If you select **Record, Show On Map**, a line on the map indicates your track.
3. Select **Record Method**.
4. Select an option:

- To record tracks at a variable rate that creates an optimum representation of your tracks, select **Auto**.
- To record tracks at a specified distance, select **Distance**.
- To record tracks at a specified time, select **Time**.

5. Select **Recording Interval**.
6. Select an option to record tracks more or less often.

**NOTE:** Using the **Most Often** interval provides the most track detail and fills up the device memory quicker.

### Viewing the Current Track

The track being recorded is called the current track.

1. Select **Track Manager > Current Track**.
2. Select an option:
  - To show the current track on the map, select **View Map**.
  - To show the elevation plot for the current track, select **Elevation Plot**.

### Saving the Current Track

1. Select **Track Manager > Current Track**.
2. Select what you want to save:
  - Select **Save Track**.

- Select **Save Portion**, and select a portion.

### Clearing the Current Track

Select **Setup > Reset > Clear Current Track > Yes**.

### Deleting a Track

1. Select **Track Manager**.
2. Select a track.
3. Select **Delete > Yes**.

### Navigating a Saved Track

You must record and save a track before you can navigate using it.

1. Select **Track Manager**.
2. Select a saved track.
3. Select **View on Map**.
4. Select **Go**.

## Navigation

### Navigating to a Destination

You can use the Where To? menu to find a destination to navigate to. Not all Where To? categories are available in all areas and maps.

1. Select **Where To?**.
2. Select an item.
3. Select **Go**.
4. Navigate using the map ([page 19](#)) or compass ([page 19](#)).

### Searching Near a Location

You can use the search feature to find POIs near a point on the map, your current location, or a waypoint. This may require additional maps, see [page 45](#).

1. Select **Where To?** > .



2. Select an item you want to search near.
3. Select **Use**.
4. Navigate using the map ([page 19](#)) or compass ([page 19](#)).

### Starting a TracBack®

You can navigate back to the beginning of a track. This can be helpful when finding your way back to camp or the trail head.

1. Select **Track Manager > Current Track > View Map**.
2. Select **Tracback**.  
The map page opens with your route marked with a magenta line.
3. Navigate using the map ([page 19](#)) or compass ([page 19](#)).

## Map

 represents your location on the map. As you travel, the  moves. When you are navigating to a destination, your route is marked with a magenta line.

To customize the map settings, see [page 29](#). To customize the map dashboard and data fields, see [page 27](#).

## Using the Map

You can use the map to navigate an active route.

1. Select **Map**.
2. Follow the magenta line to your destination.

## Compass

The device has a 3-axis compass. You can use a bearing pointer or a course pointer to navigate to your destination.

To customize the compass settings, see [page 32](#).

## Calibrating the Compass


### NOTICE

Calibrate the electronic compass outdoors. Do not stand near objects that influence magnetic fields, such as cars, buildings, or overhead power lines.

You should calibrate the compass after moving long distances, experiencing temperature changes, or changing the batteries.

1. From the compass page, touch and hold the middle of the compass.
2. Follow the on-screen instructions.

## Navigating with the Bearing Pointer

When navigating to a destination, the  bearing pointer points to your destination, regardless of the direction you are moving.


1. Begin navigation to a destination ([page 18](#)).

## Navigation

2. Select **Compass**.
3. Turn until ▲ points toward the top of the compass, and continue moving in that direction to the destination.

### About the Course Pointer

The course pointer is most useful if you are navigating on water or where there are no major obstacles in your path.



The course pointer ① indicates your relationship to a course line ② leading to the destination. The course line to your destination is based on your original starting point.

As you drift from the intended course to the destination, the course deviation indicator ④ (CDI) provides the indication of drift (right or left) from the course.

The scale ③ refers to the distance between dots on the course deviation indicator.

### Navigating with the Course Pointer

Before you can navigate with the course pointer, you must change the pointer setting to **Course (CDI)** (page 32).

1. Begin navigation to a destination (page 18).
2. Select **Compass**.
3. Use the course pointer to navigate to the destination (page 20).

## Navigating to a Contact

Before you can navigate to a contact, you must save a contact ([page 10](#)).

1. Select **Contacts**.
2. Select a contact.
3. Select **View Map > Go**.

## Geocaches

Geocaching is a type of treasure hunting, in which geocachers seek hidden treasures using GPS coordinates posted on the Internet by those hiding the geocache.

### Downloading Geocaches

1. Connect your device to a computer ([page 43](#)).
2. Go to [www.OpenCaching.com](http://www.OpenCaching.com).
3. If necessary, create an account.
4. Sign in.

5. Follow the on-screen instructions to find and download geocaches to your device.

## Navigating to a Geocache

1. Select **Geocaches**.
2. Select **Find a Geocache**.
3. Select a geocache.
4. Select **Go**.

## Routes

A route is a sequence of waypoints that leads you to your final destination.


### Creating a Route

1. Select **Route Planner > Create Route > Select First Point**.
2. Select a category.
3. Select the first point in the route.
4. Select **Use > Select Next Point**.
5. Repeat steps 2–4 until the route is complete.

A route must contain at least two points.

6. Select  to save the route.

### Editing the Name of a Route

1. Select **Route Planner**.
2. Select a route.
3. Select **Change Name**.
4. Enter the new name.
5. Select .


### Editing a Route

1. Select **Route Planner**.
2. Select a route.
3. Select **Edit Route**.
4. Select a point.
5. Select an option:
  - To view the point on the map, select **Review**.
  - To change the order of the point on the route, select **Move Down** or **Move Up**.

- To add an additional point on the route, select **Insert**.

The additional point is inserted before the point you are editing.

- To remove the point from the route, select **Remove**.

6. Select  to save the route.

### Viewing a Route on the Map

1. Select **Route Planner**.
2. Select a route.
3. Select **View Map**.

### Deleting a Route

1. Select **Route Planner**.
2. Select a route.
3. Select **Delete Route**.



## Viewing the Active Route

1. While navigating a route, select **Active Route**.
2. Select a point in the route to view additional details.

## Reversing a Route

1. Select **Route Planner**.
2. Select a route.
3. Select **Reverse Route**.

## Using Sight 'N Go

You can point the device at an object in the distance, such as a lighthouse, lock in the direction, and then navigate to the object.

1. From the main menu, select **Sight 'N Go**.
2. Point the device at an object.
3. Select **Lock Direction > Set Course**.

4. Use the compass to navigate to the object.

## Starting Navigation to a Man Overboard Location

You can save a man overboard (MOB) location, and start navigation back to it.

1. Select **Man Overboard > Start**.  
The map page opens with your route marked with a magenta line.
2. Navigate using the map ([page 19](#)) or compass ([page 19](#)).


## Stopping Navigation

Select **Where To? > Stop Navigation**.

## Camera and Photos



You can take photos with the Rino 655t. When you take a photo, the geographic location is automatically saved in the photo information. You can navigate to the location like a waypoint (page 25).

### Taking a Photo


1. Select **Camera**.
2. Turn the device horizontally or vertically to change the orientation of the photo.
3. If necessary, select + or - to zoom in or out.
4. Select  to take a photo.

### Viewing Photos


You can view photos you have taken with the camera (page 24) and photos you have transferred to the device (page 25).

1. Select **Photo Viewer**.
2. Select  and  to view all the photos.
3. Select a photo to see a larger view of it.


### Sorting Photos

1. Select **Photo Viewer**.
2. Select .
3. Select **Most Recently**, **Near a Location**, or **On a Specific Date**.

### Viewing the Location of a Photo

1. Select **Photo Viewer**.
2. Select a photo.
3. Select .

## Deleting a Photo

1. Select **Photo Viewer**.
2. Select a photo.
3. Select  > **Yes**.

## Navigating to a Photo

1. Select **Where To?** > **Photos**.
2. Select a photo.
3. Select **Go**.
4. Navigate using the map ([page 19](#)) or compass ([page 19](#)).

## Uploading and Downloading Photos

Before you can upload photos to Garmin Connect, you must sign up for a myGarmin account.

1. Go to <http://my.garmin.com>, and log into your myGarmin account.
2. Connect your device to the computer ([page 43](#)).
3. Follow the on-screen directions to upload or download photos.

## Customizing Your Device

### Customizing the Data Fields


You can customize the data fields that appear on the screen. For data field descriptions, see [page 46](#).

1. Select a data field to change.
2. Select a data field data field from the list.

### Customizing the Home Screen

You can customize the pages as they appear on your device home screen.

1. Select **Setup > Main Menu**.
2. Select an icon you want to edit.


3. Select an option:
  - Select a new position for the icon.
  - Select  to delete the icon.

### Creating a Custom Profile

You can customize your settings and data fields for a particular activity or trip.

1. Customize the settings as necessary ([page 28](#)).
2. Customize the data fields as necessary ([page 26](#)).
3. Select **Setup > Profiles**.
4. Select **Create New Profile > OK**.

### Editing a Profile Name

1. Select **Setup > Profiles**.
2. Select a profile.
3. Select **Edit Name**.
4. Enter the new name.
5. Select .

## Deleting a Profile

1. Select **Setup > Profiles**.
2. Select a profile.
3. Select **Delete**.

## Customizing Specific Pages

You can customize the data and dashboards of the map, compass, trip computer, and elevation plot.

### Enabling the Map Data Fields

By default, the map does not show data fields. You must enable the data fields before you can edit them.

1. Select **Setup > Map > Data Fields**.
2. Select the number of data fields to display.

## Changing the Data Fields

Before you can change the map fields, you must enable them ([page 27](#)).


1. Open the page for which you will change the data fields.
2. Select a data field to customize.
3. Select a data field type.

For data field descriptions, see [page 46](#).

## About Dashboards

Each dashboard shows different information about your route or your location.

## Customizing Dashboards

1. Open the page for which you want to customize the dashboard.
2. Select an option:
  - For the trip computer and compass, select .
  - For the map, select **Setup > Map**.

3. Select a dashboard.

## System Settings

Select **Setup** > **System**.

- **GPS**—sets the GPS to **Normal**, **WAAS/EGNOS** (Wide Area Augmentation System/European Geostationary Navigation Overlay Service), or **Demo Mode** (GPS off). For information about WAAS, go to [www.garmin.com/aboutGPS/waas.html](http://www.garmin.com/aboutGPS/waas.html).

- **Language**—sets the text language on the device.

**NOTE:** Changing the text language does not change the language of user-entered data or map data, such as street names.

- **Battery Type**—allows you to select the type of battery you are using.
- **Interface**—sets the format of the serial interface:

- **Garmin Spanner**—allows you to use the USB port with most NMEA 0183-compliant mapping programs by creating a virtual serial port.
- **Garmin Serial**—Garmin proprietary format used to provide PVT protocol data.
- **NMEA In/Out**—provides standard NMEA 0183 output and input.
- **Text Out**—provides simple ASCII text output of location and velocity information.
- **RTCM**—Radio Technical Commission for Maritime Services allows the device to accept DGPS Differential Global Positioning System information from a device supplying RTCM data in an SC-104 format.

## Display Settings

Select **Setup > Display**.

- **Backlight Timeout**—adjusts the length of time before the backlight turns off.  
**NOTE:** To adjust the backlight brightness, see [page 7](#).
- **Background Color**—sets the color used on the device screen.
- **Screen Capture**—allows you to take screen captures on the device.
- **Battery Save**—turns the screen off after a period of inactivity to prolong the battery life.
- **Screen Calibration**—[page 29](#).

## Calibrating the Touchscreen

The screen does not normally require calibration. However, if the screen does not seem to be responding properly, calibrate the touchscreen.

1. Select **Setup > Display > Screen Calibration**.
2. Follow the on-screen instructions.

## Setting the Device Tones

You can customize tones for messages, keys, turn warnings, and alarms.

1. Select **Setup > Tones**.
2. Select a tone for each audible type.

## Map Settings

Select **Setup > Map**.

- **Orientation**—adjusts how the map is shown on the page.
  - **North Up**—shows north at the top of the page.
  - **Track Up**—shows your current direction of travel toward the top of the page.

- **Automotive Mode**—shows an automotive perspective with next-turn information to use while driving.
- **Auto Zoom**—automatically selects the appropriate zoom level for optimal use on your map. When **Off** is selected, you must zoom in or out manually.
- **Data Fields**—[page 46](#).
- **Advanced Map Setup**—sets the zoom levels, the text size, and the detail level of the map.
  - **Zoom Levels**—selects the zoom level for map items.
  - **Text Size**—selects the text size for map items.
  - **Detail**—selects the amount of detail shown on the map. Showing more detail may cause the map to redraw more slowly.
- **Shaded Relief**—shows detail relief on the map (if available) or turns off shading.
- **Map Information**—allows you to enable or disable the maps currently loaded on the device. To purchase additional maps, see [page 45](#).

## Tracks Settings

Select **Setup > Tracks**.

- **Track Log**—turns track recording on or off.
- **Record Method:**
  - **Distance**—allows you to record by entering a specific distance interval.
  - **Time**—allows you to record by entering a specific time.
  - **Auto**—allows you to record the tracks at a variable rate to create an optimum representation of your tracks.



- **Interval**—selects a track log recording rate. Recording points more frequently creates a more-detailed track, but fills the track log faster.
- **Auto Archive**—selects an automatic archive method to organize your tracks. Tracks are saved and cleared automatically based on the user setting.
- **Color**—changes the color of the track line on the map.

## Changing the Units of Measure

You can customize units of measure for distance and speed, elevation, depth, temperature, and pressure.

1. Select **Setup > Units**.
2. Select a measurement type.
3. Select a unit of measure for the setting.

## Time Settings

Select **Setup > Time**.

- **Time Format**—allows you to select a 12-hour or a 24-hour display time.
- **Time Zone**—allows you to select the time zone for the device. You can select **Automatic** to set the time zone automatically based on your GPS position.

## Position Format Settings

**NOTE:** Do not change the position format or the map datum coordinate system unless you are using a map or chart that specifies a different position format.

Select **Setup > Position Format**.

- **Position Format**—sets the position format in which a given location reading appears.
- **Map Datum**—sets the coordinate system on which the map is structured.
- **Map Spheroid**—shows the coordinate system the device is using. The default coordinate system is WGS 84.

## Heading Settings

You can customize the compass settings.

Select **Setup > Heading**.

- **Display**—sets the type of directional heading on the compass.
- **North Reference**—sets the north reference of the compass.
- **Go To Line/Pointer**—allows you to select how the course appears.
  - **Bearing (Small or Large)**—the direction to your destination.
  - **Course (CDI)**—your relationship to a course line leading to a destination.
- **Compass**—switches from an electronic compass to a GPS compass when you are traveling at a higher rate of speed for a set period of time (**Auto**), or turns the compass off.

## Altimeter Settings

Select **Setup** > **Altimeter**.

- **Auto Calibration**—allows the altimeter to self-calibrate each time you turn the device on.
- **Barometer Mode**
  - **Variable Elevation**—the barometer functions while you are moving.
  - **Fixed Elevation**—the barometer functions while you are stationary.
- **Pressure Trending**
  - **Save When Power On**—records pressure data only when the device is turned on. This can be useful when you are watching for pressure fronts.
  - **Save Always**—records pressure data every 15 minutes, even when the device is turned off.
- **Plot Type**
  - **Elevation/Time**—records elevation changes over a period of time.
  - **Elevation/Distance**—records elevation changes over a distance.
  - **Barometric Pressure**—records barometric pressure over a period of time.
  - **Ambient Pressure**—records ambient pressure changes over a period of time.
- **Calibrate Altimeter**—[page 34](#).

## Calibrating the Barometric Altimeter

You can manually calibrate the barometric altimeter if you know the correct elevation or the correct pressure.

1. Select **Setup > Altimeter**.
2. Select **Altimeter Calibration**.
3. Follow the on-screen instructions.

## Geocache Settings

Select **Setup > Geocaches**.

- **Geocache List**—allows you to display the geocache list by names or codes.
- **Found Geocaches**—allows you to edit the number of geocaches found. This number automatically increases as you log a find.
- **Filter**—filters a geocache list for certain factors, such as level of difficulty.

- **chirp™ Searching**—turns on or off chirp searching. A chirp is a small accessory that you can program and leave in a geocache.
- **Program chirp™**—programs the chirp accessory. See the *chirp Owner's Manual* at [www.garmin.com](http://www.garmin.com).

## Routing Settings

Select **Setup > Routing**.

- **Guidance Method**—sets the calculation and guidance method for your routes.
  - **Off Road**—calculates point-to-point routes.
  - **On Road For Time**—calculates on-road routes that require minimal time to drive.
  - **On Road For Distance**—calculates on-road routes that are shorter in distance.

- **Prompted**—allows you to select a route calculation mode before navigating.
- **Calculates Routes for**—optimizes the routes for the selected transportation method.
- **Lock On Road**—locks the position icon, which represents your position on the map, onto the nearest road.
- **Off Road Transitions**
  - **Auto**—automatically routes you to the next point.
  - **Manual**—allows you to select the next point on the route.
  - **Distance**—routes you to the next point on the route when you are within a specified distance of your current point.
- **Avoidance Setup**—allows you to select the road type you want to avoid.

## Marine Map Settings


Select **Setup** > **Marine**.

- **Marine Chart Mode:**
  - **Nautical**—displays various map features in different colors so that the marine POIs are more readable. The nautical chart reflects the drawing scheme of paper charts.
  - **Fishing**—(requires marine maps) displays a detailed view of bottom contours and depth soundings. Simplifies map presentation for optimal use while fishing.
- **Appearance**—allows you to set the appearance of marine navigation aids on the map.
- **Marine Alarm Setup**
  - **Anchor Drag Alarm**—alarm sounds when you exceed a specified drift distance while

anchored.

- **Off Course Alarm**—alarm sounds when you are off course by a specified distance.
- **Deep Water/Shallow Water**—alarm sounds when you enter water of a specific depth.

### Setting up Marine Alarms

1. Select **Setup > Marine > Marine Alarm Setup**.
2. Select an alarm type.
3. Select **On**.
4. Enter a distance.
5. Select .

### Fitness

For more information on optional fitness accessories, see [page 45](#).

### Resetting Data

You can reset trip data, delete all waypoints, clear the current track, or restore default values.

1. Select **Setup > Reset**.
2. Select an item to reset.

### Restoring Default Settings

You can reset all the setup values to the original settings.

Select **Setup > Reset > Reset Defaults to Factory Settings > Yes**.

## Tools

### Trip Computer

The trip computer displays your current speed, average speed, maximum speed, trip odometer, and other helpful statistics.

To customize the trip computer, see [page 27](#).

### Elevation Plot

By default, the elevation plot displays the elevation for an elapsed time. To customize the elevation plot, see [page 27](#).

### Viewing the Calendar and Almanacs

You can view device activity for each day, as well as almanac information for the sun and moon information and hunting and fishing.

1. Select an option:
  - To view device activity for specific days, select **Calendar**.
  - To view the sunrise, sunset, moonrise, and moonset information, select **Sun and Moon**.
  - To view the predicted best times for hunting and fishing, select, **Hunt and Fish**.
2. If necessary, use the arrows to view a different month.
3. Select a day.

### Calculating the Size of an Area

1. Select **Area Calculation > Start**.
2. Walk around the perimeter of the area you want to calculate.
3. Select **Calculate** when finished.

## Setting an Alarm

If you are not currently using the device, you can set the device to turn on at a specific time.

1. Select **Alarm Clock**.
2. Select + and - to set the time.
3. Select **Turn Alarm On**.
4. Select an option.

The alarm sounds at the selected time. If the device is off at the alarm time, the device turns on and sounds the alarm.

## Opening the Stopwatch

Select **Stopwatch**.



## Device Information

### Updating the Software

Before you can update the software, you must connect the device to your computer ([page 43](#)).

1. Go to [www.garmin.com/products/webupdater](http://www.garmin.com/products/webupdater).
2. Follow the on-screen instructions.

**NOTE:** Updating the software does not erase any of your data or settings.

### Viewing Device Information

You can view the unit ID, software version, and license agreement.

Select **Setup > About**.

## Specifications

|                                    |  |
|------------------------------------|--|
| Water resistance                   | Fully gasketed, high impact plastic alloy, water resistant to IEC 60529 IPX7   |
| Battery type                       | Lithium-ion battery pack (010-11599-00) or Alkaline battery pack (010-11600-00), which uses four AA batteries (alkaline, NiMH, or lithium) |
| Battery life                       | Up to 18 hours, typical usage using AA batteries<br>Up to 14 hours, typical usage using the lithium-ion battery pack                       |
| Battery charging temperature range | From 32°F to 113°F (from 0 to 45°C)  |

|                             |  |
|-----------------------------|--|
| Operating temperature range | From -4°F to 140°F<br>(from -20°C to 60°C) |
|-----------------------------|--|

## About the Batteries

### WARNING

See the *Important Safety and Product Information* guide in the product box for product warnings and other important information.

The temperature rating for the device may exceed the usable range of some batteries. Alkaline batteries can rupture at high temperatures. Alkaline batteries lose a significant amount of their capacity as temperature decreases. Use lithium batteries when operating the device in below-freezing conditions.

Do not use a sharp object to remove batteries.

### NOTICE

Contact your local waste disposal department to properly recycle the batteries.

### Maximizing Battery Life

You can do various things to increase the battery life.

- Exit the camera application when you are not taking photos.
- Turn the backlight off when not needed.
- Lower the backlight brightness ([page 7](#)).
- Decrease the backlight timeout ([page 29](#)).
- Enable battery save mode ([page 29](#)).

### Selecting the Battery Type

1. Select **Setup > System > Battery Type**.

2. Select **Alkaline, Lithium, or Rechargeable NiMH.**

### Long-Term Storage

When you do not plan to use the device for several months, remove the batteries. Stored data is not lost when batteries are removed.

### Caring for the Device

#### **NOTICE**

Avoid chemical cleaners and solvents that can damage plastic components.

Never use a hard or sharp object to operate the touchscreen, or damage may result.

### Cleaning the Device

1. Dampen a clean cloth with a mild detergent solution.
2. Wipe the device with the damp cloth.
3. Thoroughly dry the device.

### Cleaning the Screen

1. Dampen a soft, clean, lint-free cloth with water, isopropyl alcohol, or eyeglass lens cleaner.
2. Wipe the screen with the cloth.
3. Thoroughly dry the screen.

### Water Immersion

#### **NOTICE**

The device is waterproof to IEC Standard 60529 IPX7. It can withstand immersion in 1 meter of water for 30 minutes. Prolonged submersion can cause damage to the device. After submersion, be certain to wipe dry and air dry the device before using or charging.

## Extreme Temperatures

### NOTICE

Do not store the device where prolonged exposure to extreme temperatures can occur, because it can cause permanent damage.

## Data Management

**NOTE:** The device is not compatible with Windows® 95, 98, Me, or NT. It is also not compatible with Mac® OS 10.3 and earlier.

## File Types

The device supports these file types.


- Files from BaseCamp™ or HomePort™  
Go to [www.garmin.com](http://www.garmin.com)
- GPI custom POI files from the Garmin POI Loader
- JPEG photo files
- GPX geocache files

## Installing a microSD Card

**NOTE:** The microSD card option is available only with the Rino 650 and 655t.

Memory cards can be used for additional storage. Also, some maps are available preloaded on memory cards. Go to <http://buy.garmin.com> for more information.

1. Turn the D-ring counter-clockwise, and remove the battery pack.
2. Slide the card holder ① toward the top edge of the device, and lift up, as instructed in the battery compartment.



3. Place the microSD card ② in the device with the contacts facing down.
4. Close the card holder.
5. Slide the card holder toward the bottom of the device to lock it.
6. Replace the battery pack, and turn the D-ring clockwise.

### Connecting the Device to a Computer

1. Connect the USB cable to a USB port on your computer.
2. Pull up the weather cap from the mini-USB port ①.



3. Plug the small end of the USB cable into the mini-USB port.

Your device and memory card (optional) appear as removable drives in My Computer on Windows computers and as mounted volumes on Mac computers.

### Transferring Files to Your Computer

Before you can transfer files, you must connect the device to your computer ([page 43](#)).

1. Browse your computer for the file.
2. Select the file.
3. Select **Edit > Copy**.
4. Open the “Garmin” or memory card drive/volume.

**TIP:** You must put photo files in the Garmin\JPEG folder. You must put geocache files in the Garmin\GPX folder.

5. Select **Edit > Paste**.

## Deleting Files

### NOTICE

If you do not know the purpose of a file, do not delete it. Your device memory contains important system files that should not be deleted. Be especially cautious of folders entitled “Garmin.”

---

### NOTICE

Your device memory contains important system files and folders that should not be deleted.



---

Before you can delete files, you must connect the device to your computer (page 43).

1. Open the “Garmin” drive or volume.
2. If necessary, open a folder or volume.
3. Select the files.

4. Press the **Delete** key on your keyboard.

## Disconnecting the USB Cable

1. Complete an action:
  - For Windows computers, click the eject icon  in your system tray.
  - For Mac computers, drag the volume icon to the Trash .
2. Disconnect the device from your computer.

# Appendix

## Additional Maps

You can use additional maps in the device, such as BirdsEye satellite imagery, BlueChart® g2, and City Navigator® detailed maps. Detailed maps may contain additional points of interest, such as restaurants or marine services. For more information, go to <http://buy.garmin.com> or contact your Garmin dealer.

## Optional Accessories

Optional accessories, such as mounts, preloaded map memory cards, fitness accessories, and replacement parts, are available at <http://buy.garmin.com> or from your Garmin dealer.

## Optional Fitness Accessories

**NOTE:** The fitness option is available with only the Rino 650 and 655t.

Before you can use the fitness accessory with your device, you must install the accessory according to the instructions included with the accessory.

You can use optional fitness accessories including a heart rate monitor or a cadence sensor with your device. These accessories use ANT+ wireless technology to send data to the device.

## Using Optional Fitness Accessories

1. Bring the device within range (3 m) of the ANT+ accessory.
2. Select **Setup > Fitness**.
3. Select **Heart Rate Monitor** or **Bike Cadence Sensor**.
4. Select **Search for New**.
5. Customize your data fields to view the heart rate or cadence data ([page 46](#)).

### Tips for Pairing ANT+ Accessories with Your Garmin Device

- Verify that the ANT+ accessory is compatible with your Garmin device.
- Before you pair the ANT+ accessory with your Garmin device, move 10 m away from other ANT+ accessories.
- Bring the Garmin device within range (3 m) of the ANT+ accessory.
- After you pair the first time, your Garmin device automatically recognizes the ANT+ accessory each time it is activated. This process occurs automatically when you turn on the Garmin device and only takes a few seconds when the accessories are activated and functioning correctly.

- When paired, your Garmin device only receives data from your accessory, and you can go near other accessories.

### Data Field Options

| Data Field       | Description  |
|------------------|--|
| Accuracy of GPS  | The margin of error for your exact location. For example, your GPS location is accurate to within +/- 12 feet (3.6 m). |
| Ambient Pressure | The uncalibrated environmental pressure.   |
| Ascent - Average | The average vertical distance of ascent.   |
| Ascent - Maximum | The maximum ascent rate in feet/meters per minute.   |
| Ascent - Total   | The total elevation distance ascended.   |



| <b>Data Field</b>                    | <b>Description</b>   |
|--------------------------------------|--|
| Barometer                            | The calibrated current pressure.   |
| Battery Level                        | The remaining battery power.   |
| Bearing                              | The direction from your current location to a destination.   |
| Cadence (cadence accessory required) | Revolutions of the crank arm or strides per minute.  |
| Course                               | The direction from your starting location to a destination.  |
| Depth                                | The depth of the water. Requires a connection to a NMEA 0183 depth-capable device to acquire data ( <a href="#">page 28</a> ). |
| Descent - Average                    | The average vertical distance of descent.  |

| <b>Data Field</b>       | <b>Description</b>   |
|-------------------------|--|
| Descent - Maximum       | The maximum descent rate in feet or meters per minute.           |
| Descent - Total         | The total elevation distance descended.                          |
| Distance to Destination | The distance to your final destination.                          |
| Distance to Next        | The remaining distance to the next waypoint on the route.        |
| Elevation               | The altitude of your current location above or below sea level.  |
| Elevation - Maximum     | The highest elevation reached.                                   |
| Elevation - Minimum     | The lowest elevation reached.                                    |
| ETA at Destination      | The estimated time of day you will reach your final destination. |

| <b>Data Field</b>                        | <b>Description</b>   |
|--|--|
| ETA at Next                              | The estimated time of day you will reach the next waypoint on the route.                                   |
| Glide Ratio                              | The ratio of horizontal distance traveled to the change in vertical distance.                              |
| Glide Ratio to Dest.                     | The glide ratio required to descend from your current position and elevation to the destination elevation. |
| GPS Signal Strength                      | The strength of the GPS signal.  |
| Heading                                  | The direction you are moving.  |
| Heart Rate (heart rate monitor required) | Your heart rate in beats per minute (bpm).   |

| <b>Data Field</b>   | <b>Description</b>  |
|---------------------|---|
| Location (lat/lon)  | Displays the current position in the default position format regardless of the selected settings. |
| Location (selected) | Displays the current position in the selected position format.                                    |
| Odometer            | A running tally of distance traveled for all trips.   |
| Off Course          | The distance to the left or the right by which you have strayed from the original path of travel. |
| Pointer             | The data field arrow points in the direction of the next waypoint or turn.                        |

| <b>Data Field</b>    | <b>Description</b>  |
|----------------------|---|
| Speed                | The current rate of speed at which you are moving since last reset. |
| Speed - Maximum      | The maximum speed reached since last reset.                         |
| Speed - Moving Avg.  | The average speed of the device while moving since last reset.      |
| Speed - Overall Avg. | Your average speed since last reset.                                |
| Sunrise              | The time of sunrise based on your GPS position.                     |
| Sunset               | The time of sunset based on your GPS position.                      |

| <b>Data Field</b>   | <b>Description</b>   |
|---------------------|--|
| Temperature - Water | The temperature of the water. Requires a connection to a NMEA 0183 temperature-capable device to acquire data ( <a href="#">page 28</a> ). |
| Time of Day         | The current time of day based on your time settings (format, time zone, and daylight saving time).   |
| Time to Destination | The estimated time needed to reach your final destination.   |
| Time to Next        | The estimated time needed to reach the next waypoint on the route.   |
| To Course           | The direction in which you must move to return to the route.   |

| <b>Data Field</b>   | <b>Description</b>   |
|---------------------|--|
| Trip Odometer       | A running tally of the distance traveled since the last reset.   |
| Trip Time - Moving  | A running tally of time since the last reset.  |
| Trip Time - Stopped | The time spent not moving since the last reset.  |
| Trip Time - Total   | A running tally of distance traveled since the last reset.   |
| Turn                | The angle of difference (in degrees) between the bearing to your destination and your current course. L means turn left. R means turn right. |
| Velocity Made Good  | The speed at which you are closing on a destination along a route.   |

| <b>Data Field</b>    | <b>Description</b>   |
|----------------------|--|
| Vert. Speed to Dest. | The measurement of your rate of ascent or descent to a predetermined altitude. |
| Vertical Speed       | Your rate of altitude gain or loss over time.                                  |
| Waypoint at Dest.    | The last point on a route to your destination.                                 |
| Waypoint at Next     | The next point on your route.  |

## Troubleshooting

| Problem   | Solution  |
|---|---|
| My device will not use channels above 15.                                 | Channels 1-7 and 15-22 are GMRS channels. These channels are not available on the device unless the GMRS radio is activated in the radio setup ( <a href="#">page 9</a> ).  |
| The screen does not respond. How do I reset the device?                   | <ol style="list-style-type: none"> <li>1. Remove the batteries.</li> <li>2. Reinstall the batteries.</li> </ol> <p><b>NOTE:</b> This does not erase any of your data or settings.</p>   |
| I want to reset all the customized settings back to the factory defaults. | Select <b>Setup &gt; Reset &gt; Restore Defaults to Factory Settings</b> .  |
| My device does not acquire satellite signals.                             | <ol style="list-style-type: none"> <li>1. Take your device out of parking garages and away from tall buildings and trees.</li> <li>2. Turn on the device.</li> <li>3. Remain stationary for several minutes.</li> </ol>   |
| My device will not charge.  | <ul style="list-style-type: none"> <li>• Ensure the lithium-ion battery is properly installed (<a href="#">page 5</a>).</li> <li>• Ensure the temperature is between 32°F and 113°F (from 0 to 45°C).</li> <li>• Turn down the backlight (<a href="#">page 7</a>).</li> </ul> |
| My battery gauge does not seem accurate.                                  | <ol style="list-style-type: none"> <li>1. Leave the device on until the battery runs out.</li> <li>2. Fully charge the battery without interrupting the charge cycle.</li> </ol>  |

| <b>Problem</b>   | <b>Solution</b>  |
|--|--|
| The batteries do not last long.  | To learn how to maximize the battery life, see <a href="#">page 40</a> .   |
| How do I know my device is in USB mass storage mode?                               | On the device, an image of the device connected to a computer appears.<br>On your computer, you should see a new removable disk drive in My Computer on Windows computers and a mounted volume on Mac computers.   |
| My device is connected to the computer, but it will not go into mass storage mode. | You may have loaded a corrupted file.<br><ol style="list-style-type: none"><li>1. Disconnect the device from your computer.</li><li>2. Turn off the device.</li><li>3. Hold <b>⏻</b> while you connect the device to your computer.</li><li>4. Continue holding <b>⏻</b> for 30 seconds or until the device goes into mass storage mode.</li></ol> |
| I cannot see any new removable drives in my list of drives.                        | If you have several network drives mapped on your computer, Windows may have trouble assigning drive letters to your Garmin drives. See the help file for your operating system to learn how to assign drive letters.  |
| I need replacement parts or accessories.   | Go to <a href="http://buy.garmin.com">http://buy.garmin.com</a> , or contact your Garmin dealer.   |

## FCC Licensing Information

The Rino two-way radio operates on General Mobile Radio Service(GMRS) frequencies regulated by the Federal Communications Commission (FCC) in the United States. Operation on the GMRS frequencies is subject to rules as specified in 47 CFR Part 95.

In order to transmit on GMRS frequencies, you are required to obtain a license from the FCC. An individual 18 years of age or older, who is not a representative of a foreign government, is eligible to apply for a GMRS license. To apply for a GMRS license, you need FCC Form 605 (605 Main Form and Schedule F) and FCC Form 159. Download the application forms from the FCC web site at: <http://www.fcc.gov/Forms/>. You can also request them through the FCC forms hotline at 1-800-418-FORM (1-800-418-3676).

File Form 605 online at: <http://wireless.fcc.gov/uls/>. A filing fee is associated with this application.

For information on fees, see the FCC fee information web page at: <http://wireless.fcc.gov/feesforms/index.html> or at: <http://wireless.fcc.gov/services/personal/generalmobile/>.

For questions concerning the license application, contact the FCC at 1-888-Call-FCC (1-888-225-5322).

No license is required to operate on GMRS channels in Canada.

However, GMRS repeater channels are not approved for use by the Canadian government.

For use in countries outside of the U.S. and Canada, please check with that government for any restrictions of FRS or GMRS use.

# Index

- A**
- AA batteries 5
  - accessories 45, 52
    - fitness 45
    - microSD card 45
  - acquiring satellite signals 51
  - active route 23
  - advanced map setup 30
  - alarms
    - clock 38
    - marine 36
    - tones for 29
    - weather alerts 12
  - altimeter
    - calibrating 34
    - plot type 33
    - settings 33
  - ANT+ accessories 45
  - automotive mode 29
  - auto zoom 30
- B**
- backlight 6, 7
  - BaseCamp 42
  - batteries 28, 39, 47
    - about 40
    - charging 5
    - information 4
    - installing 4
    - maximizing life 40
    - selecting the type 40
    - storage 40
    - warnings 40
  - beeps 29
- C**
- call 3
  - camera 24
  - caring for the device 41
    - long-term storage 41
  - channels 8
    - choosing 8
    - monitoring 8
    - scanning 8
  - compass
    - calibrating 19
    - navigating 19
    - settings 32
  - connecting
    - USB cable 43
    - wireless accessories 45
    - wirelessly 16
  - contacts 10
    - accepting 10
    - editing 10
    - navigating 21
    - viewing on map 10
  - course pointer 20
  - creating
    - routes 21
    - waypoints 15
  - customizing
    - data fields 26
    - device settings 28–35
    - profiles 26
- D**
- dashboard 27
    - customizing 27
  - data fields 26, 27
    - options 46



- deleting
  - files 44
  - profiles 27
  - routes 22
  - tracks 17
  - waypoints 15
- display
  - backlight 6
  - backlight timeout 29
  - screen capture 29
  - settings 29
- downloading
  - software 39
- E**
- editing
  - profiles 26
  - routes 22
  - waypoints 15
- elevation plot 17
- F**
- Family Radio Service (FRS) 8
- fitness options 45
- G**
- General Mobile Radio Service (GMRS) 8
- geocaches 21, 34
  - downloading 21
  - navigating 21
  - settings 33
- GPS signals 6, 46, 48, 51
  - system settings 28
- H**
- heading settings 32
- headset 9
- HomePort 42
- L**
- language 28
- locking screen 7
- M**
- man overboard 23
- map 19
  - datum 32
  - detail 30
  - information 30
  - showing tracks 17
  - viewing routes 22
- map datum coordinate system 32
- marine settings 35–36
- microSD card 45–47
- N**
- navigating
  - routes 23
  - search 18
  - to destination 18
  - to geocaches 21
  - to waypoints 15
  - tracks 17
  - with bearing pointer 19
  - with course pointer 20
- north up 29
- notes 10
  - sending a note 10
- O**
- orientation, map 29

- P**  
Peer-to-Peer  
    enabling 11  
    positioning 11  
    sending location 11  
photos 24  
    taking 24  
    uploading and  
        downloading 25  
    viewing 24  
position format 32  
power 4  
profiles  
    creating 26  
push-to-talk 4
- R**  
radio  
    channels 8  
    icons 13  
    scanning 8  
    set up 9  
    status indicators 13  
recording 16, 30  
registering your device 6
- reset  
    current track 36  
    data 36  
    defaults 36  
    trip data 36  
    waypoints 36  
routes 21–23  
    active route 23  
    avoidance 35  
    creating 21  
    deleting 22  
    editing 22  
    guidance method 34  
    navigating 23  
    settings 34
- S**  
SAME weather alerts 12  
satellite signals 6, 46,  
    48, 51  
    system settings 28  
saving  
    tracks 17  
scanlist  
    setting up 8
- Sight ‘N Go 23  
software  
    updating 39  
    version 39  
specifications 39  
squelch codes 8  
stopwatch 38  
storing the device 42  
system settings 28
- T**  
text size, maps 30  
time  
    alarms 38  
    data fields 49  
    settings 31  
    stopwatch 38  
    sunrise and sunset 49  
    zone 31  
tones 29  
TracBack 18  
tracks  
    clearing current 17  
    deleting 17  
    navigating 17

recording 16, 30  
saving 17  
setup 30  
viewing 17  
track up 29  
transferring files 43  
    using USB 43  
    wirelessly 16  
trip computer 37  
troubleshooting 51

## U

unit ID 39  
updating software 39  
USB cable 52  
    connecting 43  
    disconnecting 44

## W

waypoints  
    averaging 15  
    creating 15  
    deleting 15  
    editing 15  
    navigating to 15  
weather alerts 12

## Z

zoom 30

For the latest free software updates (excluding map data) throughout the life of your Garmin products, visit the Garmin Web site at [www.garmin.com](http://www.garmin.com).



© 2011 Garmin Ltd. or its subsidiaries

Garmin International, Inc.  
1200 East 151<sup>st</sup> Street, Olathe, Kansas 66062, USA

Garmin (Europe) Ltd.  
Liberty House, Hounsdown Business Park, Southampton, Hampshire, SO40 9LR UK

Garmin Corporation  
No. 68, Zhangshu 2<sup>nd</sup> Road, Xizhi Dist., New Taipei City, 221, Taiwan (R.O.C.)

[www.garmin.com](http://www.garmin.com)

July 2011

190-01183-00\_0B

Printed in Taiwan

Download from [Www.Somanuals.com](http://Www.Somanuals.com). All Manuals Search And Download.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>