

Models: ABN08 ABP10 ABN10 ABV10

Air Conditioner


Important Safety Information 3 **Operating Instructions** 4 The Controls on Your Air Conditioner Care of Product Installation Instructions 7 Important Electrical Safety Window Installation Helpful Information 12 Things That Are Normal If Something Goes Wrong 13 Before You Call for Service **GE Service Numbers** Warranty GE Answer Center® 800.626.2000 **GE Appliances**

49-7348

Welcome

Welcome to the GE family. We're proud of our quality products and we believe in dependable service. You'll see it in this easy-to-use manual and you'll hear it in the friendly voices of our customer service department. Best of all, you'll experience these values each time you enjoy the comfort of your air conditioner. That's important, because your new air conditioner will be part of your family for a long time.

Start Here!...Before using your air conditioner



Write down the model and serial numbers here. They are on a label on the left side of the air conditioner below the air discharge area. Staple your receipt to the inside back cover of this manual. You will need it to obtain service under warranty.

Model number

Serial number

Date of purchase

Need Help?

Help us help you

800.626.2000

Before you call for service, there are a few things you can do to help us serve you better. *Read this manual.* It contains instructions to help you use and maintain your air conditioner properly.

Save time and money. Check the section titled "If Something Goes Wrong" before calling. This section helps you to solve common problems that might occur.

If you do need service, you can relax knowing help is only a phone call away. A list of toll-free customer service numbers is included in the back of this book. Or call the GE Answer Center[®] at 800.626.2000, 24 hours a day, 7 days a week.


IMPORTANT SAFETY INFORMATION

READ ALL SAFETY INFORMATION BEFORE USING

- This air conditioner must be properly installed in accordance with the Installation Instructions before it is used.
- Repair or replace immediately all electric service cords that have become frayed or otherwise damaged.
- Turn the mode control knob to *OFF* and unplug your air conditioner before making any repairs.


NOTE: We strongly recommend that any servicing be performed by a qualified individual.

Extension Cord



If an extension cord is required to reach the nearest wall receptacle, use only a UL-listed, 3-wire, grounded, 14 gauge, 15A, 125V appliance extension cord. For models with nameplate ratings greater than 12 amperes, do not use an extension cord.

Adapter Plug



This is a temporary method. UL-listed adapters are available at most hardware stores. Because most 2-prong outlets are not grounded, we strongly advise against using an adapter plug. However, a temporary connection may be made where local codes permit and if the 2-prong wall outlet is properly grounded.

When you plug the adapter in, make sure the larger prong goes into the larger slot to provide the proper polarity for the power cord.

FOR PROPER GROUNDING:

- 1 Screw the adapter to the outlet, using the outlet cover screw.
- 2 Ground the outlet through the house wiring.


When disconnecting the power cord from the adapter, hold the adapter close to the outlet while pulling the plug out. If this is not done, the grounding connector is likely to break with repeated use.

If the grounding connector breaks, *DO NOT USE* the air conditioner until a proper ground has again been made.

SAVE THESE INSTRUCTIONS

Operating Instructions

The controls on your air conditioner





The energy saver switch controls the fan. **ENERGY SAVINGS**—the fan and compressor cycle on and off together. This results in wider variations of room temperature and humidity. Normally used when the room is unoccupied.

NORMAL—the fan runs all the time, while the compressor cycles on and off. This switch must be set at *NORMAL* in order to use the fan setting (on the mode control).

HIGH COOL, MED COOL and *LOW COOL* provide cooling with different fan speeds.

FAN ONLY provides air circulation and filtering without cooling.

NOTE:

If you move the switch from a cool setting to OFF or to a fan setting, wait at least 3 minutes before switching back to a cool setting.


2 Temp Control

The temp control is used to maintain the room temperature. The compressor will cycle on and off to keep the room at the same level of comfort. The higher the number selected, the cooler the indoor air will become.


The blower runs as long as the mode control is not on *OFF*.

Cooling Descriptions

FOR NORMAL COOLING Select *MED COOL* with the temp at 3 or 4. FOR MAXIMUM COOLING Select *HIGH COOL* with the temp at 6 or 8. FOR QUIETER & NIGHTIME COOLING Select *LOW COOL* with the temp at 3 or 4.











The vent control is a lever located on the control panel.

When the vent control is set at normal, only the air inside the room is circulated, cooled and filtered.

When set at exhaust, some indoor air will be exhausted from the room. This will reduce the cooling effect.



Tabs inside the horizontal louvers let you control the air direction left, right or straight ahead.

Operating Instructions


Care & Cleaning

Grille and Case

Turn the air conditioner off and remove the plug from the wall outlet before cleaning. To clean, use water and a mild detergent. Do not use bleach or abrasives.

Outdoor Coils

The coils on the outdoor side of the air conditioner should be checked regularly. If they are clogged with dirt or soot they may be professionally steam cleaned, a service available through your GE service outlet.



Front Grille and Air Filter



The air filter is behind the front grille insert and should be checked and cleaned at least every 30 days or more often if necessary.

To remove the front grille insert: Place your hand on the bottom of the front grille. Pull it out and down to release the tabs.

Remove the air filter. The filter can be washed in warm soapy water. Rinse and let the filter dry before replacing it.

To replace the grille insert:

Hook the tabs on the left and right side. Gently press until it snaps into place.

A CAUTION:

DO NOT operate the air conditioner without a filter because dirt and lint will clog the unit and reduce performance.

Installation Instructions

Important Electrical Safety-Read Carefully



Important Notes

Installer: Leave these instructions with the appliance.

Owner: Keep these instructions for future use.

- For personal safety, this air conditioner must be properly grounded.
- It is important to have the wall outlet and circuit checked by a qualified electrician if there is any doubt as to whether a proper ground exists.
- Follow National Electrical Code (NEC) or local codes and ordinances.

A CAUTION:

- Do not, under any circumstances, cut or remove the third (ground) prong from the power cord.
- Do not change the plug on the power cord of this air conditioner.
- Aluminum house wiring may present special problems consult a qualified electrician.


Electrical Requirements



Parallel 115V., 15 Amp. **The 115-volt models** require a 115/120-volt a.c., 60 Hz grounded outlet protected with a 15-amp time delay fuse or circuit breaker.

The 3-prong grounding plug minimizes the possibility of electric shock hazard. If the wall outlet you plan to use is only a 2-prong outlet, it is your responsibility to have it replaced with a properly grounded 3-prong wall outlet.

Before you begin



Tools Needed


- Blade-type screwdriver
- 1/4" hex-head nut driver
- 9/16" open-end or adjustable wrench
- Ruler or tape measure


- Scissors or knife
- Level
- Pencil




Window Requirements

- These instructions are for a standard double-hung window. You will need to modify them for other types of windows.
- The air conditioner can be installed without the filler panels if needed to fit in a narrow window. See the window opening dimensions to the right.
- All supporting parts should be secured to firm wood, masonry or metal.
- The electrical outlet must be within reach of the power cord. Do not use an extension cord.





Storm Window Requirements



A storm window frame will not allow the air conditioner to tilt towards the outside and will keep it from draining properly. To adjust for this, attach a piece of wood to the stool.

WOOD PIECES:

WIDTH: 2" *LENGTH*: Long enough to fit inside the window frame.

THICKNESS: To determine the thickness, place a piece of wood on the stool to make it 1/2" higher than the top of the storm window frame.

Attach securely with nails or screws.



Installation Instructions

Read completely then follow step-by-step

Install the 1 Insert the right and left hand **2** Secure them with eight 3/8''Filler Panels filler panels into the top and screws, four on each side. bottom rails. Install the **1** Screw the leveling bolt into the **5** Using the level, adjust the level-Support Bracket ing bolt so the curved top of the support bracket. support bracket is 1/4" below the **2** Mark the centerline of the top of the window stool. window and place the support bracket on it $1^{3}/_{16}$ " from the Level with sill window stool. 1/4" **3** Attach the support bracket onto the window sill with two Support


4 Peel the backing off the bottom window gasket and place onto the backside of the window stool.

1" screws.

- Stool
- *NOTE: This downward tilt towards the outside prevents water from entering the room.*

bracket

Install the Air Conditioner in the Window



- Center the air conditioner in the window placing it on the support bracket. Make sure the bottom rail is behind the window stool.
- 2 Lower the window until it touches behind the air conditioner top rail.

A CAUTION:

- DO NOT release the grip on the air conditioner until it fits tight between the window and the stool.
- DO NOT drill a hole in the base pan. The air conditioner is designed to operate with water in the base pan.


Slide Out the Filler Panels

- Extend the filler panels on both sides until they touch the window tracks.
- **2** Secure the top and the bottom with four 3/4" long screws.

INSTALLATION WITHOUT THE FILLER PANELS

If filler is required on the sides of the air conditioner, cut filler sheet (not supplied) to size and fill both sides.

Install the Window Gasket and the Locking Bracket



- Cut the foam top window gasket to the window width.
- 2 Stuff the foam between the glass and the window to prevent air and insects from getting into the room.
- **3** Attach the window locking bracket with a 3/4" screw.



Helpful Information

Things That Are Normal

Noise	Explanation
PINGI	You may hear a pinging noise caused by water being picked up and thrown against the condenser on rainy days or when the humidity is high. This design feature helps remove moisture and improve efficiency.
"CLICK"	You may hear the thermostat click when the compressor cycles on and off.
DRIP	Water will collect in the base pan during high humidity or on rainy days. The water may overflow and drip from the outdoor side of the unit.
WHIR!	The fan may run even when the compressor is not.

If Something Goes Wrong

Before You Call for Service

Problem	Possible Causes	What to Do
Air Conditioner Doesn't Start	The air conditioner is unplugged	• Make sure the air conditioner plug is pushed completely into the outlet.
	The fuse is blown/circuit breaker is tripped	• Check the house fuse/circuit breaker box and replace fuse or reset the breaker.
	Power failure	• If power failure occurs, turn the mode control to OFF . When power is restored, wait 3 minutes to restart the air conditioner to prevent tripping of the compressor overload.
<i>Air Conditioner Does Not Cool as it Should</i>	Airflow is restricted	• Make sure there are no curtains, blinds or furniture blocking the front of the air conditioner.
	The temp control may not be set high enough	• Turn the knob to a higher number. The highest setting provides maximum cooling.
	The air filter is dirty	• Clean the filter at least every 30 days. See the Care and Cleaning section.
	The room may have been hot	• When the air conditioner is first turned on you need to allow time for the room to cool down.
	Cold air is escaping	• Check for open furnace floor registers and cold air returns.
		• Set the vent in the closed position.
	Cooling coils have iced up	• See freezing up below.
Air Conditioner Freezing Up	Ice blocks the air flow and stops the air conditioner from cooling the room	• Set the mode control at <i>FAN ONLY</i> or <i>HIGH COOL</i> with the temp at 1 or 2.

Notes

GE Service Numbers

We'll be there!



GE Answer Center®	Open 24 hours a day,	
800.626.2000	7 days a week.	
TDD 800-833-4322		
In-Home Repair Service 800-GE-CARES (800-432-2737)	We provide expert repair service, scheduled at a time that's convenient for you.	Our factory-trained technicians know your appliance inside and out— so most repairs can be handled in just one visit.
Service Contracts	With a service contract GE Consumer Service will still be there after your warranty expires.	With a multiple-year contract, you're assured of future service at today's prices.
800-626-2224		
Parts and Accessories	Individuals qualified to service	Care and cleaning instructions con- tained in this manual cover proce- dures to be performed by any user. Other servicing generally should be referred to qualified service person- nel. Caution must be exercised, since improper servicing may cause unsafe operation.
800-626-2002	their own appliances can have parts or accessories sent directly to their home. VISA, MasterCard and Discover cards are accepted.	
Further Service	<i>First</i> , contact the people who ser-	<i>Finally</i> , if your problem is still
If for some reason you are not happy with the service you receive, here are three steps to follow for further help.	viced your appliance. Explain why you are not pleased. <i>Next</i> , if you are still not pleased, write all the details—including your phone number—to: Consumer Relations	not resolved, write: Major Appliance Consumer Action Program 20 North Wacker Drive Chicago, IL 60606
	GE Appliances	15

 $Louisville, KY\,40225 \\ \text{Download from Www.Somanuals.com. All Manuals Search And Download.}$

AIR CONDITIONER WARRANTY

Staple sales slip or cancelled check here. Proof of original purchase date is needed to obtain service under warranty.

What is Covered	 FULL ONE-YEAR WARRANTY For one year from date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the room air conditioner that fails because of a manufacturing defect. FULL FIVE-YEAR WARRANTY For five years from the date of original purchase, we will provide, free of charge, parts and service labor in your home to repair or replace any part of the sealed refrigerating system (the compressor, condenser, evaporator and all connecting tubing) that fails because of a manufacturing defect. 	 ************************************		
What is Not Covered	 Service trips to your home to teach you how to use the product. Read your Owner's Manual. If you then have any questions about operating the product, please contact your dealer or our Consumer Affairs office at the address below, or call, toll free: GE Answer Center[®] 800.626.2000 consumer information service Improper installation. If you have an installation problem, or if the air conditioner is of improper cooling capacity for the intended use, contact your dealer or installer. You are responsible for providing adequate electrical connecting facilities. 	 Replacement of house fuses or resetting of circuit breakers. In commercial locations labor necessary to move the unit to a location where it is accessible for service by an individual technician. Failure of the product resulting from modifications to the product or due to unreasonable use including failure to provide reasonable and necessary maintenance. Failure due to corrosion on models not corrosion-protected. Damage to product caused by improper power supply voltage, accident, fire, floods or acts of God. 		
WARRANTOR IS NOT RESPONSIBLE FOR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. To know what your legal rights are in your state, consult your local or state consumer affairs office or your state's Attorney General.				
Warrantor: General Electric CompanyIf further help is needed concerning this warranty, write: Manager—Consumer Affairs, GE Appliances, Louisville, KY 40225				

Pub. No. 49-7348 BT14933-168

10-96 CG

Printed in the United States

ABN08 ABP10 ABN10 ABV10 Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com