# PGS975BFM/WFM GE Profile<sup>™</sup> 30" Slide-In Gas Range

Dimensions and Installation Information (in inches)

### You must use the rear filler strip kit shipped with the range or the optional accessory backguard when installing these ranges

Note: Cabinets installed adjacent to slide-in ranges must have an adhesion spec of at least 194° temperature rating.

**Optional Kits for Slide-In Gas Ranges:** (Available at additional cost)


#### Lower/Side Trim Kits


JXS56WW - Lower Trim Kit (White) JXS56BB - Lower Trim Kit (Black)

#### Accessory Backguards

JXS32BB - Black Accessory Backguard JXS37BB - Black Glass Accessory Backguard JXS32WW - White Accessory Backguard JXS37WW - White Glass Accessory Backguard

Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.





For answers to your Monogram,<sup>®</sup> GE Profile<sup>™</sup> or GE® appliance questions, visit our website at ge.com or call GE Answer Center® service, 800.626.2000







25

**Specification Revised 5/07** 230142


## PGS975BEM/WEM GE Profile™ 30" Slide-In Gas Range

### **Features and Benefits**

- Deep Recessed Cooktop Designed with a recessed surface to help contain spills and make cleaning easy
- Two Speed Gas Convection Oven Circulates the air throughout the oven cavity ensuring better baking and roasting results
- Convection Bake Provides ideal airflow throughout the oven cavity, ensuring better baking results
- Convection Roast Provides even cooking and consistent results, roasting meats faster than a traditional oven
- Extra-Large Oven Capacity Provides a large oven interior ideal for cooking more items at once
- Glass Touch Controls Features a smooth glass design that is easy-to-operate and easy-to-clean
- Self Clean Oven Conveniently cleans the oven cavity without need of scrubbing
- Precise Simmer Burner Offers a low setting of 140°, ensuring more temperature control for simmering
- Self-Clean Heavy-Duty Oven Racks Double coated porcelain-enameled racks no longer require hand cleaning
- 18,000 BTU Stacked Burner Features a unique two-in-one burner design for 18,000 BTU boiling or gentle 140 degrees simmer
- Gas Cooktop Lockout Prevents gas flow to cooktop and locks out oven controls, helping protect from unintended activation
- Model PGS975BEMBB Black
- Model PGS975WEMWW White



imagination at work



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com