


# AHK40LK GE® Dehumidifier

## Dimensions and Installation Information (in inches)

**Wall Outlets:** All wiring including installation of receptacle must be made in accordance with local electrical codes and regulations. Electrical outlet should be in reach of line cord.

**Note:** Aluminum wiring may pose special problems – consult a qualified electrician.



For answers to your Monogram®, GE Profile™ or GE® appliance questions, visit our website at [ge.com](http://ge.com) or call GE Answer Center® service, 800.626.2000.



Total volume and shelf area are calculated by the Association of Home Appliance Manufacturers' standards.



Listed by Underwriters Laboratories


Specification Created 4/07

390734

# AHK40LK GE® Dehumidifier

## Features and Benefits

- 40 Dehumidification Pints Per Day
- 124/112 CFM Indoor Fan (High/Low)
- 10.5 Pint Bucket Capacity
- 115 Volts
- 2 Fan Speed Selections
- Removable Bucket
- Electronic Controls
- Water "Full" Indicator Light
- Automatic Shut-Off System
- Model AHK40LK - Light cool gray



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>