




ZBD4500DSS - GE Monogram Built-In Dishwasher

Dimensions and Specifications (in inches)







Specification Revised 10/99

Design Information: Designed for versatility, these dishwashers adapt to virtually any installation. This dishwasher is supplied as a stainless steel model.

To achieve a custom flush appearance, standard 24" base cabinets should be moved forward by use of spacer blocks.

Optional Kits:

 GPF53 Mounting Kit-Special brackets for installing dishwasher beneath countertops of stone or other materials which will not accept screws.

Additional Specifications: A 120 Volt, 60 Hz power supply is required when using a power cord, an individual properly grounded branch circuit protected by a 15 or 20 amp circuit breaker or time delay fuse is recommended. Install a 3-prong electrical receptacle at least 6" above the floor and within 18" of the right or left adjacent cabinet wall. Otherwise wiring must enter the cutout in shaded area shown. A double, side-by-side installation requires two separate circuits.

The hot water line must enter the cutout in the shaded area from the right, left, rear or through the floor. The water line should be 3/8" O.D. copper or 1/2" O.D. plastic. Installation of an easily accessible hand shut-off valve is strongly recommended.

The dishwasher should be placed no more than 10 feet from the sink for proper drainage.


For a corner installation, allow 2" clearance between dishwasher and adjacent cabinet or wall.

For answers to your Monogram,[®]
GE Profile Performance Series,[™]
GE Profile[™] or GE appliance questions, call
GE Answer Center[®] service, 800.626.2000.





ZBD4500DSS - GE Monogram Built-In Dishwasher



Features and Benefits

- Three Wash Arms with Five Level Wash
- 100% Triple Water Filtration
- Anti-Jamming Hard Food Disposer
- Variable Cycle Selections: SaniWash, Pots&Pans, Normal Wash, China/Crystal, SpeedWash™ and Rinse and Hold
- Variable Options: Power Pre-Soak, Heated Dry, 2/4/8-Hr Delay Start, Lock and Start/Cancel/ Clear Pads
- Nylon Upper Rack with 2 Rows of Fold Down Tines
- Super Nylon Lower Rack with 4 Rows of Fold Down Tines
- Utility Shelf with Stemware Holders
- 3-Piece Silverware Basket with 2 Cell Covers
- Rinse Aid Dispenser with Indicator
- Electronic Controls with 11 Touchpads and Cycle Progress Indicators
- Model ZBD4500DSS Stainless Steel
- Model ZBD4200DWW White on white
- Model ZBD4200DBB Black on black

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com