



## ZFSB27DYSS—27 cu. ft. Stainless Steel Refrigerator


### **Dimensions and Specifications (in inches)**



Water Connection Location



Through floor to basement cold water pipe



Under sink to cold water pipe

**Clearances:** This Monogram free-standing refrigerator requires the following clearances for proper air circulation, plumbing and electrical connections.

Sides ......5/8" Top .....1" Back ......1"

#### If the refrigerator is to be installed in a corner:


- A 1-1/2" clearance between the case trim and the adjacent wall on both sides of the refrigerator will assure a 90° door opening and access to all drawers.
- Allow 11-1/4" clearance on the freezer side for removal of ice bin.
- On the fresh food side, drawers can be removed by first disassembling door bins. Or, allow 14" clearance to remove drawer without disassembling the door bins.


Additional Specifications: The water line can be routed through the floor or through an adjacent cabinet, as close to the back wall as possible.

A 115 volt, 60 Hz. 15 or 20 amp power supply is required. An individual properly grounded branch circuit or circuit breaker is recommended, as noted on the rating plate. The rating plate is located on the bottom of the cabinet front of the fresh food compartment and is visible when the door is opened.

#### Installation Information:

Before installing, consult installation instructions (Pub. No. 49-6894) packed with product for current dimensional data.





Through wall to utility room cold water pipe


For answers to your GE Monogram,<sup>™</sup> GE Profile,<sup>™</sup> GE, Hotpoint and RCA appliance questions, call GE Answer Center<sup>®</sup> service, 800.626.2000.



Listed by Underwriters Laboratories



# ZFSB27DYSS—27 cu. ft. Stainless Steel Refrigerator



### **Features and Benefits**

- Stainless Steel Model
- 26.6 cu. ft. Capacity (Fresh Food 16.9 cu. ft., Freezer 9.72 cu. ft.)
- Exterior Dispenser with Cubes, Crushed Ice and Chilled Water
- Adjustable Humidity Vegetable/Fruit Pan, Adjustable Temperature Meat Pan
- Adjustable Humidity Snack Pan
- 3 Adjustable Spill-Proof Glass Shelves (2 Slide-Out)
- Slide-Back Shelf
- 4 Adjustable Fresh Food Door Bins
- Dairy Compartment
- Wine Holder
- Utility Bin
- 3 Adjsutable Wire Freezer Shelves
- 1 Utility Basket
- 5 Adjustable Freezer Door Bins
- Tubular Stainless Steel Handles
- Model ZFSB27DYSS—Stainless Steel

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com