CSS25USW

GE Café ENERGY STAR® 25.4 Cu. Ft. Stainless Side-By-Side Refrigerator with Dispenser

Dimensions and Installation Information (in inches)

Overall Dimensions	Height to top of hinge (in.) A	69-3/8
	Height to top of case (in.) B	68-7/8
	Case depth without door (in.) C [†]	28-3/4
	Case depth less door handle (in.) D [†]	32-1/4
	Case depth with door handle (in.) E [†]	34-3/4
	Depth with fresh food door open 90° (in.) F [†]	50-3/4
	Width (in.) G	35-3/4
	Width with door open 90° inc. door handle (in.) H	41-1/2
Air Clearances	Each side (in.)	1/8
	Top (in.)	1
	Back (in.)	1

†Water hook-up fits in back air clearance when calculating installation depth.


If installed against a wall, allow clearance of 14-3/16" on freezer side to remove bin.


Clearance required to remove fresh food full-size pan without disassembling is 18-15/16".

Allow additional space for any necessary leveling adjustments.

For answers to your Monogram,® GE Profile™ or GE® appliance questions, visit our website at ge.com or call GE Answer Center® service, 800.626.2000.

imagination at work














CSS25USW

GE Café ENERGY STAR® 25.4 Cu. Ft. Stainless Side-By-Side Refrigerator with Dispenser

Features and Benefits

- ClimateKeeper™ System Best Temperature Management System You Can Buy
- ExpressChill™ with 1 Setting Chills beverages quickly with easy one-button selection of 45 minutes
- Integrated Dispenser with LED Lighting, PreciseFill & UltraFlow100 Illuminates the dispenser and pours water in accurate increments or up to 100 ounces per minute
- Slide 'n Store™ Full-Extension Freezer Basket Extends 12" to 16" beyond the cabinet, providing easy access to contents
- Quick Ice[™] Setting Makes ice up to 50% faster than normal settings— Ideal for entertaining
- TurboCool™ Setting "Revs up" the refrigerator, cooling it quickly after frequent door openings
- Integrated Ice[™] System Frees up valuable freezer space. It tilts down, providing easy access to bulk ice
- Tilt-out Freezer Door Bins Moves forward for convenient access
- Integrated Shelf Support System Provides strong, yet flexible support
- Model CSS25USWSS Stainless steel







Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com