

New Products

Gemini's new CDMP Professional DJ CD Players provide digital connection via builtin USB inputs, giving you the flexibility and convenience of CDs and MP3s. Consisting of three units - the CDMP-1300 (Professional 2U Single CD/MP3/USB Player), CDMP-2600 (Professional 2U Dual CD/MP3/ USB Player), and the CDMP-5000 (Dual CD/MP3/USB Mixing Console) deliver optimum functionality to supply you with all the tools you need to bring your performance rig to the next level. Each station is Audio CD, CD-R, MP3 and USB MP3 compatible and features a BPM read out, Anti-ShockTM using RAM buffer memory, 2 Selectable Jog modes Pitch Bend/Search, instant-start & cue with preview, variable pitch control with a +/- 24% range and one seamless loop with reloop for the perfect all-in-one solution for your mobile DJing or club installation needs.



Professional CD/MP3/USB Players						
CDMP-1300	CDMP-2600	CDMP-5000				
One seamless loop with reloop Remote control	One seamless loop with reloop	One seamless loop per side with reloop Fader-Start Capability Fully programmable with repeat function	Mixer Section: 3-band EQ with gain control 1/4" headphone output XLR & 1/4" mic input Auxiliary inputs for phono or line devices			

All three units: Audio CD, CD-R & MP3 compatible/ USB Mp3 compatible/ BPM readout/ Anti-shock using RAM buffer memory/ Frame accurate search 2 selectable jog modes pitch bend & search/ Instant-start & cue with preview/ Single & continuous play modes/ Rubber jog wheels with finger grips

Three mode time selection/ Variable pitch control with a +/- 24% range/ Pitch bend via jog wheel or buttons



Gemini proudly introduces **Groove**, a complete and reliable Professional Mixing Software that offers the total live performance that's easy enough to use for the beginner, but with all the features the pros need and want. Equipped with an Auto BPM Calculation, accurate vinyl scratch emulation, instant-start & cue with preview, 3 hot cue points for each channel, full featured mixer with 3 band EQ and kills, echo, flanger reverb, reverse and brake effects, +/- 16% pitch with master tempo, built in CD ripper, mix session recorder, plus support for MP3, WMA, OGG Vorbis and Wave. Get into **Groove**, with the perfect music software solution.

Professional PC Mixing Software

Gemini Groove

- MP3, WMA, OGG Vorbis, Wave support
- Automix with Fader start
- Built in CD ripper
- 10 band master EQ (6dB & 12dB)
- +/- 16% Pitch with Master tempo
- Single & continuous play modes
- 3 Hot cue points for each channel
- Volume normalization with Master Limiter
- Auto BPM calculation
- Vinyl scratch emulation
- Instant-start & cue with preview
- Playlist support with powerful database features
- Mix session recorder
- Echo, Flanger, Reverb, Reverse & Brake effects
- Full feature mixer with 3 band EQ & kills

For DJs that require a cost effective solution, while still providing essential features, Gemini's new **CDJ-202** and **CDJ-505** Professional Table Top CD Players deliver the goods. Perfect for mobile, club, or home use, the **CDJ-202** (CD and CD-R compatible) and **CDJ-505** (CD, CD-R, MP3 & USB Compatible) are jam packed with features including Anti-Shock™ buffer memory, frame accurate search, instant-start and cue with preview, and seamless looping to provide high quality performance technology.





Professional Tabletop Players

CDJ-202 (CD/CD-R)

- Audio CD & CD-R compatible
- Anti-shock using RAM buffer memory
- 2 Selectable Jog modes Pitch Bend/ Search
- Instant-start & cue with preview
- Single & continuous play modes
- Extra Large jog wheel

- One seamless loop with reloop
- Three mode time selection
- Pitch bend via jog wheel or buttons +/- 24%
- Frame accurate search
- Variable pitch control with a +/- 24% range
- Large blue backlit LCD display

CDJ-505 (CD/CD-R/MP3/USB)

- Audio CD, CD-R, MP3 & USB compatible
- Anti-shock using RAM buffer memory
- 2 Selectable Jog modes Pitch Bend/ Search
- Instant-start & cue with preview
- Single, Continuous & Repeat play modes
- Extra Large jog wheel

- One seamless loop with reloop
- Three mode time selection
- \bullet Pitch bend via jog wheel or buttons +/- 24%
- Frame accurate search
- Variable pitch control with a +/- 24% range
- Bright VFD display
- BPM read out
- Multifunction scroll knob for MP3 folder navigation

GEMINIDJ.COM

Consisting of four models— the **GT-10** (90 watts RMS), **GT-12** (120 watts RMS), **GT-15** (175 watts RMS), **GT-215** (300 watts RMS) are Gemini's new line of Two-Way Speakers. Compact, yet loud and strategically equipped with a trapezoidal design for a more accurate sound, high temperature voice coil and 8 omhs (except the GT-215, which has 4 ohms), making it the ideal choice for club DJ's, musicians and audio professionals.



GT Series Speakers				
GT-10	GT-12	GT-15	GT-215	
10" Two-Way Speaker	12" Two-Way Speaker	15" Two-Way Speaker	Dual 15" Two-Way Speaker	
90W RMS Trapezoid Speaker High temperature voice coil 6" x 3" Dual super piezo horn 1/4" input jack 8 ohms impedance	120W RMS Trapezoid Speaker High temperature voice coil 11" x 5" Dual super piezo horn Banana & dual 1/4" input jacks 8 ohms impedance	175W RMS Trapezoid Speaker High temperature voice coil 11" x 5" Dual super piezo horn Banana & dual 1/4" input jacks 8 ohms impedance	300W RMS Trapezoid Speaker High temperature voice coil 11" x 5" Dual super piezo horn Banana & dual 1/4" input jacks 4 ohms impedance	

Consisting of three models – the **GSM-12** (100 watts RMS), **GSM-15** (175 watts RMS) and **GSM-215** (300 watts RMS) are Gemini's new line of Three-Way Speakers. Sleekly designed, each GSM speaker comes with push button connectors, dual 1/4" input jacks and 8 omhs (except the GSM-215, which has 4 ohms) impedance to deliver precise and accurate sound to further increase sound definition and frequencies.



GSM Series Speakers					
GSM-12	GSM-15	GSM-215			
12" Three-Way Speaker	15" Three-Way Speaker	Dual 15" Three-Way Speaker			
12" x 4" horn, four 3" tweeters 100 watts RMS Push button connectors & dual 1/4" input jacks 8 ohms impedance	12" x 5" horn, seven 3" tweeters 175 watts RMS Push button connectors & dual 1/4" input jacks 8 ohms impedance	17" x 5" horn, seven 3" tweeters 300 watts RMS Push button connectors & dual 1/4" input jacks 4 ohms impedance			



All information is subject to change without notification for improvement

1 Mayfield Avenue, Edison, NJ, USA 08837 T: +1 732 346 0061 E: sales@gci-technologies.com
© GCI Technologies Corp. 2008 All Rights Reserved.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com