

Booster Seat Owner's Manual Model 8481

READ THIS MANUAL.

Do not install or use this car seat until you read and understand the instructions in this manual.

> FAILURE TO PROPERLY USE THIS CAR SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN A SUDDEN STOP OR CRASH.

> > © 2001 Graco 433-9-01

Download from Www.Somanuals.com. All Manuals Search And Download.

Table of Contents

1.0	Wai	rnings to Parents and Other Users3
2.0	Reg	istration Information4
	2.1	Register Your Booster Seat4
	2.2	Recall Information4
	2.3	If You Need Help4
3.0	Fea	tures
4.0	Imp	ortant Information
	4.1	Warnings
	4.2	Height and Weight Limitations
5.0	Во	oster Seat Location
	5.1	Vehicle Seat Requirements10
	5.2	Vehicle Seat Belt Requirements11
		5.2.1 UNSAFE Vehicle Belt Systems11
		5.2.2 SAFE Vehicle Belt Systems13
6.0	Usir	ng Booster Seat14-15
	6.1	
		Seat in Vehicle
7.0	Add	litional Information16
	7.1	Airplane Use
	7.2	Cupholder
8.0	Car	e and Maintenance17
9.0	Repl	acement Parts18-19

1.0 Warnings to Parents and Other Users

A WARNING

Failure to properly use this booster seat increases the risk of serious injury or death in a sharp turn, sudden stop or crash. Your child's safety depends on you installing and using this booster seat correctly.

Even if using this booster seat seems easy to figure out on your own, it is very important to READ THE OWNER'S MANUAL and the vehicle owner's manual.

Your child's safety depends on:

- 1. Selecting a suitable location for the booster seat in your vehicle.
- 2. Placing child in booster seat.
- 3. Properly securing the booster seat and child in the vehicle using a seat belt designed to restrain the booster seat and your child. This booster seat MUST be used with a lap/shoulder belt. Not all lap/shoulder belts can be used. NEVER use a vehicle lap-only belt.
- 4. Use belt positioner if necessary to adjust vehicle belt to fit child properly.

2.0 Registration Information

Model Number:

Manufactured on:

Purchase Date:

2.1 **Register Your Booster Seat**

Please fill in the above information. The model number can be found on a label underneath your booster seat. Fill out the prepaid registration postcard attached to the seat cover and mail it today.

Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Send your name, address and model number to:

> Graco Children's Products Inc. P.O. Box 100 Elverson, PA, 19520-9974 or call 1-888-224-6549

2.2 Recall Information

- Call the U.S. Government's Auto Safety Hotline at 1-800-424-9393 (202-366-0123 in D.C. area)
- www.nhtsa.dot.gov
- Graco: 1-888-224-6549 or www.gracobaby.com

2.3 If You Need Help

Please contact our Customer Service Department with any questions you may have concerning parts, use. or maintenance. When you contact us, please have your product's model number ready so that we may help you efficiently. This number can be found on a sticker on the underside of your booster seat.

1-888-224-6549 or www.gracobaby.com


3.0 Features





Cupholder (certain models)

Download from Www.Somanuals.ce All Manuals Search And Download.



*Tether

Vehicles are now (or can be) equipped with tether anchor points behind some seats. A tether anchors the top of the car seat to the body of the vehicle. When used properly with the vehicle seat belt, a tether helps reduce injury in a sudden stop or crash. A tether and hardware kit may be purchased by calling Customer Service at 1-888-224-6549.

Download from Www.Somanuals.capAll Manuals Search And Download.

4.0 Important Information

4.1 Warnings

A WARNING

- DO NOT INSTALL OR USE THIS BOOSTER SEAT UNTIL YOU READ AND UNDERSTAND THE INSTRUCTIONS IN THIS MANUAL AND IN YOUR VEHICLE OWNER'S MANUAL. DO NOT let others install or use the booster seat unless they understand how to use it.
- FAILURE TO PROPERLY USE THIS BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN A SHARP TURN, SUDDEN STOP OR CRASH. Your child can be injured in a vehicle even if you are not in a crash. Sudden braking and sharp turns can injure your child if the booster seat is not properly installed or if your child is not properly secured in the booster seat.
- According to accident statistics, CHILDREN ARE SAFER WHEN PROPERLY RESTRAINED IN REAR VEHICLE SEATING POSITIONS, RATHER THAN FRONT SEATING POSITIONS. For a vehicle with a front passenger air bag, refer to your vehicle owner's manual as well as these instructions for booster seat installation.
- NEVER LEAVE YOUR CHILD UNATTENDED.
- NEVER LEAVE A BOOSTER SEAT UNSECURED IN YOUR VEHICLE. An unsecured booster seat can be thrown around and may injure occupants in a sharp turn, sudden stop or crash. Remove it or make sure that it is securely belted in the vehicle.
- REPLACE THE BOOSTER SEAT AFTER AN ACCIDENT OF ANY KIND. An accident can cause damage to the booster seat that you cannot see.

- STOP USING BOOSTER SEAT AND THROW IT AWAY after the date molded into the back of the booster seat.
- DO NOT MODIFY YOUR BOOSTER SEAT or use any accessories or parts supplied by other manufacturers.
- NEVER USE BOOSTER SEAT IF IT HAS DAMAGED OR MISSING PARTS. DO NOT use a cut, frayed or damaged vehicle seat belt.
- THE BOOSTER SEAT CAN BECOME VERY HOT IF LEFT IN THE SUN. Contact with these parts can burn your child's skin. Always touch the surface of any metal or plastic parts before putting your child in the booster seat.
- THIS CHILD RESTRAINT CONFORMS to all applicable Federal Motor Vehicle Safety Standards and is certified for use in motor vehicles. This restraint is NOT certified for use in aircraft because there is no shoulder belt available.
- NEVER GIVE THIS BOOSTER SEAT to someone else without also giving them this manual.
- NEVER USE A SECOND-HAND BOOSTER SEAT or a booster seat whose history you do not know.

4.2 Height and Weight Limits

A WARNING

FAILURE TO USE BOOSTER SEAT IN A MANNER APPROPRIATE FOR YOUR CHILD'S SIZE MAY INCREASE THE RISK OF SERIOUS INJURY OR DEATH.

Your child MUST meet all requirements:

- WEIGHT: 30 to 80 lbs. (14 to 36 kg)
- HEIGHT: 35 to 54 inches (89 to 138 cm)
- Child's ears are **BELOW** top of booster seat. If tops of ears are above top of seat, child is too large for booster seat.

5.0 Booster Seat Location

5.1 Vehicle Seat Requirements

A WARNING

IMPROPER PLACEMENT OF THE BOOSTER SEAT INCREASES THE RISK OF SERIOUS INJURY OR DEATH. Some seating positions in your vehicle may not be safe for this booster seat. Some vehicles do not have any seating positions that can be used safely with the booster seat. If you are not sure where to place the booster seat in your vehicle, consult your vehicle owner's manual or Graco Children's Products Inc., 1-888-224-6549.

- Children are safer when properly restrained in rear vehicle seating positions. Whenever possible secure the booster seat in the center position of the seat directly behind the front seats. However, this position is often equipped with a lap belt only and cannot be used.
- · The vehicle seat must face forward.





 Front of booster seat must not hang over edge of vehicle seat.



Download from Www.Somanuals.capAll Manuals Search And Download.

5.2 Vehicle Seat Belt Requirements

A WARNING

MANY SEAT BELT SYSTEMS ARE NOT SAFE TO USE WITH THE BOOSER SEAT.

Pay careful attention to these systems; some of the seat belts that are not safe to use look very much like seat belts that are safe to use. If you are unsure, consult your vehicle owner's manual or Graco Children's Products Inc., 1-888-224-6549.

5.2.1 UNSAFE Vehicle Belt Systems

DO NOT USE ANY OF THE FOLLOWING SYSTEMS TO SECURE THE CAR SEAT.

• NEVER use any lap-only belt.



- Combination
 Lap/Shoulder Belt
 with Retractor
 Each strap has a retractor
 at one end and is attached
 to the latch plate at the
 other end.
- Passive Restraint -Lap or Shoulder Belt Mounted on Door





 Passive Restraint -Lap Belt with Motorized Shoulder Belt

DO NOT use vehicle belts that are attached to the door in any way or that move along a track to automatically surround the passenger when the door is closed.




5.2.2 SAFE Vehicle Belt Systems

THE FOLLOWING BELT SYSTEMS CAN BE USED WITH YOUR BOOSTER SEAT, IF the seat location

meets all other requirements of these instructions and those in your vehicle owner's manual.


 Combination Lap/Shoulder Belt with Locking Latch Plate

Once it is buckled, this type of belt has a latchplate that will not allow the lap portion of the belt to loosen. Belt is tightened by pulling hard on the shoulder portion of the vehicle belt.



 Combination Lap/Shoulder Belt with Sliding Latch Plate

This belt has a latchplate that slides freely along the belt.



6.0 Using Booster Seat

A WARNING

FAILURE TO PROPERLY SECURE YOUR CHILD AND THE BOOSTER SEAT IN YOUR VEHICLE INCREASES THE RISK OF SERIOUS INJURY OR DEATH IN THE EVENT OF A SHARP TURN, SUDDEN STOP OR CRASH.

Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat $\{$

NEVER use a vehicle lap-only belt across front of child $\frac{1}{1}$.

Vehicle belts MUST lay flat against child and MUST not be twisted.

 $\mbox{DO}\xspace{\rm NOT}$ use shoulder belt loose or positioned under arm § .

Lap portion of lap/shoulder belt MUST be low and snug on hips, just touching thighs.

DO NOT allow child to slide down in booster seat

If child will not keep vehicle restraint properly positioned, **DO NOT** use this booster seat. Use a different child restraint system.










6.1 Securing Child and Booster Seat in Vehicle

- Place booster seat firmly against the back of a forward-facing vehicle seat equipped with a lap/shoulder belt only.
- Place child in booster seat with child's back flat against back of booster seat.
- Position lap/shoulder belt as shown [©]. Fasten buckle and pull up on the shoulder belt to tighten.
- If belt lays across child's neck, head or face, redirect belt across chest using the shoulder belt positioner. Thread vehicle shoulder belt through one of the three positioners exactly as shown ^a.
- Check that shoulder belt is properly positioned over shoulder and snug against child.




7.0 Additional information

7.1 Airplane Use

This restraint is NOT certified for use in aircraft because there is no shoulder belts available.

7.2 Cupholder (Optional)

- Insert the two prongs of the cupholder into the two slots on either the left or right side of the seat ¥.
- Push cupholder down until the clip snaps on to the bottom of seat ¦ . CHECK that cupholder is secure by pulling on it.




8.0 Care and Maintenance

- CONTINUOUS USE OF BOOSTER SEAT MAY CAUSE DAMAGE TO VEHICLE SEAT. Use a booster seat mat, towel or thin blanket to protect upholstery.
- METAL AND PLASTIC PARTS: clean with mild soap and cool water. No bleach or detergents.
- SEAT COVER: clean with a damp sponge using mild soap and cool water. If necessary, cover may be removed for cleaning.

To Remove Seat Cover

- Remove elastic loops and hooks from seat as shown § .
- Machine wash cover in cold water on delicate cycle and dripdry. DO NOT USE BLEACH.
- 3. To put the seat cover back on, reverse preceding instructions.



9.0 Replacement Parts

How to Order:

Complete the form that follows. Your booster seat model number MUST be included on the form to ensure proper replacement parts. Your model number can be found on a sticker on the underside of your booster seat. Payment must accompany your order.

Parts may also be ordered from Graco's web site at **www.gracobaby.com**.

Parts List:Price:*
Seat cover\$35.00
Tether strap\$10.00
Cupholder\$7.00
*Prices subject to change without notice

IF YOU NEED HELP


If you have any questions or need any parts not listed, please call toll-free: **1-888-224-6549** or visit our Internet website, **www.gracobaby.com**.

Return the form with payment to:

GRACO CHILDREN'S PRODUCTS INC. CUSTOMER SERVICE DEPARTMENT P.O. BOX 100, MAIN STREET ELVERSON, PA 19520

Download from Www.Somanuals.canaAll Manuals Search And Download.

(Both Numbers Required)
□ Seat cover	Subtotal:
Tether strapCupholder	Shipping & handling*: \$5.00
	Sales tax**:
	Total:
	* \$15.00 outside the continental U.S. **CA 6%, IL 6.25%, IN 5%, NY 8.25%, OH 5.75%, PA 6%, SC 5%
Check or money orde	er enclosed
•	nildren's Products Inc.)
□ Charge to credit card	1
•	
•	terCard Discover
•	_
UVisa UMas	_
Visa Mas	_
Visa Mas Account # Expiration date	_
□ Visa □ Mas Account # Expiration date Signature	_
Visa Mas Account # Expiration date Signature SHIP TO:	_
Visa Mas Account # Expiration date Signature SHIP TO: Name	_



Keep this manual in the storage compartment on the back of the car seat.



Graco Children's Products Inc. Elverson, PA 19520 1-888-224-6549

Download from Www.Somanuals.comAll Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com