


Gas Airless Sprayers

The Industry Leader in Innovation, Power and Performance





The G4 Difference... We Build It. We Back It. Period.



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

Graco has the Right Solutions for all your Gas

Graco introduces our extensive line of gas airless sprayers – all of which offer the quality and performance that you'd expect from Graco. Our flagship line, GMAX II, offers superior pressure control and the most available features. For those users who prefer gas hydraulic sprayers we offer our GH line, which has increased performance and the ability to spray heavier materials. Both our GMAX and GH lines are offered as convertibles – allowing you to swap out the gas engine for an electric motor to spray indoors. Finally, for the contractor who sprays the heaviest materials in the most extreme applications, Graco offers the IronMan 500G, GH 833, GH 733 and Roof Rigs.

No matter what spraying application you face Graco has the **Total Job Solution** for you.

GRACO GAS AIRLESS SPRAYING SOLUTIONS GUIDE

SPRAYER CLASSIFICATION

ENTRY GAS

• GMAX 3400

TYPICAL APPLICATIONS

Interior/Exterior Residential New Construction Repaint/Remodel

Property Maintenance Light Commercial

TYPICAL MATERIALS

Latex Paints and Primers Acrylic Paints and Primers Oil-Based Paints and Primers

PRODUCTION RATE

Medium
1 Gun
Up to 0.027 tip
Up to 0.75 gpm

LARGE GAS

- GMAX II 3900/5900/7900
- GMAX II 5900 Convertible
- GH 130/200/230 Convertible
- GH 300

Interior/Exterior Residential New Construction Heavy Commercial Industrial

Latex Paints and Primers
Acrylic Paints and Primers
Oil-Based Paints and Primers
Elastomerics
Block Fillers and Gypsum
Drywall Mud

High

Up to 5 Guns Up to 0.057 tip Up to 3.0 gpm

Airless Spraying Applications





"We only use Graco sprayers and would never think of using any sprayer that isn't 'blue'."



—Mike Smith Swanson & Youngdale Painting Minneapolis, MN

EXTREME-DUTY GAS

- GH 733 and Roof Rigs
- GH 833
- IronMan 500G

Heavy Commercial Industrial Roofing Architectural Water-Proofing

Elastomerics
Block Fillers and Gypsum
Drywall Mud
Epoxies and Sealers
Asphalt and Aluminum Emulsion
Water-Proofing Materials

Highest
Up to 6 Guns
Up to 0.065 tip
Up to 4.0 gpm

Features found only on a Graco

SmartControl™

Graco's advanced *SmartControl*delivers a consistent spray fan
without pressure fluctuation
at all spraying pressures. Our *Premium* line of sprayers
have the added benefit of a
digital display with pressure
readout, job/lifetime gallon
counter, and self-diagnostics.

WatchDog™

The WatchDog Pump Protection System automatically shuts the sprayer down when the bucket is empty – extending the life of the pump.



SMARTCONTROL™



Easy Out™ Filter

The Easy Out Pump Filter is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris. It's large filtering area reduces tip clogs and ensures a quality finish. Filter removes with the cap which means less mess.

QuikReel™

Introducing

QuikReel, the

ultimate solution to
hose management. With

QuikReel you can reel
and unreel up to 300 feet
of hose in seconds!
The hose is connected
so you're always ready
to spray. In fact, it
comes connected out
of the box. With Graco's
innovative QuikReel, you
can get on and off the
job site faster.



Endurance™ Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today. This field proven design with long-life V-Max Blue™ packings, Chromex™ rod and MaxLife™ pump coatings delivers superior reliability and life.

ProConnect[™]

The ProConnect
Pump Removal and
Installation System
allows you to replace
your pump in seconds
without any tools! This
revolutionary design
keeps you pumping —
saving you time and
money.







Built like no other.



[Honda engine not exclusive to Graco.]

Honda[®] Engine

ENDURANCE ADVANTAGE PROGRAM

This compact, lightweight Honda Engine is reliable, technologically advanced and easy to start. Comes with Oil Alert which contractors depend upon to keep their engine running at top performance.

Advantage Drive[™]

The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our *Advantage Drive System* to others, rather we design and manufacture them at our world-class manufacturing facility located in the United States. This allows us to control the quality of these hardened steel gears. You can find peace of mind knowing that you have the most durable, longest lasting drive in the industry and Graco stands behind it with a lifetime warranty.





ENDURANCE MADVANTAGE

PROGRAM

A Solution to Keep You Spraying

Purchase any new Graco Gas Airless Sprayer and you can purchase an Endurance Pump for up to **80% OFF** the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer. No matter what your choice, you'll soon discover how quickly and easily the QuikChange and ProConnect lowers get you up and spraying.

- ✓ On the Job Replacement
- ✓ Quick and Easy Change
- ✓ No Special Tools Needed
 ✓ Gets You Spraying Faster





ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy!

GMAX 3400

The GMAX 3400 is the perfect sprayer for the entry-level contractor who is looking for maximum power in a lightweight, portable package.

Easy Out Pump Filter

- ► Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out - so filters won't get stuck or collapse when dirty
- ▶ Filter removes with the cap for less mess

Single-Stage Gear Drive System

- ► Provides increased performance with less weight
- Quiet running gear system Long-life drive system prevents
- down time
- ► Fewer parts to maintain, less service requirements

Endurance Pump

▶ Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder

QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Hi-Boy model shown

Provides high quality spray pattern

- Consistent spray with all materials
- Excellent spray pattern provides a high quality finish



GMAX 3400

DESCRIPTION GMAX 3400 Hi-Boy **GMAX 3400 Lo-Boy**

PART #: 248664

SPECIFICATIONS:

MAX TIP SIZE: .027 MAX GPM [LPM]: 0.75 [2.8] MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 120 cc

INCLUDES:

- Contractor™ Gun
- RAC X[™] 517 SwitchTip[™] and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax™ II Airless Hose







GMAX II 3900

MAX GPM [LPM]: 1.25 [4.7]

RAC X 517 SwitchTip and Guard
 1/4 in x 50 ft [6.4 mm x 15 m]
 BlueMax II Airless Hose

GMAX II 5900

PART #:

248684 248683

PART #:

248688

248687

.036-1 Gun .023-2 Guns

3300 [227]

DESCRIPTION

SPECIFICATIONS:

MAX TIP SIZE:

MAX PSI [BAR]:

HONDA ENGINE:

DESCRIPTION

SPECIFICATIONS: MAX TIP SIZE:

GMAX II 5900 Hi-Boy

GMAX II 5900 Lo-Boy

INCLUDES:
• Contractor Gun

GMAX II 3900 Hi-Boy

GMAX II 3900 Lo-Boy

GMAX II 3900/5900/7900 Standard

The GMAX II 3900/5900/7900 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. Powered by Honda engines, these portable rigs will go anywhere the job demands. With these high quality Graco sprayers coupled with the ProConnect Pump Removal System and the Endurance Advantage Program, you can be assured that you will be spraying on the job!

Easy Out Pump Filter • Filtering reduces tip clogs and ensures a quality finish • Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty • Filter removes with the cap for less mess Honda Power • Delivers maximum performance

Contractor preferred

SmartControl

Pressure Control

spraying pressures

Advanced microprocessor

control delivers the most

consistent spray fan at all

engine with Oil Alert

.029–2 Guns .023–3 Guns

.043-1 Gun

MAX GPM [LPM]: 1.6 [6.0]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 160 cc

INCLUDES:

Contractor Gun

RAC X 517 SwitchTip and Guard

• 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

GMAX II 7900

 DESCRIPTION
 PART #:

 GMAX II 7900 Hi-Boy
 248701

 GMAX II 7900 Lo-Boy
 248700

SPECIFICATIONS:

MAX TIP SIZE: .048-1 Gun

.035-2 Guns .027-3 Guns .023-4 Guns

MAX GPM [LPM]: 2.2 [8.3]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 200 cc

INCLUDES:

Contractor Gun

RAC X 517 SwitchTip and Guard

• 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose

1/4 in x 3 ft [6.4 mm x .9 m]
 BlueMax II Whip Hose

Hi-Boy model shown

I ANGE GAS • LANGE INCEF GAS • LANGE GAS



Exclusive ProConnect Pump Removal and Installation System

- Proven, reliable design
- ProConnect allows you to remove and replace your pump in seconds without any tools
- ▶ Makes your work easier saving you time and money on the job



Endurance Pump

▶ Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel sleeve

► Exclusive MaxLife rod and sleeve delivers unmatched durability and life — *Graco's best* [Available on GMAX II 7900 sprayer only]

 QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Advantage Drive System

Time-tested drive system provides peace of mind

Hardened helical gears are quiet running

Lifetime guarantee

Convertible Power – Electric/Gas

- ▶ Use indoors with electric motor
- ▶ No-tools change out system
- ▶ Self-tensioning belt for long life
- ▶ 2.0 hp TEFC DC motor













GMAX II 5900 Convertible

DESCRIPTION PART #:
GMAX II 5900 Convertible

Hi-Boy 248691

248693

248697

GMAX II 5900 Convertible Hi-Boy with Electric Motor Kit [Non CSA]

GMAX II 5900 *Convertible* Hi-Boy with Electric Motor

Kit [CSA] 248694 GMAX II 5900 Convertible

Lo-Boy 248695 GMAX II 5900 Convertible

Lo-Boy with Electric Motor Kit [Non CSA]

SPECIFICATIONS:

MAX TIP SIZE: .043-1 Gun

.029-2 Guns .023-3 Guns

MAX GPM [LPM]: 1.6 [6.0]

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc

SPECIFICATIONS WITH ELECTRIC MOTOR:

MAX TIP SIZE: .031
MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

GMAX II 7900 Roof Rig

DESCRIPTION PART #:
GMAX II 7900 Roof Rig 248953

SPECIFICATIONS:

MAX TIP SIZE: .048–1 Gun .035–2 Guns

.027–3 Guns .023–4 Guns

MAX GPM [LPM]: 2.2 [8.3]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 200 cc

INCLUDES:

- Heavy-Duty Gun
- LTX527, LTX635 SwitchTips and Guard
- 20 in [50 cm] Fixed Heavy-Duty Tip Extension
- 3/8 in x 50 ft [9.5 mm x 15 m]
 BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m]
 BlueMax II Whip Hose



S • LARGE GAS • LARGE E GAS • LARGE GAS •

GMAX II 3900/5900/7900 *Premium*

GMAX II 3900 Premium

 DESCRIPTION
 PART #:

 GMAX II 3900 Hi-Boy
 258731

 GMAX II 3900 Lo-Boy
 258736

SPECIFICATIONS:

MAX TIP SIZE: .036-1 Gun

.023-2 Guns

MAX GPM [LPM]: 1.25 [4.7]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 120 cc

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

GMAX II 5900 Premium

DESCRIPTION GMAX II 5900 Hi-Boy GMAX II 5900 Lo-Boy

GMAX II 5900 Lo-Boy

SPECIFICATIONS:

MAX TIP SIZE: .043–1 Gun .029–2 Guns

.029-2 Guns

PART #:

258732

258737

MAX GPM [LPM]: 1.60 [6.0]
MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

Graco took the most demanded, highest quality sprayers and added features that painting contractors demand. These *Premium* Graco sprayers have everything the Standard GMAX II sprayers have *PLUS* added features that are not just gimmicks or useless frills, but rather real features that provide real value to real contractors. Features that will make your job easier – saving you time and money.

SmartControl 2.0 Digital Display

 SmartControl display with pressure read-out, gallon counting and diagnostics



WatchDog Pump Protection System

- Shuts down pump when paint runs out
- Prevents dry pumping damage



Standard Features:

- **▶** Endurance Pump
 - Chromex rod and hardened Stainless Steel sleeve [GMAX II 3900/5900]
 - MaxLife rod and sleeve [GMAX II 7900]
- ProConnect Pump Removal SystemAdvantage Drive System
- ► Easy Out Pump Filter

Hi-Boy model shown



NEW QuikReel [Patent Pending]

Introducing the new QuikReel, the ultimate solution in hose management. This fieldproven design, will get you on and off the job faster - saving you time and money. With the capability to handle up to 300 feet of hose, the QuikReel system allows you to put the sprayer where you want it and the gun where you need it - maximizing your productivity.

- ▶ Integrated hose reel can be reeled/unreeled in seconds
- ▶ Hose is always connected so that you're always ready to spray
- ▶ Hose guide directs the hose on the reel eliminating twisting and coiling
- ► Easily handles larger diameter and longer lengths of hose maximizing your performance and productivity
- ► Heavy-duty swivel with EasyGlide™ technology is jobsite tested ensuring long life and trouble free operation



GMAX II 7900 Premium

DESCRIPTION **GMAX II 7900 Hi-Boy GMAX II 7900 Lo-Boy** PART #: 258733 258738

SPECIFICATIONS:

MAX TIP SIZE: .048-1 Gun .035-2 Guns

.027-3 Guns .023-4 Guns

MAX GPM [LPM]: 2.20 [8.3] MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 200 cc

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose













IS • LARGE GAS • L

GH 130/200/230/300

GH 130 *Convertible*

DESCRIPTION PART #:
GH 130 Convertible 253957
GH 130 Convertible with

Electric Motor Kit [Non CSA] 253959 GH 130 Convertible with Electric Motor Kit [CSA] 253980

SPECIFICATIONS:

HONDA ENGINE:

MAX TIP SIZE: .037–1 Gun .023–2 Guns

MAX GPM [LPM]: 1.3 [4.9]
MAX PSI [BAR]: 3300 [227]

SPECIFICATIONS WITH ELECTRIC MOTOR:

120 cc

MAX TIP SIZE: .031
MAX GPM [LPM]: 1.1 [4.2]

INCLUDES.

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

GH 200 Convertible

DESCRIPTION PART #:
GH 200 Convertible 253962
GH 200 Convertible with

Electric Motor Kit [Non CSA] 253963 GH 200 Convertible with Electric Motor Kit [CSA] 253981

SPECIFICATIONS:

MAX TIP SIZE: .047–1 Gun

.034–2 Guns .027–3 Guns .023–4 Guns

MAX GPM [LPM]: 2.15 [8.14]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 160 cc

SPECIFICATIONS WITH ELECTRIC MOTOR: MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

The GH 130/200/230/300 are powerful hydraulic sprayers for high production contractors spraying a wide range of materials from latex and acrylics to elastomerics and block fillers on large commercial jobs. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.

Easy Out Pump Filter and Crush-Proof Rock Catcher

- ▶ Filtering reduces tip clogs and ensures a quality finish
- ► Easy Out design filters from the inside out so filters won't get stuck or collapse when dirty
- ▶ Filter removes with the cap for less mess
- ► Exclusive crush-proof rock catcher provides unmatched pump protection



High Capacity Cooling System

- ► Innovative hydraulic reservoir design
- ▶ No special hydraulic fluid needed
- Cooling fins on reservoir deflect heat away from sprayer



The ability to convert from gas to electric in seconds without any tools!



IS • LARGE GAS • L



Exclusive ProConnect Pump Removal and Installation System

- ProConnect allows you to remove and replace your pump in seconds – without any tools
- Proven, reliable design
- Makes your work easier saving you time and money on the job



MaxLife Endurance Pump

► Exclusive MaxLife rod and sleeve delivers unmatched durability and life – *Graco's best* [not available on GH 130]

 QuikAccess intake valve to easily clean or clear debris



- Delivers maximum performance
- Contractor preferred engine with Oil Alert



High Efficiency Hydraulic Pump

- ► Faster, more responsive changeover
- ▶ 100% 0-ring sealed fittings prevents leaks
- Fewer moving parts for easier maintenance and longer life

GH 230 Convertible

DESCRIPTION PART #: GH 230 Convertible 253965

GH 230 Convertible with
Electric Motor Kit [Non CSA] 253966
GH 230 Convertible with
Electric Motor Kit [CSA] 253982

SPECIFICATIONS:

MAX TIP SIZE: .053–1 Gun .038–2 Guns

.032–3 Guns .028–4 Guns .024–5 Guns

MAX GPM [LPM]: 2.35 [8.9]
MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 200 cc

SPECIFICATIONS WITH ELECTRIC MOTOR:

MAX TIP SIZE: .031
MAX GPM [LPM]: 1.1 [4.2]

INCLUDES:

- Silver Plus™ Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose

GH 300

DESCRIPTION PART #: GH 300 253968

SPECIFICATIONS:

MAX TIP SIZE: .057–1 Gun

.039–2 Guns .033–3 Guns .029–4 Guns

.025–5 Guns MAX GPM [LPM]: 3.0 [11.4]

MAX PSI [BAR]: 3300 [227]
HONDA ENGINE: 270 cc

INCLUDES:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose





Convertible model shown



GH 733 and Roof Rigs

GH 733

 DESCRIPTION
 PART #:

 GH 733 Bare
 231733

 GH 733 Complete
 230975

SPECIFICATIONS:

MAX GPM [LPM]: 3.0 [11.4]

MAX PSI [BAR]: 3500 [241]

KOHLER® ENGINE: 18.0 hp [624 cc]

COMPLETE SPRAYER INCLUDES:

Silver Plus Gun

RAC X 517 SwitchTip and Guard

 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Hose

Roof Rigs

DESCRIPTION PART #:
GH 1015 Bare Roof Rig 965165
SPECIFICATIONS:

MAX GPM [LPM]: 15.0 [56.7] MAX PSI [BAR]: 1000 [70]

GH 2075 Bare Roof Rig 965171 SPECIFICATIONS:

MAX GPM [LPM]: 7.5 [12.4] MAX PSI [BAR]: 1800 [124]

GH 2560 Bare Roof Rig 965168 SPECIFICATIONS:

MAX GPM [LPM]: 6.0 [22.7] MAX PSI [BAR]: 2400 [166]

GH 3640 Bare Roof Rig 687327 SPECIFICATIONS:

MAX GPM [LPM]: 3.8 [14.4] MAX PSI [BAR]: 3600 [245]

GH 5030 Bare Roof Rig 687100 SPECIFICATIONS:

MAX GPM [LPM]: 2.8 [10.5] MAX PSI [BAR]: 4900 [337]



Interchangeable pumps allow maximum versatility for all applications.

For more than 20 years contractors have turned to the **GH 733** and **Roof Rigs** when they need to spray some of the most aggressive materials found today. The GH 733 and Roof Rigs are simply some of the most powerful and versatile units on the market.

Heavy-Duty Graco Hydraulic System

▶ Faster more responsive changeover

▶ 0-ring sealed to eliminate leaks

► Motor reset button to correct stalling

► Easy-to-service design

▶ Durable large hydraulic lines for long life

Heavy-Duty Cooling System

► Large 5-gallon hydraulic reservoir

► Large return line hydraulic filter

► No special hydraulic fluid needed

Proven cooler and blower system

► Easy-to-use hydraulic drain plug

Kohler Power

Reliable electric start system

► Time-tested power source

► Air-cooled twin cylinder keeps heat away

▶ 18 hp to deliver maximum power

Heavy-Duty Frame

- ► Field proven design withstands abuse
- 2-inch diameter steel tubing
- ► Tall, easy-to-roll transport tires
- ► Ergonomic design is easy-to-service

Exclusive Xtreme™ Pump

- QuikChange pump section
- ► Time tested durability and performance
- Long life XtremeSeal™ and leather packings
- Heavy-duty piston rod for long life
- QuikAccess intake valve removes easily for fast repairs



Architechtural Protective Industrial Other: Roofing GRACO SPRAYER Application Chart Ap																										
GMAX II 7900 RR	•	•	•	•	•	•	•	•	•	•	•	•	•		Ì	Ì			Ì		Ì	Ò	•	•	•	
GH 733	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•			•	•	•	
GH 833	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•	•	•	
GH 1015							•	•	•	•					•							•	•		•	
GH 2075						•	•	•	•	•					•				•			•	•		•	
GH 2560	•	•	•	•	•	•	•	•	•	•	•	•	•		•				•			•	•		•	
GH 3640	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	
GH 5030	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	
	*Not	e: M	lateri	als a	nd te	mpe	ratur	es m	ay di	ctate	the	hose	leng	gth ye	ou ca	ın us	е.									-

GH 833

The gas hydraulic unit that can spray it all – the **GH 833 "Big Rig"**. The GH 833 is the answer for high production professional contractors who demand uninterrupted performance with the widest range of materials.



Heavy-Duty Frame


- ► Easy-roll tubed pneumatic tires
- ► Enamel painted steel tubing corrosion protection
- Multi-function design converts to skid mount in seconds

Heavy-Duty Cooling System

- ► Large 4-gallon hydraulic reservoir
- ► Return line hydraulic filter extends life
- No special hydraulic fluid needed
- Proven cooler and blower system
- Easy to use drain plug

Exclusive MaxLife Endurance Pump

- Proven design and performance
- Only 16 cycles per gallon
- ► Exclusive MaxLife rod and sleeve delivers unmatched durability and life Graco's best
- Exclusive QuikChange Pump System and QuikAccess Intake Valve eliminiates downtime



GH 833

 DESCRIPTION
 PART #:

 GH 833 Bare
 249318

 GH 833 Complete
 249617

 GH 833 OEM
 249767

 [Hydraulic Engine and Displacement Pump Only]
 GH 833 Direct Immersion Kit
 287843

SPECIFICATIONS:

MAX TIP SIZE: .065–1 Gun .046–2 Guns

.037-3 Guns .032-4 Guns .029-5 Guns

.026–6 Guns

MAX GPM [LPM]: 4.0 [15.1]
MAX PSI [BAR]: 4000 [276]
HONDA ENGINE: 390 cc

COMPLETE SPRAYER INCLUDES:

- Silver Plus Gun
- RAC X 517, RAC X 655 SwitchTips and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II HP Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose

Additional Features:

- Lockable pressure control knob
- Grounding wire for safety with solvent materials
- Huge 1.5 inch diameter siphon hose
- Oversized 1-inch porting on displacement pump







IronMan 500G

Power, Durability and **Capability** is what makes this Graco sprayer an IronMan. From its oversized engine to its rugged, heavy-duty frame the IronMan 500G is built with extreme ruggedness for the serious contractor who doesn't need all the extras but does demand ruggedness.

IronMan 500G

DESCRIPTION IronMan 500G PART #: 256790

SPECIFICATIONS:

MAX TIP SIZE:

.043-1 Gun .029-2 Guns .023-3 Guns

MAX GPM [LPM]: 1.6 [6.0]

MAX PSI [BAR]: 3300 [227] HONDA ENGINE: 200 cc

INCLUDES:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- RAC X 527 SwitchTip
- RAC X Wide RAC™ 1231 SwitchTip
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose





SEE IT FOR YOURSELF... Dynamic video on how tough the IronMan 500G sprayer is at

www.graco.com/ironmanvideo





Increased Honda Power Extreme-Duty MaxLife HD Pump

Exclusive MaxLife sleeve and Chromex rod ▶ 200 cc Honda engine is oversized for increased performance and long life delivers unmatched durability and life Long pump design puts the intake in the

Roll Cage Frame

"Indy Car" style roll cage protects all critical sprayer components from extreme jobsite abuse

Extreme-Duty Prime Valve

Designed to hold up to high pressure dumps for the most extreme jobsite conditions

Control Lock Theft Deterrent

► Allows the user to lock/ disable the sprayer

Protects the controls from jobsite abuse

Flat-Proof Tires

Nails, screws, blades cannot flatten these tires

Pneumatic tire performance



material - resulting in consistent priming

Crush-Proof Intake Screen

Holds up to impacts which are common on the jobsite

Essential tools for **Maximum Productivity**

RAC X SwitchTip

The RAC X SwitchTip is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. Graco tips are the most widely used reversible spray tips on the market today!

Contractor/Silver Plus Gun

Graco's gun offerings cover every application.

The *Contractor Gun* continues to be the number one choice of painting contractors, with features like the FlexSeal™ design, Easy Out™ gun filter and the EasyGlide™ swivel.

With the *Silver Plus Gun*, the fluid flows directly to the tip, making it ideal for spraying heavier materials.

No matter which gun you choose, you can be assured that you're getting a quality Graco gun.







To maximize performance, choose the high performance *BlueMax II Airless Hose*. Lighter weight and increased hose flexibility improves usability while spraying under pressure. With superior flexibility and durability, BlueMax II is designed to ensure you get the best results from your airless sprayer.



Pump Armor™/TSL

Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. *Pump Armor* is a storage solution which protects your pump from the damaging effects of corrosion during storage. *TSL (Throat Seal Liquid)* prevents dried paint from accumulating on the pump rod – extending the life of the pump packings.







CCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AI CCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCES

ACCESSORIES for Gas Airless Sprayers











Ask you local authorized Graco Distributor for details on our complete line of airless accessories.

RAC X TIPS AND GUARDS

LTX-XXX RAC X SwitchTips, Blue [Odd #]

▶ It has the longest lasting fan pattern on the market. Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]

WR-XXX RAC X Wide RAC SwitchTips, Blue [Odd #]

▶ 24 in [610 mm] spray fan for maximum coverage. Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]

246215 RAC X HandTite™ Guard

> 7/8 in [22 mm] thread size, standard Graco thread

246437 RAC X HandTite Guard

▶ 11/16 in [17 mm] thread size, older style Graco pole guns, fits competitive guns with 11/16 in [17 mm] threads

286-XXX RAC 5 SwitchTips, Black [Odd #]

▶ Ideal for residential, commercial and industrial jobs. Maximum Working Pressure: 4050 psi [279 bar, 27.9 MPa]

243161 RAC 5 HandTite Guard

> 7/8 in [22 mm] thread size, standard Graco thread

243263 RAC 5 HandTite Guard

▶ 11/16 in [17 mm] thread size, older style Graco pole guns, fits competitive guns with 11/16 in [17 mm] threads

CONTRACTOR AND FTx GUNS – Maximum Working Pressure: 3600 psi [248 bar, 24.8 MPa]

288420 Contractor Gun [2-finger trigger] with RAC X 517 Tip and Guard
288425 Contractor Gun [4-finger trigger] with RAC X 517 Tip and Guard
288421 Contractor Gun [2-finger trigger] with RAC S 517 Tip and Guard
288430 FTx Gun [4-finger trigger] with RAC X 515 Tip and Guard
288429 FTx Gun [2-finger trigger] with RAC X 515 Tip and Guard
288431 FTx Gun [4-finger trigger] with RAC S 515 Tip and Guard
288488 Gun Repair Kit

SILVER PLUS GUNS - Maximum Working Pressure: 5000 psi [345 bar, 34.5 MPa]

246240 Silver Plus Gun [2-finger] with RAC X 517 Tip and Guard
243283 Silver Plus Gun [2-finger] with RAC 5 517 Tip and Guard
235460 Silver Plus Gun [2-finger] with Flat Tip Guard

235461 Silver Plus Gun [4-finger] with Flat Tip Guard
235462 Silver Plus Gun Fine Finish [2-finger] with Flat Tip Guard

235474 Repair Kit

HEAVY-DUTY AND MASTIC GUNS

241705 Heavy-Duty Gun with RAC X 531 Tip and Guard, 4000 psi [276 bar]

▶ Ideal for high solids, mastics, protective coatings and smooth textures

224472 Mastic Gun 36 in [.9 m] Extension, 5000 psi [345 bar]

237260 Repair Kit - Heavy-Duty Gun

GUN SWIVEL

189018 Gun Swivel rated to 5600 psi [386 bar, 38.6 MPa]

POLE GUNS – Maximum Working Pressure: 3600 psi [248 bar, 24.8 MPa] 287023 3 ft [.9 m] Pole Gun with RAC X SwitchTip 517 System 287024 6 ft [1.8 m] Pole Gun with RAC X SwitchTip 517 System

EXTENSIONS - Maximum Working Pressure: 4050 psi [280 bar, 28.0 MPa]

▶ Includes: RAC X HandTite Guard Standard with 7/8 in [22 mm] Gun Nut and OneSeal

287019 10 inch [25 cm] 287021 20 inch [50 cm] 287020 15 inch [38 cm] 287022 30 inch [75 cm]

SORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIE RLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ISORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIE

Essential Tools for *Maximum*Productivity and Performance

RIF

GH 733 KITS

948727 2 in [50 mm] Siphon Kit adapts to any GH 733, Bulldog® or King® Pump Air or Gas 948740 Lift Kit modifies GH 733 with Version Code A, B or C to accept GH 1015, GH 2074 or GH 2560 Pump Lowers

245244 Lift Kit modifies GH 733 with Version Code A, B or C to accept Xtreme Pump Lower Kits [GH 733, GH 3640 and GH 5030 Pump Kits]

GH 833 KITS

287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
249767 OEM Kit; Includes: Hydraulic Engine/Head, Displacement Pump
Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose
287915 Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose

GUN HOSE KITS – *KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

➤ Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft [6.4 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose and 3 ft [0.9 m] Whip Hose

288489 Contractor Gun Hose Kit

288496 Contractor Gun Hose Kit with RAC 5

288490 Contractor Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]

3300 psi [227 bar] BlueMax II Airless Hose

288493 FTX Gun Hose Kit with RAC X 515 Tip [*Whip Hose Excluded] 288497 FTX Gun Hose Kit with RAC 5 515 Tip [*Whip Hose Excluded]

287095 Flex Plus Gun Hose Kit 287041 Silver Plus Gun Hose Kit

287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]

3300 psi [227 bar] BlueMax II Airless Hose

287043 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]

4000 psi [276 bar] BlueMax II Airless Hose

287850 Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in x 50 ft [9.5 mm x 15 m]

3300 psi [227 bar] Hose

287851 Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft

[9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose

287852 Heavy-Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft

[9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose

BLUEMAX II AIRLESS HOSE Feel the Difference in Flexibility!

238358 3/16 in x 3 ft [4.8 mm x 0.9 m] 3300 psi [227 bar] BlueMax II Airless Whip Hose 3/16 in x 4.5 ft [4.8 mm x 1.4 m] 3300 psi [227 bar] BlueMax II Airless Whip Hose 1/4 in x 25 ft [6.4 mm x 7.5 m] 3300 psi [227 bar] BlueMax II Airless Hose 1/4 in x 50 ft [6.4 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose 3/8 in x 50 ft [9.5 mm x 15 m] 3300 psi [227 bar] BlueMax II Airless Hose

BLUEMAX II HIGH PRESSURE HOSE - Maximum Working Pressure: 4000 psi [276 bar]

277249 1/4 in x 3 ft [6.4 mm x 0.9 m] MxF Whip Hose

277250 1/4 in x 50 ft [6.4 mm x 15 m] FBE

277351 3/8 in x 3 ft [9.5 mm x 0.9 m] MxF Whip Hose

277251 3/8 in x 50 ft [9.5 mm x 15 m] FBE 277253 1/2 in x 50 ft [13 mm x 15 m] FBE

FLUIDS

243103 Pump Armor – 1 qt [1 L] 245133 Pump Armor – 1 gal [3.8 L]

► Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion to your sprayer.

206994 Throat Seal Liquid [TSL] – 8 oz [.24 L] 206995 Throat Seal Liquid [TSL] – 1 qt [1 L] 206996 Throat Seal Liquid [TSL] – 1 qal [3.8 L]

Prolong the life of your pump by routinely adding TSL to your pump's wet cup.







Ask you local authorized Graco Distributor for details on our complete line of airless accessories.

GAS AIRLESS SPRAYER SPECIFICATIONS







MODEL	Cart Design– Part Number						
	Maximum Tip Si	ze					
	Maximum psi [b	ar]					
	Maximum gpm	[lpm]					
NS	Engine						
ATIO	Weight lbs [kg]						
SPECIFICATIONS	Gun Support: [Gas]	1 Gun 2 Guns 3 Guns 4 Guns 5 Guns 6 Guns					
	Gun Support: [Electric]	1 Gun 2 Guns					
	Gun						
NCLUDES	Hose						
_ ≧	Tip						
	Filter						
	Туре						
₽	Intake						
PUMP	Rod						
	Cylinder						
	Packings						
OL INE	Control						
CONTROL And Drive	Low Paint Indicator						
S &	Drive						
nium URES	Hose Reel						
<i>emi</i> EATUR	Digital Readout						
Ø III	Storage						

GMAX 3400
Hi-Boy-248664 Lo-Boy-248666
.027
3300 [227]
0.75 [2.8]
120 cc Honda
89 [41] Hi-Boy
0.027
_
_
<u> </u>
_
Contractor
Contractor
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
1/4 in x 50 ft [6.4 mm x 15 m]
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex Hardened SST V-Max Blue Electronic
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex Hardened SST V-Max Blue Electronic N/A
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex Hardened SST V-Max Blue Electronic N/A N/A
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex Hardened SST V-Max Blue Electronic N/A N/A N/A
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston QuikChange System QuikAccess Chromex Hardened SST V-Max Blue Electronic N/A N/A

Premium	1.	1
Hi-Boy-258731	GMAX II 3900	GMAX II 5900
3300 [227] 3300 [227 1.25 [4.7] 1.60 [6.0] 120 cc Honda 160 cc Honda 109 [50] Hi-Boy 139 [64] Hi-Boy 0.036 0.043 0.023 0.029	Hi-Boy-258731 Lo-Boy-258736 Standard Hi-Boy-248684	Hi-Boy-258732 Lo-Boy-258737 Standard Hi-Boy-248688
1.25 [4.7] 1.60 [6.0] 120 cc Honda	.036	.043
120 cc Honda	3300 [227]	3300 [227
109 [50] Hi-Boy	1.25 [4.7]	1.60 [6.0]
0.036	120 cc Honda	160 cc Honda
0.023	109 [50] Hi-Boy	139 [64] Hi-Boy
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston ProConnect System QuikAccess Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 RAC X 517 Easy Out Endurance Piston ProConnect System QuikAccess QuikAccess Chromex Chromex V-Max Blue V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital		0.029
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 Easy Out Endurance Piston ProConnect System QuikAccess Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517 RAC X 517 Easy Out Endurance Piston ProConnect System QuikAccess QuikAccess Chromex Chromex V-Max Blue V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital		1 1
RAC X 517 Easy Out Endurance Piston ProConnect System QuikAccess Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital BlueMax II Airless Blue X 517 Easy Out Endurance Piston ProConnect System ProConnect Syste	Contractor	Contractor
Easy Out Endurance Piston ProConnect System QuikAccess Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital Easy Out Endurance Piston ProConnect System Advantage Piston ProConnect System ProConnect S		
Endurance Piston ProConnect System QuikAccess QuikAccess Chromex Chromex Hardened SST V-Max Blue V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital SmartControl Digital	RAC X 517	RAC X 517
ProConnect System QuikAccess QuikAccess Chromex Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital ProConnect System ProConnect System QuikAccess QuikAccess Chromex Hardened SST V-Max Blue V-Max Blue SmartControl SmartControl QuikReel QuikReel SmartControl Digital	Easy Out	Easy Out
Chromex Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital Chromex Hardened SST V-Max Blue V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital		
Hardened SST V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital Hardened SST V-Max Blue V-Max Blue SmartControl SmartControl Advantage QuikReel SmartControl Digital	QuikAccess	QuikAccess
V-Max Blue SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital V-Max Blue V-Max Blue V-Max Blue V-Max Blue V-Max Blue Advantol SmartControl QuikReel SmartControl Digital	Chromex	Chromex
SmartControl WatchDog Advantage Drive QuikReel SmartControl Digital SmartControl Digital	Hardened SST	Hardened SST
WatchDog WatchDog Advantage Drive Advantage Drive QuikReel QuikReel SmartControl Digital SmartControl Digital	V-Max Blue	V-Max Blue
Advantage Drive Advantage Drive QuikReel QuikReel SmartControl Digital SmartControl Digital	SmartControl	SmartControl
QuikReel QuikReel SmartControl Digital SmartControl Digital	WatchDog	WatchDog
SmartControl Digital SmartControl Digital	Advantage Drive	Advantage Drive
	QuikReel	QuikReel
On-Board Toolbox On-Board Toolbox	SmartControl Digital	SmartControl Digital
The Board Toolbox	On-Board Toolbox	On-Board Toolbox


There is no other sprayer like a GRACO.

Welcome to a whole new world of paint application possibilities.

Graco manufactures the most extensive and highest quality professional line of paint solutions in the market. This informational guide is designed to help you select the right solutions to your painting needs.

According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the *'Overall Best'* brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.

2008 Overall Best Brand of Spray Equipment



Frost & Sullivan, 2008 Paint Contractors Choice Award for Overall Best Brands

Most importantly, when choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America, with contractor preferred Honda® engines. We do!















	•			
GMAX II 5900 Convertible	GMAX II 7900	GH 130 <i>Convertible</i>	GH 200 <i>Convertible</i>	GH 230 <i>Convertible</i>
Hi-Boy–248691 Hi-Boy with Electric Motor Kit [Non CSA]–248693 Hi-Boy with Electric Motor Kit [CSA]–248694 Lo-Boy–248695 Lo-Boy with Electric Motor Kit [Non CSA]–248697	Premium Hi-Boy-258733 Lo-Boy-258738 Standard Hi-Boy-248701 Lo-Boy-248700 Hi-Boy Roof Rig-248953	Complete–253957 Complete with Electric Motor [Non CSA]–253959 Complete with Electric Motor [CSA]–253980	Complete–253962 Complete with Electric Motor [Non CSA]–253963 Complete with Electric Motor [CSA]–253981	Complete—253965 Complete with Electric Motor [Non CSA]—253966 Complete with Electric Motor [CSA]—253982
.043	.048	.037	.047	.053
3300 [227]	3300 [227]	3300 [227]	3300 [227]	3300 [227]
1.60 [6.0]	2.2 [8.3]	1.3 [4.9]	2.15 [8.1]	2.35 [8.9]
160 cc Honda	200 cc Honda	120 cc Honda	160 cc Honda	200 cc Honda
139 [64] Hi-Boy	146 [67] Hi-Boy	150 [68]	160 [72]	168 [76]
0.043 0.029 0.023 — — —	0.048 0.035 0.027 0.023 —	0.037 0.023 — — — — —	0.047 0.034 0.027 0.023 —	0.053 0.038 0.032 0.028 0.024
0.031 0.017		0.031 0.017	0.031 0.017	0.031 0.017
Contractor	Contractor	Contractor	Contractor	Silver Plus
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
Easy Out	Easy Out	EasyOut	EasyOut	EasyOut
Endurance Piston ProConnect System	Endurance Piston ProConnect System	Endurance Piston QuikChange System	Endurance Piston ProConnect System	Endurance Piston ProConnect System
QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
Chromex	MaxLife	Chromex	MaxLife	MaxLife
Hardened SST	MaxLife	Hardened SST	MaxLife	MaxLife
V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
SmartControl	SmartControl	Hydraulic	Hydraulic	Hydraulic
WatchDog	WatchDog	Hydraulic	Hydraulic	Hydraulic
Advantage Drive	Advantage Drive	Hydraulic	Hydraulic	Hydraulic
N/A	QuikReel	N/A	N/A	N/A
N/A	SmartControl Digital	N/A	N/A	N/A
N/A	On-Board Toolbox	N/A	N/A	N/A



Complete-253968
.057
3300 [227]
3.0 [11.4]
270 cc Honda
195 [88]
0.057 0.039
0.033
0.029 0.025
=
Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless
1/4 in x 3 ft [6.4 mm x .9 mm]
BlueMax II Whip Hose
RAC X 517
Easy Out
Endurance Piston ProConnect System
QuikAccess
MaxLife
MaxLife
V-Max Blue
Hydraulic
Hydraulic
Hydraulic
N/A
N/A

N/A






GH 733	GH 833
Bare-231733 Complete-230975 GH 1015 Bare-965165 GH 2075 Bare-965171 GH 2560 Bare-965168 GH 3640 Bare-687327 GH 5030 Bare-687100	Bare–249318 Complete–249617 GH 833 OEM–249767 GH 833 Direct Immersion Kit–287843
.060	.065
3500 [240]	4000 [276]
3.0 [11.4]	4.0 [15.1]
18 hp [624 cc] Kohler	390 cc Honda
_ _ _ _ _ _	0.065 0.046 0.037 0.032 0.029 0.026
Silver Plus	Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517	RAC X 655, RAC X 517
	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System
QuikAccess	QuikAccess
Hardened SST	MaxLife
Hardened SST	MaxLife
V-Max Blue	V-Max Blue
Hydraulic	Hydraulic
Hydraulic	Hydraulic
Hydraulic	Hydraulic
N/A	N/A
N/A	N/A
N/A	N/A



100 100		
		IronMan 500G
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		256790
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		
3300 [227] 1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023		043
1.60 [6.0] 200 cc Honda 168 [76] 0.043 0.029 0.023 Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
200 cc Honda 168 [76] 0.043 0.029 0.023 Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
168 [76] 0.043 0.029 0.023 — — — — — — Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
O.043 O.029 O.023 Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
O.029 O.023 —— —— —— —— —— —— —— Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
Silver Plus 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		0.029
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		0.023 —
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		_
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		_
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		_
BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		Silver Plus
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
RAC X 517, RAC X 527, RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
RAC X Wide RAC 1231 Easy Out Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
Endurance Piston QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
QuikChange System QuikAccess Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		Easy Out
Chromex MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		
MaxLife V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		QuikAccess
V-Max Blue IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		Chromex
IronMan WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		MaxLife
WatchDog Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		V-Max Blue
Advantage Drive Flat-Proof Tires Heavy-Duty Prime Valve		IronMan
Flat-Proof Tires Heavy-Duty Prime Valve		WatchDog
Heavy-Duty Prime Valve		Advantage Drive
Heavy-Duty Prime Valve Control Lock Theft Deterent	N S	Flat-Proof Tires
© Control Lock Theft Deterent	ONMA	Heavy-Duty Prime Valve
	黑石	Control Lock Theft Deterent



We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

2 YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 2 years.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.



ABOUT GRACO

PROVEN QUALITY, LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS P.O. Box 1441

Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium

Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd Suite 17 2 Enterprise Drive Bundoora Victoria 3083 Australia

Tel: 61 3 9467 8558 Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, P.R. China 200233
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 103, Level 4, Augusta Point Golf Course Road Gurgaon, Haryana, India 122001 Tel: +91 124 435 4208 Fax: +91 124 435 4001

JAPAN Graco K<u>.K.</u>

1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Choheung Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-Si, Gyunggi-Do, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955

©2009 Graco Inc. 337554 Rev. G 12/09 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.

Download from Www.Somanulas.com. All Manuals Search And Download.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com