

PRECISION BREW™

The innovative commercial single cup pod brewer that is revolutionizing the way coffee is enjoyed away from home!



Model OPOD



- ◆ Proprietary "precision brewing technology" delivers the ideal cup of coffee every time - *fast, fresh and foolproof*
- ◆ Attractively priced for customer acquisition and a rapid return on investment
- ◆ Suitable for a wide range of commercial applications (offices, foodservice, hotels, etc.)
- ◆ Crafted from the highest quality components
- ◆ Great for coffee and tea
- ◆ 12 Month Replacement Warranty (USA only)
- ◆ 12 Month Part Replacement Warranty (outside USA)
- ◆ Accommodates taller mugs



GRINDMASTER™
CORPORATION

Performance Guaranteed!



GRINDMASTER™
CORPORATION

Model OPOD

Features

PrecisionBrew™

Innovative precision pod brewing and infusion technology provides the ideal cup every time

BrewControl™

Adjustable brew strength control allows users to fine tune their flavor preferences



Smartstop™ Automatic Water Shutoff

Water shuts off when pod door is open

Programmable Cup Size


Control the volume of beverage dispensed into the cup



Accommodates taller mugs


Dual Water System

Brewer can be plumbed into a water line or manually filled



14"
(36 cm)

Side View



14-1/4"
(36 cm)

8-1/4"
(21 cm)

Front View

Specification	Model OPOD	Model OPOD-E
Electrical	120V, 1300W, 10.8A	220-240V, 1200W, 5.2A
Frequency	60 Hz	50/60 Hz
Water Inlet Pressure (plumbed units only)	10 - 145 psi	
Water Reservoir Capacity	80 fl. oz. (2.4 L)	
Hot Water Tank Capacity	35 fl. oz. (1 L)	
Maximum Brewing Water Temperature	200°F (93°C)	
Minimum Brewing Water Temperature	185°F (85°C)	
Brewing Volume	Approx. 12 fl. oz. (355 ml) (programmable)	
Dimensions (H x W x D)	14-1/4" (19" incl. reservoir lid upswing) H x 8-1/4" W x 14" D 36 cm (48 cm incl. reservoir upswing) x 21 cm x 36 cm	
Ship Dimensions (H x W x D)	16" H x 9-3/4" W x 15-3/4" D 41 cm x 25 cm x 40 cm	
Weight	12 lbs. (5.4 kg)	
Ship Weight	15 lbs. (6.8 kg)	
Listings	NSF, UL, CUL	NSF, CE

Specifications are subject to improvement or change without notice.



GRINDMASTER™
CORPORATION



Grindmaster® Coffee Grinders and Brewers • PrecisionBrew™ Brewing Systems • Espresso® Espresso Machines
Crathco® Hot Beverage Dispensers • Crathco® Cold and Frozen Beverage Dispensers • AMW Coffee and Tea Systems
Tel (502) 425-4776 • Fax (502) 425-4664 • 1-800-695-4500 (USA & Canada only)

P.O. Box 35020 • Louisville, KY 40232 • USA

© Grindmaster Corporation, 2006
PRINTED IN USA

www.grindmaster.com • email: info@grindmaster.com

1006 Form # PD-210-09

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>