

Models P200 & RAPS200

Shuttle®/Airpot Brewers



**Model P200
Shuttle® Brewer**



**Model RAPS200
Shuttle®/Airpot Brewer**

The P200 Shuttle® Brewer consistently delivers perfect coffee. Grindmaster's exclusive air gap insulated Shuttle® maintains the freshness and taste that your customers expect and allows you to transport and serve your coffee safely and easily.

The RAPS200 Shuttle®/Airpot Brewer has all the features of the P200 plus the ability to brew into airpots. Use the Shuttles® for high volume demands and Airpots for specialty coffees.



GRINDMASTER™
CORPORATION



GRINDMASTER™
CORPORATION

P200 and RAPS200 Series

Standard Features included in Base Package:


- P200 includes: (1) single brewer with (1) Shuttle®, plastic brew basket and plastic legs. The P200 includes full and half batch capabilities and a hot water faucet.
- RAPS200B includes: (1) single brewer, plastic brew basket and plastic legs. Designed to accommodate (1) 1.5 gal (5.7 L) Shuttle® or (1) up to 3.0 L airpot. Hot water faucet and stainless sprayhead included. Shuttle® and airpot sold separately.
- RAPS200S includes: (1) single brewer, plastic brew basket, plastic legs, (1) Shuttle®, (1) 3.0 L airpot, (1) CW-1 Shuttle® warmer and (1) ABW-R base warmer. Hot water faucet and stainless sprayhead also come standard with this system.

Options:

Option #	Description
C11.....	Stainless steel brew basket
C46.....	BB2.0SS brew basket for 12oz. coffee
19.....	Stainless steel legs

Accessories for RAPS200:

CS-1	1.5 Gallon (5.7 L) Shuttle®
CW-1	Shuttle® Warmer
ABW-R	Base Warmer
APF 3.0-B	3.0 L Airpot
APF 2.2-B	2.2 L Airpot with push top (Regular)
APF 2.2-O	2.2 L Airpot with push top (Decaf)



Model	P200	RAPS200B	RAPS200S
Volts / Watts / Amps	120V / 1750W / 14.6A	120V / 1800 W / 15A	120V / 1800W / 15A
Coffee Capacity (Airpot & Shuttle® sold separately)	1.5 gallon (5.7L) Shuttle®	1.5 gallon (5.7L) Shuttle® 3.0L Airpot	1.5 gallon (5.7L) Shuttle® 3.0L Airpot
Brew Time	Shuttle®: 4 minutes	Shuttle®: 4 minutes Airpot: 2 minutes	Shuttle®: 4 minutes Airpot: 2 minutes
No. of 5 oz. (15 ml) Cups (per hour)	120	120	120
Dimensions (H x W x D)	28-1/4" x 9-1/4" x 17" (71 cm x 23 cm x 43 cm)	28-1/2" x 9-1/4" x 17" (72 cm x 23 cm x 43 cm)	28-1/2" x 9-1/4" x 17" (72 cm x 23 cm x 43 cm)
Ship Dimensions (H x W x D)	26" x 12" x 28" (66 cm x 30 cm x 71 cm)	29-1/2" x 12" x 28" (75 cm x 30 cm x 71 cm)	29-1/2" x 12" x 28" (75 cm x 30 cm x 71 cm)
Weight	50 lbs. (23 kg)	36 lbs. (16 kg)	62 lbs. (28 kg)
Ship Weight	55 lbs. (25 kg)	41 lbs. (19 kg)	67 lbs. (30 kg)
Listings	UL, CUL, UL Sanitation	UL, CUL, UL Sanitation	UL, CUL, UL Sanitation

All specifications are subject to improvement or change without notice.

Ask about the Grindmaster Corporation's line of Coffee Grinders, Coffee Brewers, Coffee Urns, Coffee Shuttles, Coffee Grinderbrewers, Espresso Grinders, Espresso Brewers, Beverage Dispensers, Granita Machines and Beverage Freezers.



GRINDMASTER™
CORPORATION

Grindmaster® Coffee Grinders and Brewers • Espresso® Espresso Machines • Crathco® Hot Beverage Dispensers
Crathco® Cold and Frozen Beverage Dispensers • American Metal Ware® Coffee and Tea Systems
Tel (502) 425-4776 • Fax (502) 425-4664 • 1-800-695-4500 (USA & Canada only)
P.O. Box 35020 • Louisville, KY 40232 • USA

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>