



**DOMESTIC**

PRODUCT LINE  
BROCHURE



**New  
Pearl Ice  
Machines,  
Producing Soft  
Chewable Ice  
Crystals,  
on page 14**

Enodis



# ICE-O-MATIC ... IT'S THE EASIEST CHOICE YOU CAN MAKE.

## EXCELLENCE

Our equipment features ideal solutions for hard water, food safety concerns and tight spaces

## RELIABILITY



Since our beginnings in 1952, we have sold more than 1,000,000 ICE Makers and Storage Bins worldwide and have achieved world class quality levels

## EXPERIENCE

ICE-O-Matic is backed by the technological resources of our parent company Enodis Corporation, one of the world's largest food equipment manufacturers



## INNOVATION

We currently hold 14 patents and have at our disposal a state-of-the-art 27,000 square foot technology center for developing unique solutions to customer problems

## VERSATILITY

For whatever ICE making needs you may have, ICE-O-Matic offers a full line of equipment with ICE making capacities from 60 pounds to more than a ton of ICE per day



## SERVICE

Our highly trained network of Factory Authorized Service Technicians are on duty to respond immediately to your needs

FOR QUALITY YOU CAN COUNT ON, CHOOSE ICE-O-MATIC.


ICE. PURE AND SIMPLE™

# WHY BUY ICE-O-MATIC?




## PURE ICE<sup>®</sup> Exclusively By ICE-O-Matic

Built-in antimicrobial protection for the life of the ICE Maker inhibits bacteria and slime fungus growth on ICE Maker surfaces. ICE-O-Matic's optional water filtration system provides protection against unpleasant tastes, odors and scale formation.



## CUBER EVAPORATOR

ICE-O-Matic uses electroless nickel plating on all its cuber evaporator plates. This hard coating resists the damaging effects of water and ice over an extended period of time.



## HARVEST ASSIST

Consistent and fast ICE production 24 / 7 for the life of the ICE Maker, while reducing operating costs. ICE is assisted off of the evaporator freezing surface rather than relying solely on gravity to overpower scale build-up.



## ENERGY-EFFICIENT

Our Cube and Flake ICE Makers are energy efficient machines that offer maximum ICE production with minimal kilowatts per hour and water usage. This results in a reduction of operating costs over the life of the ICE Maker.



### TOP AIR DISCHARGE

Maximum ICE production in a minimum amount of space with an ultra-low profile. No side clearance required. A FREE optional feature, it's ideal for tight-fitting spaces.



### FILTER-FREE AIR

No air filter to change.



### SEA SALT CORROSION PROTECTION

All cube ice making remote condensers are treated with a salt air corrosion protectant – FREE.



### 7 YEAR WARRANTY

Purchase an ICE-O-Matic water filter with your new ICE-O-Matic Cube ICE Maker, replace the water filter cartridge every 6 months, and the evaporator warranty is extended to 7 years - parts and labor. (Available in the USA and Canada only)



# WHY BUY ICE-O-MATIC?



## STAINLESS STEEL

Rust-resistant ICE-O-Matic ICE Makers are constructed from stainless steel on the inside, and a combination of stainless steel and industrial-grade fingerprint-proof molding on the outside.




## INSULATION

All ICE-O-Matic Storage Bins and Dispensers are insulated with industrial polyethylene foam for maximum ICE preservation.



## 3-IN-1 WATER FILTER

Activated carbon, sediment removal and scale protection make ICE-O-Matic's 3-In-1 water filters the ideal protection against unpleasant tastes, odors and scale formation in your ICE Maker.



## FLAKER EVAPORATOR

Our Flakers are constructed with a durable brass evaporator and rugged stainless steel transport system that produces slow-melting, uniform quality flaked ICE, steadily and efficiently.



### SERVICE SUPPORT

Beginning with installation and continuing for as long as you own your ICE Maker, ICE-O-Matic's team of nationwide Factory Authorized Service Technicians (F.A.S.T. Agents) are there to support you.



### CUSTOMER SERVICE

ICE-O-Matic's dedicated and knowledgeable customer support team is available to respond with effective and supportive answers to your questions.



### ISO CERTIFICATION

ICE-O-Matic is certified under ISO 9001:2000 standards, assuring the customer quality, consistency and continuous improvement in every ICE Maker we manufacture.



### MANUFACTURING FACILITY

ICE-O-Matic ICE Makers and Storage Bins are designed and manufactured in our 160,000 square foot facility.

# CUBE ICE MAKERS WITH BUILT-IN STORAGE

ICE-O-Matic Self-Contained Cube ICE Makers provide multiple size / capacity options with applications ranging from the Small Office / Home Office to a Commercial Restaurant Kitchen.

Insulated Self-Contained storage bins provide maximum ICE preservation. Height adjustable legs and large bin door opening provide easy ICE access in tight-fitting situations or under-counter environments.

Innovation, reliability and customer support has helped us win the trust of customers large and small. Purchase ICE-O-Matic with confidence and take the worry out of your ICE Making needs.



## SHOTGLASS STYLE

HEIGHT: 1 $\frac{1}{8}$  Inches  
DIAMETER: 1 $\frac{1}{4}$  Inches

NOTE: ICEU 060 Only



## FULL CUBE

HEIGHT:  $\frac{7}{8}$  Inches  
WIDTH:  $\frac{7}{8}$  Inches  
DEPTH:  $\frac{7}{8}$  Inches



## HALF CUBE

HEIGHT:  $\frac{7}{8}$  Inches  
WIDTH:  $\frac{7}{8}$  Inches  
DEPTH:  $\frac{3}{8}$  Inches





### ICEU 060

**ICE PRODUCTION:** Up to 69 lbs. ICE per day  
**STORAGE:** 25 lbs. of ICE  
**DIMENSIONS (IN.):** 18" W x 21" D x 34" H  
**CONDENSER:** Air



### ICEU 150

**ICE PRODUCTION:** Up to 175 lbs ICE per Day  
**STORAGE:** 100 lbs. of ICE  
**DIMENSIONS (IN.):** 24" W x 24" D x 39" H  
**CONDENSER:** Air, Water



### ICEU 220


**ICE PRODUCTION:** Up to 260 lbs. ICE per Day  
**STORAGE:** 100 lbs. of ICE  
**DIMENSIONS (IN.):** 24" W x 24" D x 39" H  
**CONDENSER:** Air, Water



### ICEU 300

**ICE PRODUCTION:** Up to 356 lbs. ICE per Day  
**STORAGE:** 130 lbs. of ICE  
**DIMENSIONS (IN.):** 30" W x 29" D x 39" H  
**CONDENSER:** Air, Water

Application Bin Storage  
Rated at 70° Air / 50° Water



# CUBE ICE MAKERS

## MODULAR CUBERS

With ICE-O-Matic's Modular Cube ICE Makers you don't have to spend time thinking about ICE - it will be there when you need it. Our Modular Cube ICE Makers feature PUREICE®, the smart choice in promoting Food Safety by inhibiting bacteria growth in ICE Makers.

Attractive and reliable, all units are constructed from rugged, rust-resistant stainless steel on the inside and a combination of stainless steel and durable fingerprint-proof finish on the outside.

And with ideal ICE making solutions for Hard Water, Food Safety Concerns and Tight Spaces, ICE-O-Matic is the smart choice for Bars, Restaurants, Hotels, Convenience Stores, Institutions and Healthcare applications.

You can purchase ICE-O-Matic with confidence.



### FULL CUBE

HEIGHT:  $\frac{7}{8}$  Inches  
WIDTH:  $\frac{7}{8}$  Inches  
DEPTH:  $\frac{7}{8}$  Inches



### HALF CUBE

HEIGHT:  $\frac{7}{8}$  Inches  
WIDTH:  $\frac{7}{8}$  Inches  
DEPTH:  $\frac{3}{8}$  Inches

Shown with B25 bin

### ICE 0250

**ICE PRODUCTION:** Up to 352 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 20" H  
**CONDENSER:** Air, Water  
**NOTE:** Available in Top Air Discharge



Shown with B42 bin

### ICE 0320

**ICE PRODUCTION:** Up to 355 lbs. ICE per Day  
**DIMENSIONS (IN.):** 22" W x 24" D x 23" H  
**CONDENSER:** Air, Water



Shown with B55 bin

### ICE 0400

**ICE PRODUCTION:** Up to 528 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 20" H  
**CONDENSER:** Air, Water  
**NOTE:** Available in Top Air Discharge



Shown with B55 bin

### ICE 0500

**ICE PRODUCTION:** Up to 625 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 20" H  
**CONDENSER:** Air, Water, Remote  
**NOTE:** Available in Top Air Discharge  
**NOTE:** Maximum ICE production with 115 Volts



Shown with B42 bin

### ICE 0520

**ICE PRODUCTION:** Up to 528 lbs. ICE per Day  
**DIMENSIONS (IN.):** 22" W x 24" D x 23" H  
**CONDENSER:** Air, Water



Shown with B55 bin

### ICE 0606

**ICE PRODUCTION:** Up to 727 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 20" H  
**CONDENSER:** Air, Water, Remote  
**NOTE:** Available in Top Air Discharge



Rated at 70° Air / 50° Water

Shown with B55 bin



### ICE 0806

**ICE PRODUCTION:** Up to 1094 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 26" H  
**CONDENSER:** Air, Water, Remote

Shown with B55 bin



### ICE 1006

**ICE PRODUCTION:** Up to 1201 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 26" H  
**CONDENSER:** Air, Water, Remote

Shown with B100 bin



### ICE 1406

**ICE PRODUCTION:** Up to 1466 lbs. ICE per Day  
**DIMENSIONS (IN.):** 48" W x 24" D x 26" H  
**CONDENSER:** Air, Water, Remote

Shown with 30" beverage dispenser



### ICE 1506

**ICE PRODUCTION:** Up to 1431 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 28 1/2" D x 22" H  
**CONDENSER:** Remote

**NOTE:** Beverage Dispenser not sold by ICE-O-Matic

Rated at 70° Air / 50° Water

Shown with B100 bin

## ICE 1806

**ICE PRODUCTION:** Up to 1891 lbs. ICE per Day  
**DIMENSIONS (IN.):** 48" W x 24" D x 26" H  
**CONDENSER:** Water, Remote



Shown with B100 bin

## ICE 2106

**ICE PRODUCTION:** Up to 2202 lbs. ICE per Day  
**DIMENSIONS (IN.):** 48" W x 24" D x 26" H  
**CONDENSER:** Water, Remote



## REMOTE CONDENSER

**NOTE:** For use with ICE Makers  
utilizing a remote condenser

Rated at 70° Air / 50° Water



# PEARL ICE MAKERS

## MODULAR NUGGET ICE MAKERS

Making ice shouldn't be complicated, so we'll make it easy for you to see why installing a new Pearl Ice machine is a no-brainer for your business. Pearl Ice enhances beverage programs and lowers your operating costs. With benefits like these and ICE-O-Matic's reputation for reliability, it couldn't be any simpler.

Constructed from sturdy, corrosion resistant stainless steel, the Pearl Ice Makers are available in 21 and 30 inch wide models. Highly versatile, the Pearl Ice models can be mounted on a dispenser or used in combination with a traditional ice storage bin.

Pearl Ice makers produce soft chewable ice crystals that are widely preferred by customers, perfect for quick serve restaurants, convenient stores, and medical applications.



PEARL ICE







Shown with B55 bin

### GEM 0650

**ICE PRODUCTION:** Up to 745 lbs. ICE per Day  
**DIMENSIONS (IN.):** 21" W x 24" D x 27" H  
**CONDENSER:** Air, Water, Remote



Shown with B55 bin

### GEM 0956

**ICE PRODUCTION:** Up to 1100 lbs. ICE per Day  
**DIMENSIONS (IN.):** 21" W x 24" D x 27" H  
**CONDENSER:** Air, Water, Remote



Shown with B55 bin

### GEM 1256

**ICE PRODUCTION:** Up to 1345 lbs. ICE per Day  
**DIMENSIONS (IN.):** 30" W x 24" D x 27" H  
**CONDENSER:** Air, Water, Remote



# FLAKE ICE MAKERS WITH BUILT-IN STORAGE

ICE-O-Matic Self-Contained Flake ICE Makers offer a variety of size / capacity options with built-in insulated storage bins for maximum ICE preservation.

Constructed for tight space restrictions and low-height requirements, ICE-O-Matic Flake ICE Makers produce slow-melting, quality ICE, perfect for medical, restaurant and supermarket applications.



## EF 250

**ICE PRODUCTION:** Up to 400 lbs. ICE per day  
**STORAGE:** 143 and 213 lbs. of ICE  
**DIMENSIONS (IN.):** 32" W x 28" D x 41" H or  
38" W x 28" D x 41" H  
**CONDENSER:** Air

Rated at 70° Air / 50° Water



### EF 450

**ICE PRODUCTION:** Up to 472 lbs. ICE per day  
**STORAGE:** 143, 213, and 315 lbs. of ICE  
**DIMENSIONS (IN):** 32" W x 28" D x 41" H  
38" W x 28" D x 41" H  
48" W x 28" D x 41" H  
**CONDENSER:** Air



### EF 800

**ICE PRODUCTION:** Up to 772 lbs. ICE per day  
**STORAGE:** 250 lbs. of ICE  
**DIMENSIONS (IN):** 38" W x 28" D x 41" H  
48" W x 28" D x 41" H  
**CONDENSER:** Air

Rated at 70° Air / 50° Water





# FLAKE ICE MAKERS

## MODULAR FLAKERS

ICE-O-Matic Modular Flake ICE Makers are designed to fit on top of a variety of storage bins to provide the desired amount of Flaked ICE for your application needs.

With many of our Modular Flakers measuring only 16 inches wide, it is possible to place two Modular Flakers on a 48 inch wide bin to increase production capacity.

ICE-O-Matic Flake ICE Makers produce slow-melting, quality ICE, perfect for medical and restaurant applications.

In addition, the high moisture content of our flaked ICE makes it perfect for displaying and maintaining the freshness of meat, poultry and fish in supermarket applications.

Shown with B55 bin

### EMF 450

**ICE PRODUCTION:** Up to 552 lbs. ICE per day  
**DIMENSIONS (IN.):** 16"W x 23 1/2"D x 32"H  
**CONDENSER:** Air, Water



Shown with B55 bin

### EMF 800

**ICE PRODUCTION:** Up to 852 lbs. ICE per day  
**DIMENSIONS (IN.):** 16"W x 23 1/2"D x 32"H  
**CONDENSER:** Air, Water



Rated at 70° Air / 50° Water

Shown with B100 bin

## EMF 1106

ICE PRODUCTION: Up to 1152 lbs. ICE per day  
DIMENSIONS (IN.): 16" W x 23 1/2" D x 32" H  
CONDENSER: Air, Water, Remote



Shown with B100 bin

## EMF 2306

ICE PRODUCTION: Up to 2624 lbs. ICE per day  
DIMENSIONS (IN.): 48" W x 23 1/2" D x 26" H  
CONDENSER: Air, Water, Remote



Rated at 70° Air / 50° Water







# ICE DISPENSERS

## HOTEL DISPENSERS

ICE-O-Matic Hotel Dispensers are built with the customer in mind, and feature durable stainless-steel cabinets with built-in storage.

Our 30-inch Hotel Dispenser is available with three options: push-to-dispense, water-filler or coin / token.

Designed for rugged, high usage environments, our 22 and 30-inch wide Dispensers have fingerprint-proof dispensing areas and oversized sinks to accommodate almost any size ICE bucket.

In addition, both models dispense a  $\frac{1}{4}$  lb. of ICE per second, allow access for easy cleaning and provide maximum ICE storage in a minimum amount of space.

Shown with ICE 0320 Cube ICE Maker

### CD 40022 Push-To-Dispense

STORAGE: 120 lbs. of ICE  
DIMENSIONS (IN.): 22"W x 33 1/2"D x 53 1/4"H



Shown with ICE 0500 Cube ICE Maker

### CD 40030 Push-To-Dispense

STORAGE: 180 lbs. of ICE  
DIMENSIONS (IN.): 30"W x 33 1/2"D x 53 1/4"H





Shown with ICE 0500 Cube ICE Maker

### CD 40130 Water Filler Option

STORAGE: 180 lbs. of ICE

DIMENSIONS (IN.): 30"W x 33 1/2"D x 53 1/4" H

NOTE: Factory installed water filler kit



Shown with ICE 0500 Cube ICE Maker

### CD 40230 Coin / Token Option

STORAGE: 180 lbs. of ICE


DIMENSIONS (IN.): 30"W x 33 1/2"D x 53 1/4" H

NOTE: Factory installed coin / token mechanism



NOTE 1: ICE Makers sold separately

NOTE 2: Hotel dispensers only dispense full and half cubes  
and do not make ICE





# ICE DISPENSERS

## ICE ONLY OR WATER & ICE

ICE-O-Matic's ICE Only and Water and ICE Dispensers are durable and easy to operate. Auto Rotate rotates the ICE for 4 seconds every hour to provide more reliable ICE dispensing and less ICE congealing. Direct Dispense ensures that ICE hits the glass every time and Quick Stop prevents overflow and waste.

The Electronic Dispenser has a sleek, high-tech design with durable fingerprint-proof front and top panels. Touch-free infra-red actuation provides convenient one-hand operation.

Additionally, a bigger sink allows more clearance for larger containers. Quiet to operate, the Dispensers are ideal for hospitals, cafeterias, restaurants and offices.

Shown with ICE0320



### IOD 150

STORAGE: 150 lbs. of ICE

DIMENSIONS (IN.):

22 1/4" W x 30 1 1/16" D x 35 5/8" H

Shown with ICE0400



### IOD 200

STORAGE: 200 lbs. of ICE

DIMENSIONS (IN.):

30 1/4" W x 30 1 1/16" D x 35 5/8" H

Shown with ICE0400



### IOD 250


STORAGE: 250 lbs. of ICE

DIMENSIONS (IN.):

30 1/4" W x 30 1 1/16" D x 39 5/8" H

NOTE 1: ICE Makers and Adapters sold separately

NOTE 2: IODs only dispense full and half cubes and do not make ICE







# STORAGE BINS

ICE-O-Matic's ICE Storage Bins offer multiple sizes and storage capacities to fit the most demanding application needs. Polyethylene bin liners and industrial foam insulation prevent the ICE from melting too quickly, which means more ICE for your customers.

All bins feature height-adjustable legs. The large door opening and low bin profile provide easy ICE access.



## B 25

STORAGE: 255 lbs. of ICE

DIMENSIONS (IN.): 30" W x 31" D x 28" H



## B 40

STORAGE: 365 lbs. of ICE

DIMENSIONS (IN.): 30" W x 31" D x 37 1/2" H



### B 42

STORAGE: 374 lbs. of ICE

DIMENSIONS (IN.): 22" W x 31" D x 50" H



### B 55

STORAGE: 556 lbs. of ICE

DIMENSIONS (IN.): 30" W x 31" D x 50" H



### B 100

STORAGE: 927 lbs. of ICE

DIMENSIONS (IN.): 48" W x 31" D x 50" H





### B 120

STORAGE: 1193 lbs. of ICE

DIMENSIONS (IN.): 48" W x 34" D x 54" H



### B 150

STORAGE: 1499 lbs. of ICE

DIMENSIONS (IN.): 60" W x 34" D x 54" H



### B 170

STORAGE: 1866 lbs. of ICE

DIMENSIONS (IN.): 60" W x 34" D x 66" H



### CRT 125

STORAGE: 94 lbs. of ICE

DIMENSIONS (IN.): 24" W x 24" D x 34" H

Application Bin Storage







# FILTRATION SYSTEMS

## 3-IN-1 WATER FILTERS

ICE-O-Matic's water filtration system provides protection against unpleasant tastes, odors, sediment and scale formation. Systems are available to match the production capacity of any ICE-O-Matic ICE Maker and easily mount to the wall. These systems take up a minimal amount of space and are equipped with quick-connect fittings for fast, easy replacement.

Purchase an ICE-O-Matic water filter with your new ICE-O-Matic Cube ICE Maker, replace the water filter cartridge every 6 months, and the evaporator warranty is extended to 7 years - parts and labor. (USA and Canada only)



### IFQ1 SYSTEM

Single Cartridge with a Quick Disconnect  
**ICE MAKING CAPACITY:** Up to 1000 LB  
**DIMENSIONS (IN.):** 15" H x 6" W x 4" D



### IFQ2 SYSTEM

Dual Cartridge with a Quick Disconnect  
**ICE MAKING CAPACITY:** Over 1000 LB  
**DIMENSIONS (IN.):** 16" H x 10" W x 6" D



### IOMQ

System Quick Disconnect Replacement Cartridge  
**DIMENSIONS (IN.):** 12.75" H x 4" W x 4" D  
**SINGLE REPLACEMENT FILTER FOR:** IFQ1 and IFQ2



### SINGLE INLINE FILTER

**ICE MAKING CAPACITY:** Up to ICE 0500  
**DIMENSIONS (IN.):** 2.5" W x 11" H  
**FITTING OPTIONS:**  
 1/4" Compression  
 3/8" Compression



### IOMWFRC

System Quick Disconnect Replacement Cartridge  
**DIMENSIONS (IN.):** 2.5" W x 11" H  
**SINGLE REPLACEMENT FILTER FOR:** IF1, IF2, IF3 AND IF4 (Previous Manifold Systems)

## SIZING YOUR ICE-O-MATIC ICE MAKER


- Does the existing ICE Maker meet peak usage during the hottest part of the year?
- What are the various locations or stations in the establishment that will need ICE? Will they be serviced from one or multiple ICE Makers?
- Planned for future growth? If not, consider building in 20% additional capacity on new installations.

FOOD SERVICE	APPROXIMATE ICE USAGE PER DAY	
RESTAURANT	1.5 lbs.	per person
COCKTAIL	3 lbs.	per person / seat
SALAD BAR	40 lbs.	per cubic foot
QUICK SERVICE	5 oz.	per 7-10 oz. drink
	8 oz.	per 12-16 oz. drink
	12 oz.	per 18-24 oz. drink

LODGING	APPROXIMATE ICE USAGE PER DAY	
GUEST ICE	5 lbs.	per room
RESTAURANT	1.5 lbs.	per person
COCKTAIL	3 lbs.	per person / seat
CATERING	1 lb.	per person

HEALTHCARE	APPROXIMATE ICE USAGE PER DAY	
PATIENT ICE	10 lbs.	per bed
CAFETERIA	1 lb.	per person

CONVENIENCE STORE	APPROXIMATE ICE USAGE PER DAY	
BEVERAGE	6 oz.	per 12 oz. drink
	10 oz.	per 20 oz. drink
	16 oz.	per 32 oz. drink
COLD PLATE	50% more ICE usage per day	
PACKAGED ICE	Weight per bag x number of bags sold per day	



# ICE-O-MATIC INSTALLATION CONSIDERATIONS

## ALLOW ENOUGH SPACE FOR:

- The ICE Maker, bin and water filter
- Air flow

NOTE: IF THE ICE MAKER IS TIGHT ON SPACE, CONSIDER A TOP AIR DISCHARGE UNIT

## UTILITIES:

- What are the voltage characteristics of the electrical outlet that will be used for this ICE Maker?
- Is there a floor drain within 6 feet?
- Water source with water shut-off?
- Are the utilities in close proximity to the ICE Maker location?

## REMOTE INSTALLATION:

- Is there an outdoor condenser location above the ICE Maker?
- Easy roof access and penetration?
- Maximum pre-charged tubing line run considerations?

NOTE: ICE-O-MATIC OFFERS A FREE SEA SALT CORROSION PROTECTANT ON ALL REMOTE CONDENSERS

## ASK ABOUT:

- The 7 year warranty on the evaporator if an ICE-O-Matic water filter is purchased with an ICE-O-Matic Cube ICE Maker and the cartridge is replaced every 6 months (US and Canada only)
- Warranty program
- Preventive maintenance programs

# VOLTAGE REQUIREMENTS

## CUBERS

### 115/60/1

ICEU 060	ICEU 150	ICE 0520
ICEU 220	ICEU 300	
ICE 0250	ICE 0320	
ICE 0400	ICE 0500	

### 208-230/60/1

ICE 0406	ICE 0606
ICE 0806	ICE 1006*
ICE 1406*	ICE 1506
ICE 2106*	ICE 1806*

\* AVAILABLE IN THREE - PHASE

## FLAKERS

### 115/60/1

EF 250	EF 450	EF 800
EMF 450	EMF 800	

### 208-230/60/1

EMF 1106	EMF 2306
----------	----------

## PEARL ICE MACHINES

### 115/60/1

GEM650

### 208-230/60/1

GEM956	GEM1256
--------	---------

# FILTER SELECTION GUIDE

## FILTER MODEL

## USE WITH THESE ICE MAKERS

IF Q-1 (Single Filter System)

### CUBE ICE MAKERS

ICEU 060, 150, 220,  
ICE 300 0250, 0300,  
ICE 320, 0406, 500,  
ICE 0520, 0606, 0806

### FLAKE ICE MAKERS

EMF 450, EF 250,  
EMF 800, EF 800  
EF 450

### PEARL ICE MAKERS

GEM0650, 0655, 0956

IFQ-2 (Dual Filter System)

### CUBE ICE MAKERS

ICE 0806, 1006, 1406  
ICE 1506, 1806, 2106

### FLAKE ICE MAKERS

EMF 1106, 2306

### PEARL ICE MAKERS

GEM1256

# CAPACITY CHARTS

## CUBERS

MODEL FAMILY	MAX. ICE PROD. LBS. PER 24 HOURS @		CONDENSING UNIT	VOLTAGE
	70°F AIR 50°F WATER	90°F AIR 70°F WATER		
ICEU 060	69	54	AIR	115
ICEU 150	175	139	AIR/WATER	115
ICEU 220	260	220	AIR/WATER	115
ICEU 300	356	296	AIR/WATER	115
ICE 0250	352	284	AIR/WATER	115
ICE 0320	355	312	AIR/WATER	115
ICE 0400	528	449	AIR/WATER	115
ICE 0500	625	499	AIR/WATER/REMOTE	115
ICE 0520	528	441	AIR/WATER	115
ICE 0606	727	590	AIR/WATER/REMOTE	208-230
ICE 0806	1094	840	AIR/WATER/REMOTE	208-230
ICE 1006	1201	941	AIR/WATER/REMOTE	208-230*
ICE 1406	1466	1187	AIR/WATER/REMOTE	208-230*
ICE 1506	1431	1202	REMOTE	208-230
ICE 1806	1891	1468	WATER/REMOTE	208-230*
ICE 2106	2202	1855	WATER/REMOTE	208-230*

\*AVAILABLE IN THREE-PHASE

## FLAKERS AND PEARL ICE

MODEL FAMILY	MAX. ICE PROD. LBS. PER 24 HOURS @		APPLICATION BIN STORAGE*	CONDENSING UNIT	VOLTAGE
	70°F AIR 50°F WATER				
EMF 450	552		N/A	AIR/WATER	115
EMF 800	852		N/A	AIR/WATER	115
EMF 1106	1152		N/A	AIR/WATER/REMOTE	208-230
EMF 2306	2624		N/A	AIR/WATER/REMOTE	208-230
EF 250	400	143		AIR	115
		213			
EF 450	472	143		AIR	115
		213			
		315			
EF 800	772	213		AIR	115
		315			
GEM0650, 0655	745		N/A	AIR/WATER/REMOTE	208-230
GEM0956	1100		N/A	AIR/WATER/REMOTE	208-230
GEM1256	1345		N/A	AIR/WATER/REMOTE	208-230

## BINS

MODEL NUMBER	APPLICATION BIN STORAGE*	ARI BIN STORAGE **
CRT 125	94	74
ICEU 060	28	25
ICEU 150	100	74
ICEU 220	100	74
ICEU 300	130	112
B 25	255	190
B 40	365	270
B 42	374	275
B 55	556	400
B 100	927	670
B 120	1193	896
B 150	1499	1135
B 170	1866	1417

## DISPENSERS

MODEL NUMBER	APPLICATION BIN STORAGE *	ARI BIN STORAGE **
CD 40022		120
CD 40030		180
CD 40130		180
CD 40230		180
IOD 150	150	
IOD 200	200	
IOD 250	250	
EFD 270	12	

NOTE: EFD 270 produces 273 lbs. of ICE per day

\*Application bin storage rated in pounds at volume x 90% of internal volume x 34 lbs. per cubic foot  
 \*\*ARI bin storage rated in pounds per ARI Standard 820



#### ICE-O-Matic's Warranties

- 1: 36 month parts and labor warranty on Cube ICE Makers and Pearl ICE Makers. 24 month parts and labor warranty on Flake ICE Makers, Dispensers and ICE Storage Bins.  
60 month parts only warranty on Cuber Evaporators and Compressors. See ICE-O-Matic Warranty Statement for complete details.
- 2: See page 5 for Extended Water Filter Warranty Program
- 3: IOD Series Dispensers: 2 year parts warranty and 1 year labor only
- 4: CD Series Hotel Dispensers: 3 years parts and labor warranty



PURE ICE contains AgION™ silver-based protectant which inhibits bacteria and slime fungus growth build-up on ice machine surfaces. Additionally, ICE-O-Matic's optional water filtration system provides protection against unpleasant tastes, odors and scale formation. AgION antimicrobial is registered with the EPA and is a trademark of AgION Technologies.

## Installation and Warranty

ICE-O-Matic's team of nationwide Factory Authorized Service Technicians (F.A.S.T. Agents) are there to support you for installation and service.

### ICE-O-Matic's Warranties

- 36 month parts and labor warranty on Cube ICE Makers and Pearl ICE Makers. 24 month parts and labor warranty on Flake ICE Makers, Dispensers and ICE Storage Bins. 60 month parts only warranty on Cuber Evaporators and Compressors. See ICE-O-Matic Warranty Statement for complete details.
- IOD Series Dispensers: 2 year parts warranty and 1 year labor only
- CD Series Hotel Dispensers: 3 years parts and labor warranty
- Extended Warranty. Purchase an ICE-O-Matic water filter with your new ICE-O-Matic Cube ICE Maker, replace the water filter cartridge every 6 months, and the evaporator warranty is extended to 7 years - parts and labor.  
(Available in the USA and Canada only)

## About ICE-O-Matic

Located in Denver, Colorado, ICE-O-Matic® manufactures a wide range of commercial ice making products including cube ice makers, flaked ice makers, storage bins, dispensers and water filters. Since 1952, we have been developing new technologies and programs, such as the introduction of AgION™ Antimicrobial Compound in our ICE Series cube icemakers and our extended warranty water filter program, which have resulted in the creation of products that are more efficient for business and safer for the environment.

## About the global capabilities of our parent company, Enodis:



### SOLUTIONS

*ICE-O-Matic provides many of the operational solutions from Enodis, a global company dedicated to bringing value to foodservice operators by equipping them with highly individualized real-world answers that enhance menus, service, profits, and efficiency.*



### FINANCING

*Enodis offers low-rate, fast-approval financing on equipment from Enodis brands and on other equipment when purchased with Enodis brands. Preserve capital, simplify budgeting, and get the equipment you need today, from Enodis Authorized Dealers with Enodis Financing.*



### SERVICE

*Enodis brands are backed nationwide by Enodis STAR Service. This network of certified service agents provides fast response with factory-trained experts to assure your equipment will be fixed right the first time. Enodis STAR service agents guarantee their work and use genuine OEM parts for best equipment performance and longer life.*

To learn how ICE-O-Matic and other leading Enodis brands can equip you, or to apply for financing, visit [www.enodis.com](http://www.enodis.com) or consult your ICE-O-Matic dealer, distributor or call 727-375-7010.



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>