



## DESCRIPTION

The Cone sconce with its frosted conical diffuser provides a clean fresh look. The cone rests in a bracket available in textured White or Grey Stone. UL Listed for damp location.

Compact fluorescent 120V AC input only.

Finishes: P, GS

## DIMENSIONS / CANDLEPOWER DISTRIBUTION



## CONE H2586 H2587

INCANDESCENT/  
COMPACT  
FLUORESCENT

## ORDERING INFORMATION

SAMPLE NUMBER: H2586 GS

### Sconces

### Finish

H2586=Incandescent  
60W A19, 75W A19, 100W A19  
H2587=Compact Fluorescent  
13W DTT (Halo Z64)



P= White  
GS= Grey Stone

## DESCRIPTION

Zephyr offers dramatic uplight and a gentle glowing downlight. The frosted acrylic diffuser rests in a textured White or Grey Stone bracket. UL Listed for damp location. Compact fluorescent 120V AC input only.

Finishes: P, GS

## DIMENSIONS / CANDLEPOWER DISTRIBUTION



## ZEPHYR H2592 H2593

INCANDESCENT/  
COMPACT  
FLUORESCENT

## ORDERING INFORMATION

SAMPLE NUMBER: H2592 GS

### Sconces

### Finish

H2592=Incandescent  
60W A19, 75W A19, 100W A19,  
H2593=Compact Fluorescent  
13W DTT (Halo Z64)



P= White  
GS= Grey Stone

**DESCRIPTION**

The frosted acrylic diffuser of the Wedge nestles in a White enamel or gleaming Brass metal holder. UL Listed for damp location. Compact fluorescent 120V AC input only.

Finishes: P, PB

**DIMENSIONS / CANDLEPOWER DISTRIBUTION**



**WEDGE  
H2590  
H2591**

**INCANDESCENT/  
COMPACT  
FLUORESCENT**

**ORDERING INFORMATION**

SAMPLE NUMBER: H2590 GS



Sconces	Finish
<p>H2590=Incandescent 60W A19, 75W A19, 100W A19, H2591=Compact Fluorescent 13W DTT (Halo Z64)</p>	<p>P= White c PB= Polished Brass</p>

**DESCRIPTION**

Deco has timeless styling. Designed for mounting over single gang switch box or standard junction box with single gang plaster ring mounted vertically. UL Listed for damp location. Meets ADA requirements. Compact fluorescent 120V AC input only.

Finishes: P, PC, PB, B

**DIMENSIONS**



**DECO  
H2579**

**COMPACT  
FLUORESCENT**

**ORDERING INFORMATION**

SAMPLE NUMBER: H2579 P

Sconces	Finish
<p>H2579=Compact Fluorescent 13W TT (Halo Z63)</p>	<p>P = White Insert Panel PB= Polished Brass Insert Panel PC= Polished Chrome Insert Panel B = Satin Brass Insert Panel</p>

**Accessory:** H979P Oversize Canopy for use with standard 4" Junction box.


**DESCRIPTION**

The Nautilus provides a diffuse lens for soft ambient lighting. Diffuse backlight provides separation from the wall plane. UL Listed for damp location. Meets ADA requirements. May be wall or ceiling mounted.

120V AC input only.

Finishes: W, A

**DIMENSIONS**



**NAUTILUS  
H2515**

**COMPACT  
FLUORESCENT**

**ORDERING INFORMATION**

SAMPLE NUMBER: H2579 P

Sconces	Finish
<p>H2515=(2) Compact Fluorescent 13W TT (Halo Z63)</p>	<p>W= White (No fins) A= White with Aluminum Fins</p>

Note: Specifications and Dimensions subject to change without notice.

Visit our web site at [www.cooperlighting.com](http://www.cooperlighting.com)

Customer First Center 1121 Highway 74 South Peachtree City, GA 30269 770.486.4800 FAX 770.486.4801 ADV000402  
Cooper Lighting 5925 McLaughlin Rd. Mississauga, Ontario, Canada L5R 1B8 905.507.4000 FAX 905.568.7049

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>