



97966 97967

## **5 PIECE CAB MOUNTED LIGHT**

#### INSTRUCTIONS AND PRECAUTIONS

Distributed exclusively by Harbor Freight Tools®. 3491 Mission Oaks Blvd., Camarillo, CA 93011 Visit our website at: http://www.harborfreight.com



#### READ ALL PRECAUTIONS AND INSTRUCTIONS.

Copyright<sup>©</sup> 2008 by Harbor Freight Tools<sup>®</sup>. All rights reserved. No portion of this document or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this document may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein.

For technical questions or replacement parts, please call 1-800-444-3353.

#### UNPACKING

If any parts are missing or broken, please call Harbor Freight Tools at the number shown on the cover of this document as soon as possible.

## IMPORTANT SAFETY INFORMATION

### **Assembly Precautions**

- Install only according to these instructions. Improper installation can create hazards.
- Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
- 3. Keep installation area clean and well lit.
- Keep bystanders out of the area during installation.
- 5. Do not install when tired or when under the influence of drugs or medication.

#### **Use Precautions**

- This product is not a toy. Do not allow children to play with this item.
- 2. Use for intended purpose(s) only.
- 3. Inspect before use; do not use if parts loose or damaged.
- Application of this product must meet State and DOT requirements for vehicle lighting.
- 5. Turn vehicle off and disconnect the battery before installation.
- WARNING: The brass components of this product contain lead, a chemical known to the State of California to cause birth defects (or other reproductive harm). (California Health & Safety code § 25249.5, et seq.)
- Maintain product labels and nameplates. These carry important safety information. If unreadable or missing, contact Harbor Freight Tools for a replacement.


#### **ASSEMBLY INSTRUCTIONS**



Read the ENTIRE IMPORTANT SAFETY INFORMATION section at the beginning of this document including all text under subheadings therein before set up or use of this product.

### Installation

- The planned mounting area must provide a flush fit to the bottom of the Lights (1).
- Remove the lens from each Light and use the base of the Light as a template to mark mounting holes.
- Ensure that the installation area has no hidden electrical or stereo lines before drilling.
- Drill the holes, then secure each of the Lights with two Long Screws (2). Replace the lens.
- 5. See Wiring Diagram, page 4.
- Connect the wire of each of the Lights to the Lead Wire (8) using a Wire Splice (4). Insert the two wires into the holes of the Splice and use pliers (not included) to push down the metal tab. Close the cap to secure.



 If the Lights are intended to be used along with the vehicle's main lights, connect the lead wire to the headlight switch positive terminal.


- If the Lights are to work independently of the vehicle's lights, mount the Switch at a convenient location with the two Short Screws (3).
- 9. Connect the Lead Wire to the middle terminal of the Switch (7).
- Connect the Fuse Holder (5) to the top terminal and connect to a 12V power supply.
- Connect the Ground Wire (6) to the bottom terminal of the Switch and the other end to ground.
- 12. This product is intended only to be mounted on the top of a vehicle's cab.
- Installation of these products must comply with DOT regulations and all applicable State and local laws.

# PLEASE READ THE FOLLOWING CAREFULLY

THE MANUFACTURER AND/OR DISTRIBUTOR HAS PROVIDED THE PARTS LIST AND ASSEMBLY DIAGRAM IN THIS DOCUMENT AS A REFERENCE TOOL ONLY. NEITHER THE MANUFACTURER OR DISTRIBUTOR MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND TO THE BUYER THAT HE OR SHE IS QUALIFIED TO MAKE ANY REPAIRS TO THE PRODUCT, OR THAT HE OR SHE IS QUALIFIED TO REPLACE ANY PARTS OF THE PRODUCT. IN FACT, THE MANUFACTURER AND/OR DISTRIBUTOR EXPRESSLY STATES THAT ALL REPAIRS AND PARTS REPLACEMENTS SHOULD BE UNDERTAKEN BY CERTIFIED AND LICENSED TECHNICIANS, AND NOT BY THE BUYER. THE BUYER ASSUMES ALL RISK AND LIABILITY ARISING OUT OF HIS OR HER REPAIRS TO THE ORIGINAL PRODUCT OR REPLACEMENT PARTS THERETO, OR ARISING OUT OF HIS OR HER INSTALLATION OF REPLACEMENT PARTS THERETO

### **PARTS LIST & DIAGRAM**

Part	Description	Qty.
1	Light	5
2	Long Screws	10
3	Short Screws	2
4	Wire Splice	5
5	Fuse Holder	1
6	Ground Wire (short, black)	1
7	Switch	1
8	Lead Wire (long, red)	1 1



#### **Record Serial Number Here:**

Note: If product has no serial number, record month and year of purchase instead.

Note: Some parts are listed and shown for illustration purposes only, and are not available individually as replacement parts.

#### LIMITED 90 DAY WARRANTY


Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of 90 days from the date of purchase. This warranty does not apply to damage due directly or indirectly, to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property. or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

3491 Mission Oaks Blvd. • PO Box 6009 • Camarillo, CA 93011 • (800) 444-3353

## **WIRING DIAGRAM**



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com