



With the compact HP PSC 1507 All-in-One, everyone in the home can print, copy and scan in true-to-life color and laser-quality black. An intuitive control panel and eight one-touch buttons make it simple to create color or black-and-white copies up to 8.5x11, and enlarge and resize photos for framing. Print photos without a PC by connecting a PictBridge-enabled camera to the printer's front USB port. Or use your PC and included HP Image Zone software to organize, edit and print photos with or without borders up to 8.5x24 panorama.¹ Share photos by e-mail using HP Instant Share technology.² Print and copy in optional 6-ink color³ with HP Vivera Inks and 4800-optimized dpi⁴, and get true-to-life photos that resist fading for generations⁵ and archived text documents that retain clarity for decades.⁶ Enjoy fast print and copy speeds up to 18 ppm black, up to 14 ppm color, and high-quality scanning at 1200x1200-dpi optical resolution, 48-bit color.

⁵Based on Wilhelm-Research.com light fade testing under glass (as of November 2004) using the HP 93 Tri-color and the optional HP 99 Photo Inkjet Print Cartridges on HP Premium Plus photo papers. For more information on additional permanence testing factors, visit

http://hp.com/go/premiumplusphoto.

⁶Based on paper industry predictions for acid-free papers: colorant stability data at room temperature based on similar systems as per ISO 11798 and ISO 18909.

Print, scan, and copy with one-touch buttons in true-to-life photo-quality, plus photos without a PC



¹Borderless printing up to 8.5x24 using brochure and photo paper.

²Internet connection required. Internet service purchased separately.

³6-ink printing available with purchase of HP 99 Photo Inkjet Cartridge; not included; sold separately.

⁴Up to 4800x1200-optimized dpi color when printing from a computer and 1200-input dpi.

Compact photo all-in-one

A simple solution for your photo and document printing, scanning and copying

- Easy to use printer, scanner and copier with a fold-up paper tray and compact size
- Simple to use with an intuitive control panel and 8 convenient, one-touch buttons
- Fast print and copy speeds for Web pages and documents—up to 18 ppm black and 14 ppm color
- HP inkjet cartridges designed for efficient ink usage so you can save ink and money

Direct photo printing and more

Print photos from a PictBridge-enabled camera or using photo editing software

- Print photos directly from a PictBridge-enabled camera using front USB port on your All-in-One
- Automatically remove red-eye, enhance detail in dark areas of photos with HP Real Life technologies
- Organize, edit, enhance and print photos and create photo projects with HP Image Zone software
- Easily send and receive photos without large e-mail attachments with HP Instant Share service¹

True-to-life photo-quality

True-to-life photos and laser-quality black text you can count on

- Print and copy beautiful photos in optional 6-ink color² and laser-quality text with HP Vivera Inks
- Photos resist fading for generations³ and laser-quality text documents retain clarity for decades⁴
- High-quality scanning of photos and documents with 1200x1200 dpi optical resolution, 48-bit color
- Standard-size and panorama photos—with or without borders—print up to 8.5x24⁵

Convenient copying without PC

Convenient copies and photo reprints, without even turning on your computer

- Make quick color or black-and-white copies with one-touch control button no need to turn on your PC
- Simply enlarge and resize photos with one-touch, fit-to-page and zoom button on control panel
- Make sharp copies of letters, bills, recipes, school projects and more any size up to 8.5x11-inches

Low on ink?

• HP SureSupply notifes you when it is time to replace your print cartridge and helps you purchase locally or via the internet.⁶

¹Internet connection required. Internet service purchased separately. ²6-ink printing available with purchase of HP 99 Photo Inkiet Cartridge; not included; sold separately

³Based on Wilhelm-Research.com light fade testing under glass (as of November 2004) using the HP 93 Tri-color and the optional HP 99 Photo Inkjet Print Cartridges on HP Premium Plus photo papers. For more information on additional permanence testing factors, visit http://hp.com/go/premiumplusphoto

⁴Based on paper industry predictions for acid-free papers: colorant stability data at room temperature based on similar systems as per ISO 11798 and ISO 18909

⁵Borderless printing up to 8.5x24 using brochure and photo paper ⁶Only available withgenuine HP supplies; internet access required.



HP PSC 1507 All-in-One Printer, Scanner, Copier

Technical specifications

Print Technology	HP Thermal Inkjet		
Print Resolution	Black (best): Print up to 1200-rendered dpi black when printing from a computer; Color (best): Up to 4800 x 1200-optimized dpi color when printing from a computer and 1200-input dpi; Print Resolution Technology: HP PhotoREt III (PhotoREt IV with optional photo cartridge)		
Print Speed ¹	Black (draft; letter): Up to 18 ppm; Color (draft; letter): Up to 14 ppm		
Print Languages Standard	Lightweight Imaging Device Interface Language (UDIL)		
Printing Capabilities	Direct Printing: Yes with Pictbridge cameras; Borderless Printing Supported: Yes, 4 x 6 in, 8.5 x 11 in, A4		
HP Real Life Technologies Features	Auto Red-Eye Removal, Adaptive Lighting		
Recommended Monthly Volume (letter)	1000		
Copy Features	Number of Copies Maximum: 50; Copy Scaling: 50 to 200% ²		
Copier Settings	Stand-alone copying: fit to page, 100% (with software: photo-size choices and reduce/enlarge)		
Copy Resolution	Black Text: Up to 600 dpi; Black Graphics: Up to 600 dpi; Color Graphics: Up to 4800 x 1200-optimized dpi color copying on HP Premium Photo Papers and 1200 scan dpi		
Copy Speed	Black: Up to 18 cpm; Color: Up to 14 cpm		
Scan Type/Input Modes	Type: Flatbed; Technology: CIS; Input Modes: Front-panel scan, HP Director, TWAIN; Bit depth: 48 bit; Grayscale Levels: 256; Twain version: 1.7		
Scan Resolution	Optical: 1200 dpi; Hardware: 1200 x 1200 dpi; Enhanced: Up to 19200 dpi enhanced (maximum dpi is limited by available computer memory, disk space, and other system factors)		
Scan Size Maximum	US: 8.5 x 11.7 in, Metric: 21.5 x 29.7 cm		
Output File Format	PictBridge support for JPEG only		
Connectivity	1 USB, 1 PictBridge		
Paper Handling	Input: 100-sheet input tray; Input capacity: Up to 100 US letter/legal, Up to 30 transparencies, Up to 20 labels, Up to 15 cards, Up to 10 envelopes; Output capacity: Up to 50 US letter/legal; Up to 30 transparencies, Up to 20 labels, Up to 20 labels, Up to 20 labels, Up to 30 transparencies, Up to 20 labels, Up to 10 envelopes; Output capacity: Up to 50 US letter/legal; Up to 30 transparencies, Up to 20 labels, Up to 10 envelopes; Output capacity: Up to 50 US letter/legal; Up to 30 transparencies, Up to 20 labels, Up to 20 labels, Up to 20 labels, Up to 10 envelopes; Output capacity: Up to 50 US letter/legal; Up to 30 transparencies, Up to 20 labels, Up to 20 labels, Up to 50 US letter/legal; Up to 50 US letter/legal; Up to 30 transparencies, Up to 20 labels, Up to 20 labels, Up to 50 US letter/legal; Up		
Media Types	Paper (plain, inkjet, photo), envelopes, transparencies, labels, cards, HP premium media, iron-on transfers, borderless media		
Media Sizes Standard (US)	Letter, legal, executive, cards, A2, panorama		
Custom Media Sizes	3 x 5 to 8.5 x 14 in		
Media Weight (US)	US letter: 20 to 24 lb; legal: 20 to 24 lb; envelopes: 20 to 24 lb; cards: up to 110 lb index maximum		
Media Weight Recommended	20 to 24 lb (75 to 90 g/m2)		
Memory	Standard/Maximum: 8 MB ROM, 32 MB RAM		

¹ Print speed may vary depending on the type of output.

²Letter size or 4 x 6 inches only. Maximum number of copies list pertain to software only. Stand-alone copying is up to 9.

Compatible Operating System

Microsoft® Windows® 2000 Professional, XP, 98, 98 SE, or ME for basic software installation; Microsoft® Windows® 2000 Professional or XP for full software installation including HP Image Zone Software. Mac® OS X v 10.1.5, 10.2.3 and later, 10.3 and later; Mac OS 9.1 and later.

Minimum System Requirements

For all systems: CD-ROM drive; available USB port and USB cable for direct connection; SVGA 800 x 600 monitor with 16-bit color; Adobe Acrobat Reader 5 or higher recommended; full-color scanning requires an additional 50 MB hard disk space; Internet access recommended; For PC systems: any Intel Pentium II or Celeron processor (Pentium III or higher recommended); Microsoft® Windows® 2000 Professional, XP, 98, 98SE or ME for processor (reminum in or inginer recommended), microsofi windows 2000 Professional, xr, ye, yess of me to express software installation; Microsofi® Windows® 2000 Professional or XP for full software installation including HP Image Zone Software; 128 MB RAM for Windows 98, 98 SE, Me, 2000 Professional, and XP (256 MB or higher recommended for all operating systems); 855 MB available hard disk space for full software installation including HP Image Zone software (395 MB for basic software installation and HP Image Zone Express Software); Microsoft Internet Explorer 5.01 or higher; Windows 3.1, 95, NT 4.0, or DOS are not supported; For Mac systems: G3 processor (G4 or higher recommended); Mac OS X v 10.1.5, 10.2.3 and later, 10.3 and later; Mac OS 9.1 and later (does not support Mac OS 9.0 and earlier or OS X v 10.2, 10.2.1, and 10.2.2); 128 MB RAM (256 MB or higher recommended); 400 MB available hard disk space for software installation; HP Memories Disc Creator software, requires CD Writer and 700 MB of additional hard disk space; QuickTime 5.0 or later; any Web browser

Operating Environment

Recommended Operating Temperature: 59 to 90° F (15 to 32° C); Storage Range: -40 to 140° F (-40 to 60° C); Maximum Operating Temperature: 41 to 104° F, 5 to 40° C; Operating Humidity: 15 to 85% RH; Humidity nmended Operating Range: 15 to 85% RH; Storage Humidity: 20 to 80% RH

Product Dimensions Maximum

17.1 x 23.1 x 16 in (434 x 587 x 406 mm) Acoustic Pressure Emissions (active)

Color printing: 42 dB(A); black-and-white normal: 46 dB(A); color copy: 41 dB(A); black-and-white copy: 45 dB(A); idle: 21 dB(A)

Dir nensions/weight

US: 17.1 x 23.1 x 6.4 in (paper tray down), 17.1 x 11.4 x 6.4 in (paper tray folded up), Metric: 434 x 587 x 162 mm (paper tray down), 434 x 290 x 162 mm (paper tray folded up)/US: 11.19 lb, Metric: 5.08 kg

Acoustic Power Emissions (active)

Color printing: 5.6 B(A); black-and-white normal: 5.9 B(A); color copy: 5.4 B(A); black-and-white copy: 5.7 B(A); idle: 3.3 B(A) Power

Type: External; Power Supply Required: Input voltage 90 to 264 VAC, (+/- 10%), input frequency 47/63 Hz, (+/- 3 Hz); Consumption: 70 watts maximum (35 watts average, 7.5 watts standby)

This printer and its replacement cartridges are designated for sale in North America.

Warranty

One-year limited hardware warranty backed by HP Customer Care, service and support; one-year technical phone support, plus a toll-free number.

Product Number: Q5883A

HP is a registered trademark of the Hewlett Packard Company. All other trademarks are the property of their respective owners. Microsoft is a registered trademark of Microsoft Inc. Windows is a registered trademark of Microsoft Inc. This listing of non-HP products does not constitute an endorsement by Hewlett Packard Company. ©2005 Hewlett-Packard Development Company, LP. The information contained herin is ubject to change without notice and is provides "as is" without warranty of any kind. HP shall not be liable for technical or editorial errors or omisions contained herein.

For more information visit our website at www.hp.com



HP PSC 1507 All-in-One Printer, Scanner, Copier

Ordering Information	Part Number	Ordering information	
HP PSC 1507 All-in-One Printer, Scanner, Copier	Q5883A	What's in the box?	
Replacement Ink Cartridges	 HP PSC 1507 All-in-Or HP 92 Black Inkjet Print 		
HP 92 Black Inkjet Print Cartridge, 5 ml	C9362W	Cartridge (5 ml)	
HP 93 Tri-color Inkjet Print Cartridge, 5 ml	C9361W	 HP 93 Tri-color Inkjet I Cartridge (5 ml) 	
HP 99 Photo Inkjet Print Cartridge, 13 ml	C9369W	HP Image Zone Photo	
This printer and its replacement cartridges are designated for sale in North America.		Imaging software on CD-ROM	
P Business Communication Paper & Film			
HP Bright White Paper, (8.5 x 11 in), 250 sheets	HPB1124	 User's Guide Power supply Power cord 	
HP Premium Inkjet Paper, (8.5 x 11 in), 200 sheets	51634Y		
HP Brochure and Flyer Paper, Matte, (8.5 x 11 in), 50 sheets	C6955A		
HP Brochure and Flyer Paper, Matte, (8.5 x 11 in), 50 sheets	Q5445A		
HP Brochure and Flyer Paper, Gloss, (8.5 x 11 in), 50 sheets	C6817A		
HP Brochure and Flyer Paper, Gloss, (8.5 x 11 in), 100 sheets	C7020A		
HP Tri-fold Brochure Paper, Matte, (8.5 x 11 in) ,100 sheets	Q5443A		
HP Premium Inkjet Transparency Film., (8.5 x 11 in), 20 sheets	C3828A		
HP Premium Inkjet Transparency Film., (8.5 x 11 in), 50 sheets	C3834A		
HP Photo Papers			
HP Photo Paper, Glossy, (8.5 x 11 in), 25 sheets	C1846A		
HP Everyday Photo Paper (8.5 x 11 in), 100 sheets	Q2509A		
HP Everyday Photo Paper (8.5 x 11 in), 25 sheets	Q5498A		
HP Everyday Photo Paper (4 x 6 in), 100 sheets	Q5440A		
HP Premium Photo Paper, Glossy, (8.5 x 11 in), 15 sheets	C6039A		
HP Premium Photo Paper, Glossy, (8.5 x 11 in), 50 sheets	С6979А		
HP Premium Photo Paper, Glossy, (8.5 x 11 in), 15 sheets	Q1993A		
HP Premium Photo Paper, Soft Gloss, (8.5 x 11 in), 50 sheets	Q1994A		
HP Premium Photo Paper, High Gloss borderless, (4 x 6 in), 60 sheets	Q2502A		
HP Premium Photo Paper, High Gloss (4 x 6 in), with tab, 20 sheets	Q1977A		
HP Premium Plus Photo Paper, High Gloss, (8.5 x 11 in), 15 sheets	Q1785A		
HP Creative Papers			
HP Matte Greeting Cards, white quarter-fold, 20 sheets/envelopes	C6042A		
HP Matte Photo Greeting Cards, white, half-fold, 20 sheets/envelopes	C7018A		
HP Photo Greeting Cards, white, half-fold, 10 sheets/envelopes	C6044A		
HP Textured Greeting Cards, ivory, half-fold, 20 sheets/envelopes	C6828A		
HP Textured Greeting Cards, cream, half-fold, 20 sheets/envelopes	C6829A		
HP Textured Greeting Cards, white, half-fold, 20 sheets/envelopes	C7019A		
HP Linen Greeting Cards, white, half-fold, 20 sheets/envelopes	Q1788A		
HP Linen Greeting Cards, ivory, half-fold, 20 sheets/envelopes	Q1787A		
HP Iron-on Transfers (8.5 x 11 in), 12 sheets	Q1974A		
HP Banner Paper, 100 sheets	C1820A		
HP Matte Photo and Project Paper, 50 sheets	Q5499A		
HP Postcards, Matte (4.25 x 5.5-inches), 200 count, 50 sheets	Q5513A		
Accessories			
HP USB Cable	C6518A		





Exit Print Grange Pickhidge WIVErg

Product Number: Q5883A

Hac

HP is a registered trademark of the Hewlett Packard Company. All other trademarks are the property of their respective owners. Microsoft is a registered trademark of Microsoft Inc. Windows is a registered trademark of Microsoft Inc. This listing of non-HP products does not constitute an endorsement by Hewlett Packard Company. @2005 Hewlett-Packard Development Company, DL The information contained herin is ubject to change without notice and is provides "as is" without warranty of any kind. HP shall not be liable for technical or editorial errors or omisions contained herein.

For more information visit our website at www.hp.com



Datasheet

What's in the box? • HP PSC 1507 All-in-One • HP 92 Black Inkjet Print Cartridge (5 ml) • HP 93 Tri-color Inkjet Print Cartridge (5 ml) • HP Image Zone Photo and Imaging software on CD-ROM

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com