HP Photosmart R727 Digital Camera





Take stunning 6.2 MP photos that make beautiful prints and enlargements up to poster size. This elegant, durable camera—with an internal 3x optical zoom lens—is easy to use, thin and stylish. View photos on a big, bright, 6.4 cm image display.

The HP Photosmart R727 Digital Camera is designed for confident users, people who enjoy taking photos and will appreciate a slim, stylish camera that helps them to achieve better results that can be printed out at any size from snapshot to poster.

Get stunning 6.2 MP photos with 3x optical zoom and a 6.4 cm image display.

Take impressive photos – at 6.2 MP – for beautiful $10 \times 13 \text{ cm}$ prints and enlargements up to poster size. An internal 3x optical zoom lens fits into the camera body for clear distance shots. Thin and elegant, this durable metal camera is small enough to slip into your pocket. Frame, view and edit on a big 6.4 cm image display that's bright enough to see indoors and out. Record high quality VGA video with audio – then save video stills to print directly from your camera.

Easily get photos the way you want them using HP Real Life technologies.

Add creative touches to your photos with artistic effects, borders and more – right in the camera. Automatically remove red-eye right in the camera and see the photo you want – no PC required. Automatically bring out details normally lost in the shadows with HP adaptive lighting technology. Snap up to five photos for a panorama shot you can print from the camera – without software or a PC. Get creative using manual controls and useful photo-taking tips with HP Instant Advice.

Get true-to-life HP prints you'll love to share whatever way you prefer.

Simple prints, simple sharing—easily e-mail or print photos at home using HP Photosmart Share. Edit, organise, print and share digital photos using included HP Photosmart Software. Get beautiful prints almost anywhere with an easy-to-use HP Photosmart Compact Photo Printer[k1]. Get brilliant photos, T-shirts and gifts without leaving home using Snapfish, an online service of HP[k2]. Do even more with a choice of optional accessories including docks, cases, memory cards and recharge kits.

[k1] HP Photosmart Compact Photo Printer and HP Internal Battery for HP Compact Photo Printers not included. Please purchase separately. [k2] Snapfish availability varies by region.



Technical specifications

amera system	
Resolution	Total: 6.4 MP; Effective: 6.2 MP
CCD sensor	1/2.5-inch CCD sensor, 2934 x 2171 total pixels, 2864 x 2160 effective pixels
Colour depth	36 bit
LCD display	6.35 cm (2.5 in) LCD display; 960 x 240 = 230400 dots (diagonal display size)
Optics	Focus range: Approximately 0.5 m to infinity (wide), 0.6 m to infinity (telephoto), 0.10 - 1.0 m (macro wide) Lens system: f3.5 to f7.4 (wide), f4.2 to f8.8 (telephoto), HP Precision internal optical zoom lens (3x optical, 8x digital), 6.5 to 19.5 mm focal length, approximately 39 to 118 mm (35 mm equivalent)
View finder	None
Shutter speed	16 to 1/2000 sec
art features	
Focus modes	Normal (default), macro, auto macro, infinity, multizone or spot
Metering	TTL (through-the-lens)
Exposure control	Auto (default), Center-weighted Auto Exposure (AE) Metering, Spot AE Metering, Average AE Metering
Exposure compensation	+/- 3.0 EV in 1/3 steps
Sensitivity	Auto (default), ISO 100, 200, 400
Image control functions	Off, date only, date and time
White balance	Auto (default), sun, shade, tungsten, fluorescent, manual
Picture modes	Auto (default), Action, Beach, Document, Landscape, Night Scenery, Night Portrait, Panorama left, Panorama right, Portrait, Snow, Sunset, Theatre
Colour control	Full colour (default), black & white, sepia, colour bracketing
Shooting modes	Normal (default), self timer, self timer (2 shots), burst, video
Self timer	10 seconds delay
Flash Modes	Auto (default), Flash on, Flash off
	60 sec
Sound capture	
Video capture	Yes; MPEG 1; 24 fps, VGA 640 x 480 Maximum length is limited to the size of the memory card or internal memory
formance	Maximum length is limited to the size of the memory card of internal memory
	Shalland 0.20 and shall shall and 1.15 and shall advance and 2.4 and
Speed	Shutter Lag: 0.30 sec; shot-to-shot time 1.15 sec; shot-to-storage speed: 3.4 sec
Flash working distance	3.0 m wide, 4.5 m tele
Battery life	315 shots (maximum), approximately 225 shots (average)
Included Memory	32 MB internal memory, capacity: up to 15 photos (accepts SD cards up to 2 GB capacity)
ner technical information	
Interface and connectivity	1 USB (compatible with USB 2.0 specifications), 1 HP Photosmart 5V AC adapter HP Photosmart 6220 Camera Dock with DC input connector, USB connector, HP Photosmart 6221 Premium Camera Dock with DC input connector, USB connector, spare battery recharge bay and A/V connector, HP Photosmart 6222 Wireless Dock Base
Optional memory	1 slot, SecureDigital (SD) compatible
Direct Printing	Direct photo printing to PictBridge-enabled printers (excludes video clips)
File formats	JPEG (EXIF 2.2) for still images, MPEG 1 for video clips
Operating systems compatibility	Windows® 98, 98 SE, 2000, Me, XP Home, XP Professional, XP Professional x64
Minimum system requirements	USB-compatible PC with Pentium® II (233 MHz minimum), equivalent Celeron® or compatible, 64 MB RAM (for Windows® 98, 98 SE, Me), 128 MB RAM (for Windows® 2000, XP Home, XP Professional, XP Professional x64), 200 MB (for Windows® 98, 98 SE, Me), 400 MB available hard disk space (for Windows® 2000, XP Home, XP Professional, XP Professional x64), SVGA monitor (800 x 600, 16-bit colour), Windows® 98, 98 SE, 2000, Me, XP Home, XP Professional, XP Professional x64, CD-ROM drive, Internet Explorer 5.01 with Service Pack 2 or higher, US port (compatible with USB 2.0 specifications) Mac OS X v 10.2.8, 10.3, 10.4, 128 MB RAM, 250 MB available hard disk space, built-in USB
Software included	HP Photosmart Premier software for Windows® and Macintosh
Power	1 Lithium-lon battery (rechargeable), AC adapter or HP Photosmart 5 V AC adapter via dock 1 Lithium-lon battery 1050 mA (rechargeable), Universal AC power adapter: 100 to 240 VAC (50/60 Hz) input; 5 VDC, 2000 mA output
Dimensions (w x d x h)	Out of package: 93.3 x 23.6 x 61 mm; packaged: 170 x 137 x 61 mm
Weight	Out of package: 0.14 kg (without batteries), 0.16 kg (with batteries); packaged: 0.58 kg
Warranty	One-year limited warranty backed by HP Customer Care (warranties may vary in European countries where legal
	requirements require a longer warranty period

Ordering information

L2070A HP Photosmart R727 Digital
Camera, HP Photosmart
R07 Lithium-ion
Rechargeable Battery, USB
cable, quick start guide,
user guide on CD,
warranty/regulatory
brochure, CD with HP
Photosmart Premium
software for Windows and
Macintosh, wrist strap

	Accessories
Q6213A	HP Photosmart R-series
	Camera Sleeve
L1812A	HP Photosmart R07
	Lithium-ion battery for HP
	R-Series cameras
Q6223A	HP Photosmart 5V AC
	Adapter
Q6217A	HP Photosmart Silver
	Camera Case
L1810B	HP Photosmart quick
	recharge kit for HP R-series
	cameras
Q6225A	HP Photosmart Premium
	Leather Camera Case
Q6228A	HP Soft-Style Camera Case
Q6222A	HP Photosmart 6222
	Wireless Dock Base
Q6230A	HP Metro-Style Camera
	Case
Q6233A	HP Photosmart Luxury
	Classic Case

For a complete list of supplies and accessories, please refer to the HP website at http://www.hp.com

For digital camera accessories visit us at: http://www.hp.com/eur/hpoptions

http://www.hp.com











requirements require a longer warranty period).





Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com