

HP Designjet Z6100 Printer series Halve your time.¹ Double your productivity.

Achieve amazing colour consistency with the new HP Designjet Z6100 Printer series at breakthrough speeds that make it a leader in its own class¹. Whether for indoor signages, posters, fine art reproductions, line art or maps, you'll get prints that are vibrant and rich, fade-resistant² and consistent in print quality. That's multiplied productivity while halving the time¹ and effort—the kind of advantage that is going to put your business on the forefront.

Shorten turnaround times Fastest speeds in its class¹

As the fastest printer in its class¹, you're assured of print speeds that allow you to take on more jobs. Enjoy maximum speeds of over 1000 sq ft per hour1 on plain paper (fast mode) and over 250 sq ft per hour on glossy paper (fast mode).

Innovation equals productivity

HP Double Swath Technology guarantees you double the performance in any print mode with its wider print path and higher firing frequency. Together with the revolutionary HP Optical Media Advance Sensor that helps overcome banding issues, you enjoy consistent quality even when printing at top speeds and across different environmental conditions. Moreover, high-capacity 775-ml original HP Ink Cartridges enable highquality, cost-effective printing with fewer interruptions.

Unattended overnight operations

With the HP dual mode take-up reel³ you can now leave your printer unattended-even overnight-while performing continuous production-volume printing with media support up to 575 ft (like the new HP jumbo rolls). The HP dual mode take-up reel³ smoothly collects printed output by winding face-in or face-out printing media onto a reel that allows further finishing.

Create lasting vivid impressions Excellent colour quality

HP Vivera pigment inks with HP media produce high-impact prints that are exceptionally fade-resistant, for up to 200 years² (indoor window 1+ years unlaminated, 3+ years laminated). Containing 8 HP Vivera pigment inks in total, our ink system gives you a wide colour gamut for outstanding image quality and detail. In addition, the HP Three-black ink set-matte black, photo black, and light grey-delivers a broad range of blacks and neutral greys with smooth, subtle transitions.

Enjoy crisp print resolutions of up to 2400 x 1200 optimised dpi and 1200 x 1200 input dpi with "Optimisation for Photo Paper" (black and white) option selected for HP Premium Instant-dry Gloss Photo Paper (colour).

High-speed, high-quality results

Get precise, accurate line drawings, graphics and images on banners, fine arts, backlits and over 50 original HP media with HP's innovative printhead design. In addition, its small drop sizes (6 and 4 pl) enable high-quality production-volume printing at high-speed. Together with the in-built intelligence of Original HP printing supplies making the necessary adjustments automatically to optimise print quality, you can be certain that you will achieve consistently outstanding results all the time.

Breakthrough colour accuracy and consistency with HP DreamColor technologies

Split print runs between two or more HP Designjet Z6100 printers and get consistent colours with the embedded spectrophotometer. 4

You're assured of accurate, consistent colours across HP Designjet Z6100 series printers with the embedded spectrophotometer.⁴ Utilize all your resources and confidently increase your capacity by splitting print runs between two or more printers and seeing consistent colours from them all in the end.

Get consistent colours when reprinting jobs over time regardless of fluctuating environmental conditions.

If you print a job today and then reprint the same job a week or year from now, or if you print long runs, you want to know for a fact that the different prints are going to have the same colours. You also want to be sure that the colour consistency is not affected when there are changes in temperature or humidity to your work environment. HP provides you with that peace of mind. With the spectrophotometer that is embedded within this printer, you can count on print-to-print colour accuracy and consistency.4

Easily add new media and get colour accuracy-the creation of ICC profiles is automatic and simple.

Creating ICC profiles can be a complex, manual process with printing, drying, and scanning colour patches using specialised software and expensive hardware. HP's embedded spectrophotometer⁴ and an automated workflow bring simplicity and reliability to accurate profiling and precision printer calibration.⁵

HP Color Center tool effortlessly guides you through colour

- Faster compared to large-format inkjet printers under US\$25,000 based on the fasted-rated colour speeds, as published by manufactures as of January 2007. Test methods vary. Up to twice the performance with better image quality and up to four times the performance with comparable image quality compared to the HP Designjet S500 Printer series. Under certition perfusion
- Under certain archival conditions. Display Under certain archival conditions. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab on a range of HP media. For details: www.hp/com/go/supplies/printpermanence Comes standard on HP Designjet Z6100 60-inch printers only and optional (not included, sold separately) on HP Designjet Z6100 42-inch printers

With i1 Color Technology.

- Non-Adobe PostScript printers require the HP Advanced Profiling Solution or a 3rd party RIP that supports media profiling.
- Only available on HP Designjet Z6100ps

Key technologies





*Maximum number of utilised nozzles will vary depending on print mode

HP Double Swath Technology

With HP Double Swath Technology, the HP Designjet Z6100 Printer series has twice the performance of the HP Designjet 5500 Printer series without sacrificing image quality or product robustness.

Two full-function, synchronised printheads cover twice the area of conventional single printhead systems without compromising on print-quality. The printheads are arranged in an overlapping, staggered pair formation, with the best-aligned nozzles used to ensure continuity between the two printheads. This system effectively doubles the number of nozzles firing from 1056 to 2112 per colour for the rapid finishing of professional colour prints with superb line accuracy.

HP Optical Media Advance Sensor

The first-ever HP Optical Media Advance Sensor allows you to print at top speeds and still get great output results. It's a direct media measurement system that provides accurate, real-time feedback on media advance to the printer. As an improved paper advance control, it helps overcome banding issues while allowing the printer to print at higher speeds and across a range of environmental conditions without compromising image quality. You'll be able to leave the printer unattended—even overnight—for production-volume printing.

HP DreamColor Technologies

Representing a new system of colour sciences, HP DreamColor Technologies allow you to achieve accurate, predictable and consistent colour on various media across a series of digital colour devices. This system of colour displays, printers and technologies will help you create the colour your customers want, every time, by accurately matching your colour from display to printer to press. Seamless integration between applications and devices speeds up your turnaround time and lowers production costs.

HP's embedded spectrophotometer with i1 Color Technology further revolutionises professional colour workflows by automating media profiling. It allows users to automatically generate custom CMYK ICC profiles for their preferred media and provides accurate measurements for printer calibration² that delivers print-to-print and printer-to-printer colour consistency. Also, with the optional HP Advanced Profiling Solution, you can edit and modify existing profiles and create RGB profiles.



Without HP Optical Media Advance Sensor



With HP Optical Media Advance Sensor





Brilliant, Enduring Color.

HP Vivera pigment inks

HP Vivera pigment inks offer outstanding image quality and fade resistance on a wide variety of photo and fine art media, along with water resistance on a range of HP creative and specialty media. HP's proprietary Electrosteric Encapsulation Technology optimises the pigment chemistry and ink properties for stability and performance to ensure broad colour gamut, excellent gloss uniformity, and consistent printing.



Extensive media portfolio¹

HP offers a portfolio of photo papers, digital fine art papers, proofing papers, bond and coated papers, and over 50 other HP media. All have been tested with HP 70 Vivera pigment inks to deliver consistent, museum-quality prints that withstand the demands of handling, display and storage expected of professional prints.

¹ Availability of media varies according to countries

Non-Adobe PostScript printers require the HP Advanced Profiling Solution or a 3rd party BP that supports media profiling.
 Non-Adobe PostScript printers require the HP Advanced Profiling Solution or a 3rd party BP that supports media profiling.
 Non-Adobe PostScript printers require the HP Advanced Profiling Solution or a 3rd party BP that supports media profiling.

HP Designjet Z6100 Photo Printer series

HP Designjet Z6100/Z6100ps 60-inch & 42-inch Printers

Embedded spectrophotometer with i1 Color Technology helps to ensure accurate, consistent colour

> 256 MB standard memory² to enable smooth printing even for large files

HP Optical Media Advanced Sensor, the industry's first sensor that helps to overcome banding issues even at top speeds

1 Gigabit ethernet and 1 EIO slot (standard), and high speed USB 2.0 card and HP Jetdirect LAN cards (optional), for connectivity that is convenient, flexible and expandable

HP dual mode take-up reel³ winds printed media onto a reel in 2 positions: face-in and face-out

HP Double Swath Technology creates print speeds at least 2X faster than its competitors⁴



HP DreamColor

Technologies deliver

consistent and accurate

colour matching across

various devices and media









vivero Brilliant, Endurina Colo

HP Vivera pigment inks are fade resistant for over 200 years¹

8-ink printing system with HP Vivera pigment inks delivers a wide colour gamut and true neutral greys for outstanding image quality and detail

Software tools like HP Color Center⁶, HP Printer Utility, HP **Advanced Profiling** Solution and HP **ProPrint Plug-in** help to streamline and simplify workflows



Wide-format printing

with a choice of 42-inch

Optional Accessories

HP Advanced Profiling Solution powered by GretagMacbeth[™] technology, offers a powerful and automated, yet cost effective colour management system that works seamlessly with the HP embedded spectrophotometer⁵. It enables an easy-touse yet sophisticated end-to-end calibrated and colour-managed workflow that saves you time, money and from the hassle of off-line measurement devices. Also included in the box is a monitor calibrator.

HP Designjet 42-inch Scanner allows you to

resolutions of up to 300 x 300 dpi.

HP dual mode take-up reel enables

finishing, improving productivity and

long print runs while collecting prints for

maximise your printing device with best scan



HP Designjet Z6100 60-inch/42-inch Spindle enables professional photo and graphic designers to switch between media rolls.

HP Designjet 256 MB Memory Upgrade empowers your printer to handle larger files while maximising print speed.

HP Designjet 60-inch Media Bin gives you more convenience in sorting out large print jobs.

HP Jetdirect 630n IPv6 Gigabit Print Server, HP Jetdirect 635n IPv6/IPsec Print Server, HP Designjet High Speed USB 2.0 Card for greater connectivity and accessibility.



Under certain archival conditions. Display permanence rating for interior displays/away from direct sunlight by HP Image Permanence Lab, and by Wilhelm Imaging Research, Inc. on a range of HP media. Water resistance and interior in-window display ratings by HP Image Permanence Lab on a range of HP media. For details: www.hp.com/go/supplies/printpermanence Expandable to 512 MB through a 256 MB Designjet-qualified DIMM.

Comes standard on HP Designjet Z6100 60-inch printers only and optional (not included, sold separately) on HP Designjet Z6100 42-inch printers. Faster compared to large-format inkjet printers under US\$25,000 based on the fasted-rated colour speeds, as published by manufacturers as of January 2007. Test methods vary. Up to twice the performance with better image quality and up to four times the performance with comparable image quality compared to the HP Designjet 5500 Printer series. With i1 Color Technology.

saving time.³

Only available on HP Designjet Z6100ps Printer series

Download from Www.Somanuals.com. All Manuals Search And Download.

HP Designjet Z6100 Printer series

Technical specifications

Fast Best Maximum Print resolution maximum	00.9 m²/hr (/2U sa tt/hr), 42 sec/bade on U/AT ion coated paper
Maximum	66.9 m²/hr (720 sq ft/hr), 42 sec/page on D/A1 (on coated paper) 23.4 m²/hr (252 sq ft/hr), 2.1 min/page on D/A1 (on glossy paper)
	13.7 m ² /hr (147 sq ft/hr), 3.3 min/page on D/A1 (on coated paper)
	9.1 m²/hr (98 sq ft/hr), 5 min/page on D/A1 (on glossy paper) 105.4 m²/hr (1134 sq ft/hr), 35 sec/page on D/A1 (on plain paper)
	2400 x 1200 optimised dpi
Nemory	256 MB standard memory ² , 40 GB hard disk
Media	
Handling	Roll feed
Types	Bond and coated paper (bond, bright white bond, coated, heavyweight coated, super heavyweight coated), technical paper (natural tracing, vellum), film (clear), photographic paper (gloss, semigloss, satin), proofing paper (high-gloss, semigloss, semigloss).
	matte), backlit, self-adhesive (indoor paper, polypropylene, vinyl), banner and sign (display film, polypropylene, scrim), fine art printing material (satin canvas, matte canvas, canvas paper, aquarella, watercolour, smooth, textured, litho-realistic)
Weight	Up to 430 g/m² depending on media type
bize	HP Designjet Z6100/Z6100ps 42-inch Printer: 24 to 42-inch rolls HP Designjet Z6100/Z6100ps 60-inch Printer: 24 to 60-inch rolls
Thickness	Up to 22 mil
Maximum roll length	175 m/575 ft
Printing	
Margins	5 x 5 x 5 x 5 mm/0.2 x 0.2 x 0.2 x 0.2 inches
Fechnology	HP Thermal Inkjet
nk cartridge colours	Cyan, magenta, matte black, photo black, yellow, light cyan, light grey, light magenta
nk types/drop	HP Vivera pigment inks/4 pl (light cyan, light magenta, light grey, photo black), <u>6 pl (cyan, magenta, yellow, matte black)</u>
nk cartridge size	775 ml ink cartridges; 775 ml ink cartridge multipacks also available
Nozzles	2 colours per printhead, 1056 nozzles per colour, 16,896 total nozzles
Minimum line width	0.067 mm/0.003 inches
ine accuracy Maximum print longth	$\pm/-0.1\%^3$
Maximum print length	175 m/575 ft (OS and application dependent)
Connectivity	One FIO elet Ciechit Ethornet
nterfaces (standard) nterfaces (optional)	One EIO slot, Gigabit Ethernet HP Designjet high speed USB 2.0 card, compatible HP Jetdirect LAN cards
Print languages (standard)	HP Designjet Z6100 Printer: HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4 HP Designjet Z6100p Sprinter: Adobe PostScript Level 3, Adobe PDF 1.6, HPGL/2,
Drivers (included)	HP.RTL,TIFF, JPEG, CALS G4 HP Designjet Z6100 Printer: HP.GL/2, HP.RTL Windows drivers, support for AutoCAD
	200x, support for Citrix MetaFrame environments HP Designjet Z6100ps Printer: HP.GL/2, HP.RTL Windows drivers, PS Windows drivers support for AutoCAD 200x, support for Citrix MetaFrame environments, PS driver for
Recommended system requirements	Mac OS X v 10.2.8, 10.3, 10.4
Macintosh/Windows	Mac OS X v 10.2.8, 10.3, 10.4: 1 GHz PowerPC G4, 256 MB, 512 MB available hard disk space/Microsoff® Windows® Vista™, 2000, XP Home, XP Professional: Pentium IV, 3 GHz, 1 GB RAM, 2 GB available hard disk
Dimensions (w x d x h)	HP Designjet Z6100/Z6100ps 42-inch Printer: 1970 x 700 x 1350 mm/77.5 x 27.5 x 53 inches HP Designjet Z6100/Z6100ps 60-inch Printer: 2450 x 700 x 1350 mm/97 27.5 x 53 inches
Weight	HP Designiet Z6100/Z6100ps 42-inch Printer: 119 kg/262 lb HP Designiet Z6100/Z6100ps 60-inch Printer: 151 kg/ 333 lb
	HP Designjet Z6100/Z6100ps 42-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges*, maintenance cartridge, HP Heavyweight Caated Paper sample roll (42 inch x 25 ft), stand & basket (42-inch), spindle (42-inch), maintenance kit, 3 inch spindle adaptor kit, quick reference guide, setup poster, startup DVD,
What's in the box	customer service guide, power cord; HP Designiet Z6100/Z61000ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick
	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up
Enviromental ranges Dperating temperature Recommended operating temperature Storage temperature	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F
Enviromental ranges Derating temperature Recommended operating temperature Storage temperature Dperating humidity	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F
inviromental ranges Dperating temperature Recommended operating temperature Storage temperature Dperating humidity Acoustic	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/13 to 131° F 20 to 80% RH
inviromental ranges Deparating temperature Recommended operating temperature Storage temperature Deparating humidity Acoustic Sound pressure	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u>
inviromental ranges Deperating temperature Recommended operating temperature storage temperature Deperating humidity Acoustic iound pressure iound power, active	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/13 to 131° F 20 to 80% RH
Inviromental ranges Departing temperature Recommended operating temperature Storage temperature Departing humidity Acoustic Sound pressure Sound power, active Yower consumption	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u> 6.8 B(A)
Inviromental ranges Departing temperature Recommended operating temperature Storage temperature Departing humidity Acoustic Sound pressure Sound power, active Yower consumption Maximum/Powersave/Off	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ¹ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u> 6.8 B(A) <u>350 watts/23 watts/0.4 watts</u> Input voltage: 100 to 127 VAC (+/- 10%), 4 amp; 220 to 240 VAC (+/- 10%), 2
Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure Sound power, active Power consumption Maximum/Powersave/Off Power requirements	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁴ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u> 6.8 B(A)
Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure Sound power, active Power consumption Maximum/Powersave/Off Power requirements Certification	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁺ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 th), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F 20 to 80% RH Active: 51 dB(A), standby: 38 dB(A) 6.8 B(A) 350 watts/23 watts/0.4 watts Input voltage: 100 to 127 VAC (+/- 10%), 4 amp; 220 to 240 VAC (+/- 10%), 2 amp; 50/60 Hz (+/- 3 Hz); voltage autorange USA and Canada (CSA certified), EU (IVD and EN60950-1 compliant), Russia
What's in the box Enviromental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure Sound power, active Power consumption Maximum/Powersave/Off Power requirements Certification Safety Electromagnetic	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁺ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F -25 to 55° C/-13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u> 6.8 B(A) <u>350 watts/23 watts/0.4 watts</u> Input voltage: 100 to 127 VAC (+/- 10%), 4 amp; 220 to 240 VAC (+/- 10%), 2 amp; 50/60 Hz (+/- 3 Hz); voltage autorange
Environmental ranges Deparating temperature Secommended operating temperature Storage temperature Deparating humidity Acoustic Sound pressure Sound pressure Sound power, active Power consumption Maximum/Powersave/Off Power requirements Certification Safety	customer service guide, power cord; HP Designiet Z6100/Z6100ps 60-inch Printer: Printer, printheads (4 x 2 colours), introductory ink cartridges ⁺ , maintenance cartridge HP Heavyweight Coated Paper sample roll (42 inch x 25 ft), stand (60-inch), take-up reel (60-inch), spindle (60-inch), maintenance kit, 3-inch spindle adaptor kit, quick reference guide, setup poster, startup DVD, customer service guide, power cord 5 to 40° C/41 to 104° F 15 to 35° C/59 to 95° F 25 to 55° C/13 to 131° F 20 to 80% RH <u>Active: 51 dB(A), standby: 38 dB(A)</u> 6.8 B(A) <u>350 watts/23 watts/0.4 watts</u> Input voltage: 100 to 127 VAC (+/- 10%), 4 amp; 220 to 240 VAC (+/- 10%), 2 amp; 50/60 Hz (+/- 3 Hz); voltage autorange USA and Canada (CSA certified), EU (IVD and EN60950-1 compliant), Russia (GOST), Singapore (PSB), China (CCC), Argentina (IRAM), Mexico (NYCE) Compliant with Class A requirements, including USA (FCC rules), Canada (DoC), EU (EMC Directive), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI),

¹ Mechanical printing time. Measured on a HP Designjet Z6100 60-inch printer.
 ² Expandable to 512 MB through a 256 MB Designjet-qualified DIMM.
 ³ ±0.1% of the specified vector length or ±0.1 mm (whichever greater) at 23° C (73° F), 50-60% relative humidity, on E/A0 printing material in Best or Normal mode with HP Matte Film.
 ⁴ Introductory cartridges are shipped as a start-up kit.

For more information on products, technologies and services, Download from Were Somanuals.com. All Manuals Search And Download.

Ordering in	formation	
Product		
Q6651A	HP Designjet Z6100 42-inch Printer	
Q6652A	HP Designjet Z6100 60-inch Printer	
Q6653A	HP Designjet Z6100ps 42-inch Printer HP Designjet Z6100ps 60-inch Printer	
Q6654A	HP Designjet Z6100ps 60-inch Printer	
Accessories		
Q1277A	HP Designjet 42-inch Scanner	
Q5673A	HP Designjet 256 MB Memory Upgrade	
Q5680A	HP Designjet 42-inch Scanner HP Designjet 256 MB Memory Upgrade HP Designjet High Speed USB 2.0 Card	
Q6695A	HP Advanced Profiling Solution International HP Advanced Profiling Solution Asia Pacific	
Q6701A Q6706A	HP Designiet 76100 42 inch takeup reel	
Q6707A	HP Designjet Z6100 42-inch Spindle	
Q6708A	HP Designifet Z6100 42-inch take up reel HP Designifet Z6100 42-inch take up reel HP Designifet Z6100 60-inch Spindle HP Designifet Z6100 60-inch Media Bin	
Q6714A	HP Designjet Z6100 60-inch Media Bin	
J7997G	HP Jetdirect 630n IPv6 Gigabit Print Server	
J7961G		
Printheads		
C9460A	HP 91 Matte Black and Cyan Printhead	
C9461A	HP 91 Magenta & Yellow Printhead	
C9462A C9463A	HP 91 Light Magenta & Light Cyan Printhead HP 91 Photo Black and Light Grey Printhead	
C9518A	HP 91 Maintenance Cartridge	
Single ink c		
C9464A C9465A	HP 91 Pigment 775-ml Matte Black Ink Cartridge	
C9465A	HP 91 Pigment 775-ml Photo Black Ink Cartridge HP 91 Pigment 775-ml Light Grey Ink Cartridge	
C9467A	HP 91 Pigment 775-ml Cyan Ink Cartridge	
C9468A	HP 91 Pigment 775-ml Magenta Ink Cartridge	
C9469A	HP 91 Pigment 775-ml Yellow Ink Cartridge HP 91 Pigment 775-ml Light Cyan Ink Cartridge	
C9470A	HP 91 Pigment 775-ml Light Cyan Ink Cartridge	
C9471A		
Ink cartridg	e multipacks	
C9480A	HP 91 775-ml 3-ink Matte Black Cartridges Multipack	
C9481A	HP 91 775-ml 3-ink Photo Black Cartridges Multipack	
C9482A	HP 91 775-ml 3-ink Light Grey Cartridges Multipack	
C9483A	F munpacks HP 91 775-ml 3-ink Matte Black Cartridges Multipack HP 91 775-ml 3-ink Photo Black Cartridges Multipack HP 91 775-ml 3-ink Light Grey Cartridges Multipack HP 91 775-ml 3-ink Cyan Cartridges Multipack HP 91 775-ml 3-ink Magenta Cartridges Multipack	
C9485A	HP 91 775-ml 3-ink Yellow Cartridaes Multipack	
C9486A	HP 91 775-ml 3-ink Light Cyan Cartridges Multipack	
C9487A	HP 91 775-ml 3-ink Magenta Cartridges Multipack HP 91 775-ml 3-ink Yellow Cartridges Multipack HP 91 775-ml 3-ink Ight Cyan Cartridges Multipack HP 91 775-ml 3-ink Light Magenta Cartridges Multipack	
Media supp	lies	
Q8840A	HP Professional Satin Photo Paper 11118 mm x 15.2 m/44 in x 50 ft HP Premium Instant-dry Satin Photo Paper 1067 mm x 30.5 m/42 in x 100 HP Premium Instant-dry Gloss Photo Paper 1067 mm x 30.5 m/42 in x 100 HP Universal Instant-dry Semigloss Photo Paper 1524 mm x 61 m/60 in x 200 HP Universal Instant-dry Gloss Photo Paper 1067 mm x 61 m/60 in x 200 HP Universal Instant-dry Gloss Photo Paper 1067 mm x 61 m/42 in x 200 HP Universal Instant-dry Gloss Photo Paper 1067 mm x 61 m/42 in x 200 HP Universal Instant-dry Gloss Photo Paper 1067 mm x 61 m/42 in x 200 HP Universal Instant-dry Gloss Photo Paper 1067 mm x 61 m/42 in x 100 HP Cellector Satin Canvas 1067 mm x 15.2 m/42 in x 50 ft HP Artist Matte Canvas 1067 mm x 15.2 m/42 in x 50 ft	
Q7996A		
Q7995A	HP Premium Instant-dry Gloss Photo Paper 1067 mm x 30.5 m/42 in x 100	
Q8757A	HP Universal Instant-dry Semi-gloss Photo Paper 1524 mm x 61 m/60 in x 200	
Q8756A Q8755A	HP Universal Instant-dry Gloss Photo Paper 1524 mm x 61 m/ 60 ln x 200 ft HP Universal Instant-dry Semi-gloss Photo Paper 1067 mm x 61 m/ 12 in x 200	
Q8755A Q8754A	HP Universal Instantidity Gloss Photo Paper 1067 mm x 61 m/42 in x 200	
Q8748A	HP Premium Vivid Color Backlit Film 1067 mm x 30.5 m/42 in x 100	
Q8710A		
Q8706A		
Q6628A	HP Super Heavyweight Plus Matte Paper 1067 mm x 30.5 m/42 in x 100 HP Universal Inkjet Bond Paper 914 mm x 175 m/36 in x 574 ft	
Q8751A Q8835A	HP Universal inklet bond raper 914 mm x 1/5 m/30 in x 5/4 ft HP Solf Adhesive Gloss Polypropylane 1067 mm x 22.9 m/42 in x 75	
C6775A	HP Self Adhesive Gloss Polypropylene 1067 mm x 22.9 m/42 in x 75 HP Colorfast Adhesive Vinyl 914 mm x 12.2 m/36 in x 40 ft	
Q1899B	HP Opaque Scrim 1067 mm x 15.2 m/42 in x 50 ft (not JP)	
Service and	support: Care packs	
H5504E H3615E	HP 3 year next business day onsite hardware support (42 inch model)	
H3616E	HP 5 year next business day onsite hardware support (42 inch model)	
H3616E H4607PE	HP 4 year next business day onsite hardware support (42 inch model) HP 5 year next business day onsite hardware support (42 inch model) HP 1 year post warranty, next business day onsite hardware support	
	HP installation for 1 network configuration Designjet network printer	
	(42-inch model)	
UG731E	HP 3 year next business day onsite hardware support (60 inch model) HP 4 year next business day onsite hardware support (60 inch model) HP 5 year next business day onsite hardware support (60 inch model)	
UG732E UG733E	HP 4 year next business day onsite hardware support (oU inch model)	
UG738PE	HP 1 year post warranty, next business day onsite hardware support	
	(60-inch model)	
	HP installation for 1 network configuration Designiet network printer	
	(60-inch model)	
	edia sizes and weights available at www.hp.com/go/designjet/supplies	
More f ir me		
For more in		

your nearest HP authorised deale

HP customer information centre		
China		
Hong Kong		
Singapore		
Taiwan		



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com