

# **IEN 100**

A reliable, flexible and powerful ATM solution.



### **Product Data**

The IEN 100 chassis is a communications device used to connect an automated teller machine (ATM) to a host. The IEN 100 connects to an ATM through the RS-232 serial port. A normal 2-wire telephone cable connects to the RJ-11 LINE port of the IEN 100 chassis for ATM transactions. The RJ-11 port also provides access to the internal V.22bis modem.

# **Key Features**

- Connects ATMs, Point-of-Service (POS) devices, PCs or store controllers to existing hosts utilizing standard dial access services
- Converts existing leased-line ATMs into dial-up access ATMs
- Operates many ATMs which support SDLC or BSC in a dial environment
- Spoofs normal ATM communication to provide cheaper bandwidth than leased lines
- Remains online to pass multiple transactions until timeout drops connection

Whether you're looking for a reliable payment terminal, innovative, value-add technology, or a complete electronic transaction management system, Hypercom can deliver. Our product portfolio ranges from basic credit authorization to full transaction transport and more. Hypercom is more than a one-stop shop for payment terminals, it's a provider of complete, end-to-end transaction solutions that expand the possibilities at the POS in ways that translate to greater profits.



# **IEN 100**

# A reliable, flexible and powerful ATM solution.

# **Technical Specifications:**

#### **Communications**

- High-speed serial: RJ-11 or V.22bis (1.2/2.4kbps)
- Low-speed serial: RS-232 (up to 19.2kbps)

AC: 110-220 V, .8 A, 50/60 Hz

#### **Footprint**

6.0 in x 6.7 in x 1.6 in/15.2 cm x 17.1 cm x 4.0 cm

#### Weight

1.5 lbs/0.7 ka

#### **Environment**

- Temperature: 0-40°C/32-104°F
- Humidity: 25 to 95%, non-condensing Heat dissipation: 34 BTU/hr

#### Certifications

FCC Part 15, UL (USA and Canada), CB, ICES

# Reliability Built In

- · Part of the long-lasting, world renown family of IEN products
- Built on a framework that relies on standards and industry standards.

## Flexible - - Development and Growth

- · Allows users to start small and expand their framework as new requirements develop
- · Provides freedom to implement more cost-effective services, to continuously integrate newer applications and to tailor a complete network solution that extends existing investments.

## Powerful Network Management

- · HypercomView, Hypercom's network management system, delivers all of the tools needed to keep POS network running smoothly
- Client/server architecture provides comprehensive activity and performance statistics, alerts and alarms, and remote downloads and upgrades
- Sets new standards in GUI-based management for detail, simplicity and speed.

© 2006 Hypercom Corporation, all rights reserved. Hypercom is a registered trademark of Hypercom Corporation. The Hypercom logo is a trademark of Hypercom Corporation. All other products or services mentioned in this document are trademarks, service marks, registered trademarks or registered service marks of their respective owners. Product Specifications subject to change without notice.

Hypercom Corporation | 2851 W. Kathleen Road, Phoenix, Arizona 85053, USA Tel: +1.602.504.5000 | Fax: +1.602.504.4655 | Web: www.hypercom.com

Download from W

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com