

Philips
Fiber optic audio cable

1,5 m

SWA2043NB



Ensure a reliable connection

with this fibre optic audio cable

Depend on this cable to take your components to optimum performance. It offers the best connection for transferring audio signals between components.

Enjoy good audio quality

- High quality fiber optics

Easy installation

- Non-slip ergonomic grip for easy use
- Plug and play for easy use
- Audio adapters included

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS
sense and simplicity

Fiber optic audio cable
1,5 m

Specifications

Packaging Data

- EAN/UPC/GTIN: 0026616023707
- Gross weight: 0.043 kg
- Net weight: 0.043 kg
- Length: 222 mm
- Width: 95 mm
- Height: 25 mm

Inner Carton

- EAN/UPC/GTIN: 10026616023704
- Quantity: 6
- Gross weight: 2.58 kg
- Tare weight: .6 kg
- Net weight: 1.98 kg
- Length: 290 mm
- Width: 110 mm
- Height: 100 mm

Outer Carton

- EAN/UPC/GTIN: 20026616023701
- Quantity: 12
- Gross weight: 7.4 kg
- Tare weight: 4.64 kg
- Net weight: 2.76 kg
- Length: 310 mm
- Width: 235 mm
- Height: 125 mm

Dimensions

- Gross weight: .43 kg
- Tare weight: .10 kg
- Net weight: .33 kg
- Product length: 22.5 cm
- Product dimensions (W x H): 95 x 25 mm

SWA2043NB/97

Product highlights

Fiber Optics

Strands of optically pure glass as thin as a human hair carry digital information to your components for uncompromised sound.

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Audio Adapters Included

Audio adapter included for versatile application of product.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

Lead-free construction

Lead-free construction of environmentally friendly materials.



Issue date 2008-10-30

Version: 1.1.3

12 NC: 9082 100 06756
EAN: 00 26616 02370 7

© 2008 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>