



# Owner's Manual



[www.pyleaudio.com](http://www.pyleaudio.com)

# PPG850A Guitar Amplifier



- 1) **High Input Jack:** Connect high level devices to this jack.
- 2) **Low Input Jack:** Connect low level devices to this jack.
- 3) **Gain:** This sets the volume gain level for Channel 1.
- 4) **Bass:** This control adjusts the low frequency level.
- 5) **Treble:** This control adjusts the high frequency level.
- 6) **Reverb:** Switches on/off the reverb effect for Channel 1.
- 7) **Channel 2 Controls:** Same as for Channel 1.
- 8) **Reverb level:** Adjusts overall reverb level for both channels.
- 9) **Distortion:** Adjusts overall distortion effect. Turn to off for no effect.
- 10) **Power LED:** Illuminates when power is switched on.
- 11) **Master:** Adjusts overall volume.



- 1) **Power Switch:** Switches amplifier on/off.
- 2) **Power Cord:** Connect the included power cord here. Plug into a grounded power outlet only!
- 3) **Phones:** This is your headphone connection. Inserting the headphones disables the internal speaker (great for practicing).
- 4) **Line Out:** Lets you output a line level signal (non-amplified). Internal speaker is not disabled.
- 5) **Return:** Use this jack to bring back processed signal (see 6).
- 6) **Send:** This jack lets you insert an effects processor into the signal path.
- 7) **Reverb Remote:** Connect a footswitch (not included) to remotely switch on/off the internal reverb effect.

# Troubleshooting

## Distorted Sound:

- ✓ Check if the amplifier is overdriven. If it is, you will have to turn the level down.
- ✓ Check signal source.
- ✓ Check distortion effect control. Turn to off for no effect.

## No Sound:

- ✓ Check connections.
- ✓ Try a different cable.
- ✓ Check levels on amplifier.
- ✓ Confirm amplifier is getting a signal.
- ✓ Make sure nothing is plugged into the Phones jack.

## Signal sounds "discolored":

- ✓ Check and adjust the EQ settings.
- ✓ Ensure you are using quality cables.
- ✓ Check signal source.

## Intermittent Output:

- ✓ Check connections.
- ✓ Try a different cable.

# Specifications

Model	Driver	RMS	Peak	Dimensions	Weight
PPG850	12" High Definition Speaker	50W	300W	W = 17" D = 11.5" H = 19.25"	37 lb.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>