

2-outlet Flat-panel Surge Protector with Noise Filtering

RF-HTS100



Congratulations on your purchase of this Rocketfish Surge Protector with coaxial cable protection and noise filtering.

Your surge protector:

- Provides surge protection for sensitive electronic devices
- Provides surge protection for a coaxial cable connection
- Incorporates noise filtering to provide “clean” power that will maximize the performance of your equipment

Features



- **Compact design**—Fits conveniently behind a wall-mounted flat-panel TV.
- **43 dB EMI/RFI noise filtering**—Ensures that your devices receives only clean power for maximum product performance.
- **1,200 joules surge protection**—Protects your devices from damaging power surges and spikes.
- **Coaxial cable surge protection**—Protects your incoming coaxial cable line from surges and spikes.
- **LED indicator**—Keeps you informed of the surge protection and grounding status.
 - *Protected/Grounded*—Lights when the surge protection feature is working correctly and correct wiring is detected. If this LED does not light when initially plugged in, your surge protector has detected incorrect wiring. We recommend that you contact a certified, licensed electrician to inspect your wiring. If this light goes out, the surge protection feature has reached full capacity and can no longer absorb additional surges and spikes. We recommend replacing your surge protector.

Operating instructions

- 1 Plug your surge protector into a standard 120V AC outlet.
Note: Use the lower outlet if you want to use the upper outlet for another power cord.
- 2 Plug one or two devices into your surge protector.
- 3 Connect the incoming coaxial cable source (i.e., the cable jack on the wall or incoming satellite line) to the coaxial jack marked **IN** on the surge protector.
- 4 Connect another coaxial cable to the cable **OUT** jack on your surge protector and to the **CABLE IN** jack on the TV (when not using a cable or satellite box) or to the **CABLE IN** jack on the cable or satellite box.

Specifications

- Load rating: 15 amps
- Line voltage: 125V AC @ 60 Hz
- Surge protection: 3 lines (L-N / L-G / N-G)
- Maximum surge current: 60,000 amps
- Maximum energy dissipation: 1,200 joules
- Clamping voltage: L-N / L-G / N-G = 400 volts
- EMI/RFI noise filtering: Up to 43 dB
- UL-1449 certified

Safety precautions

- RISK OF ELECTRIC SHOCK - Use only in dry locations and only indoors.
- DO NOT plug into another relocatable power tap.
- DO NOT "daisy chain" surge protectors.
- DO NOT use with any aquarium equipment.
- DO NOT use if correctly grounded outlets are not available.
- DO NOT install this device if there is not at least 30 feet (10 meters) or more of wire between the electrical outlet and electrical service panel.
- This device features an internal protection that will disconnect the surge protective component at the end of its useful life but will maintain power to the load – now unprotected. If this situation is undesirable for the application, follow the manufacturer's instructions for replacing the device.

Connected equipment limited lifetime warranty: up to \$50,000 equipment coverage

One-year limited product warranty

See included warranty sheet, visit www.rocketfishproducts.com or call 800-620-2790 for additional connected equipment and product warranty information or for customer service.



© 2011 BBY Solutions, Inc., All Rights Reserved.
Distributed by Best Buy Purchasing, LLC
7601 Penn Avenue South, Richfield, MN USA 55423-3645
ROCKETFISH is a trademark of BBY Solutions, Inc. All other products and brand names are trademarks of their respective owners.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>