# SBG900 Wireless Cable Modem Gateway

with Integrated SURFboard® Technology



Using the latest DOCSIS 2.0 Advanced Time Division Multiple Access (A-TDMA) and Synchronous Code Division Multiple Access (S-CDMA) technology, Motorola's Wireless Cable Modem Gateway, the SBG900, combines an industry-leading SURFboard® cable modem, an IEEE 802.11g wireless access point, and an advanced firewall into one, compact product. It's the perfect networking solution for the home, home office, or small business — users can create a custom network to share a single broadband connection, files, networked printers and peripherals, with or without wires. Cost-effective and efficient, the SBG900 eliminates the need for three separate products and allows users to maximize the potential of their existing resources. The SBG900 also offers enhanced network security for both wired and wireless users.

The SBG900 delivers state-of-the-art wireless networking technology in a cost-effective, conveniently-sized package.



- Integrated, DOCSIS 2.0-based, SURFboard cable modem
- Router with single 10/100Base-T fast Ethernet port
  - Auto-MDIX cross over cable detection
- IEEE 802.11g wireless access point
- Advanced firewall
  - Stateful Packet Inspection (SPI)
  - Intrusion Detection
  - Denial of Service (DoS) Attack Prevention
- Network up to 253 PCs (Full Class "C" Network)
- VPN pass-through (IPSec, PPTP, L2TP)
- Optional Accessories
  - Motorola WN825G wireless PC Card for laptops
  - Motorola WE800G wireless Ethernet bridge
  - Motorola WPCI810G wireless PCI adapter for desktops
- Companion Products
  - BR700 4-port Ethernet router




The integrated Motorola SURFboard cable modem incorporates the latest DOCSIS 2.0 A-TDMA and S-CDMA technologies to provide up to three times greater upstream capacity than DOCSIS 1.0/1.1 systems. Packed with power, the cable modem is interoperable and backward compatible with DOCSIS 1.0 and 1.1 for a fast and timely transition - operators can deploy today without a service interruption. The Motorola SUFRFboard is flexible and allows operators to maximize their current infrastructure investments and also offer additional cost-effective services, all at the same time.

The Motorola SBG900 merges the advantages of the SURFboard cable modem with the mobility of a wireless LAN (WLAN). It includes an integrated IEEE 802.11g access point that allows users (with optional accessories) to roam around the home or small business and remain connected to the network. Now subscribers can place computers and peripherals where they're convenient, not just where there's an available connection.

The SBG900 offers an array of competitive advantages by providing superior transmission power with high-gain antennas. The SBG900's adjustable output power can be configured, allowing just the right amount of signal to fill the required area without bleed-over to other homes or businesses.

Finally, Motorola's SBG900 is secure. It includes an advanced firewall that protects the network from hackers and other outside interference while allowing desired data to pass through with ease. The firewall eliminates the need for the stand-by switch found on previous Motorola SURFboard cable modems through built-in Denial of Service attack prevention, Stateful Packet Inspection, and Intrusion Detection. The firewall also allows VPN tunnel protocols to pass through, hiding the network from the outside world.



AN SBG900 provides high-speed Internet access, networking, and security for a home or small office LAN.



The Wireless Cable Modem Gateway delivers:

- the speed of a DOCSIS 2.0 cable modem
- the mobility of a wireless LAN and the simplicity of "No New Wires" technology
- the security of a firewall

It offers the effeciency of shared resources and provides the network that consumers want.

# 3 functions

#### **SYSTEM ACCESSORIES**



#### Motorola WE800G 802.11g Wireless Ethernet Bridge

Connects laptops, desktop computers, and game consoles to the network.



## Motorola WPCI810G 802.11g Wireless PCI Adapter

Connects desktop PCs to the wireless network.



#### Motorola BR700 802.11g Ethernet Broadband Router

- 4-port Full Duplex 10/100 Base-T Ethernet Switch and Router
- Internet Sharing
- Printer Sharing



## Motorola WN825G 802.11g Wireless Notebook Adapter

Connects laptops to the wireless network so users can roam in, or around, the home and small office and remain connected.

#### **SPECIFICATIONS**

Wireless

Standards Compliance IEEE 802.11g

802.11b DSSS 802.11g OFDM

RF Frequency Range

North America 11 channels with center frequencies from

2.412 to 2.462 GHz.

Japan Up to 14 channels with center frequencies from

2.412 to 2.4835 GHz.

Data Rate and Modulation Types 1 Mbit/s DBPSK

2 Mbit/s DOPSK 5.5 Mbit/s CCK 6 Mbit/s OFDM 9 Mbit/s OFDM 11 Mbit/s CCK 12 Mbit/s OFDM 18 Mbit/s OFDM

24 Mbit/s OFDM

48 Mbit/s OFDM 54 Mbit/s OFDM

Number of channels  $\begin{aligned} & & \text{Europe} = 13 \\ & & & \text{Spain} = 2 \end{aligned}$ 

France = 4 US = 11 Japan = 14+17 dBm (EIRP)

Transmit Power +17 dBm (EIRP)

Receive Sensitivity -65 dBm at 54 Mbps

Router

Ethernet Standards Compliance IEEE 802.3, IEEE 802.3u

Protocols Supported RIPv2
Number of Uplink Ports 1

Electrical

Input Voltage Range 100 – 240 VAC, 50 – 60 Hz

Power Consumption +9 Watts

**Environmental** 

Operating Temp  $0^{\circ} \text{ C} - 40^{\circ} \text{ C}$ , -150 to 10000 ft

Storage Temp -30° C to 80° C

Humidity 5 to 95% (non-condensing)

Mechanical Antenna 1 external, non-removeable antenna

1 internal antenna

LED Indicators Power, Receive, Send, Online, PC Activity, Wireless

Interfaces (1) DC Power, (1) F-Type, (1) RJ-45, (1) USB

General

Cable Interface F-Connector, female, 75  $\Omega$ 

CPE Network

Interface USB, Ethernet 10/100Base-T (auto sensing)
Data Protocol TCP/IP

Dimensions 6.69" H x 1.77" W x 5.9" L (without antenna)

8.66" H x 1.77" W x 5.9" L (with antenna)

Weight 15 ounces (Unit Only)

**Downstream** 

Modulation 64 or 256 QAM
Maximum Data Rate\* 38 Mbps
Bandwidth 6 MHz

**Upstream** 

Modulation 8\*\*\*, 16, 32\*\*\*, 64\*\*\*, 128\*\*\* QAM or QPSK

Maximum Data Rate\*\* 30 Mbps

Bandwidth 200 kHz, 400 kHz, 800 kHz, 1.6 MHz, 3.2 MHz,

6.4\*\*\* MHz

Symbol Rates 160, 320, 640, 1280 and 2560 and 5120\*\*\* ksym/s

Operating Level Range

A-TDMA: +8 to +54 dBmV (32 QAM, 64 QAM)

+8 to +55 dBmV (8 QAM, 16 QAM)

+8 to +58 dBmV (QPSK)

S-CDMA: +8 to +53 dBmV (all modulations)

Output Impedance 75  $\Omega$  (nominal)

Frequency Range 5 to 42 MHz (edge to edge)

\*\*\*With A-TDMA or S-CDMA enabled CMTS.

Specifications are subject to change without notice.

MGBI



Motorola, Inc.
Broadband Communications Sector
101 Tournament Drive
Horsham, PA 19044
1,800,523,6678

<sup>\*&</sup>lt;None>Actual speeds will vary, and are often less than the maximum possible. Upload and download speeds are affected by several factors including, but not limited to: network traffic and services offered by your cable operator or broadband service provider, computer equipment, type of server, number of connections to server, and availability of Internet router(s).

<sup>(1)</sup> Check with your local cable operator to determine the number of connections allowed and associated service charges

<sup>\*\*</sup>Actual speeds will vary. Speeds of 30 Mbps are only attainable with A-TDMA or S-CDMA technology.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com