

IP Office 5420/2420 Phone User Guide

Table of Contents

The Telephone	4
Overview	4
Call Appearance Keys	
Call Appearance Keys Icons	
System Features	7
Basic Call Handling Features	8
Answer a Call	
Make a Call	
Clearing a Call	
Headset Working	
Speakerphone	
Speed Dial	
Redial	
Mute	
Hold	
Transfer	
Conference	
Message	IJ
Using Speed Dials	
Overview of Speed Dials	
Dialing a Speed Dial Number	
Deleting a Speed Dial	
Editing a Speed Dial	15
Converting a Call Log Entry to a Speed Dial	
Adding a New Speed Dial	16
Using the Call Log	17
Overview of the Call Log	17
Using The Call Log	
Viewing the Call Log	
Making Calls from the Call Log	
Saving a Call Log Entry to Your Speed Dial List	
Deleting a Call Log Entry	
Erasing All Logged Calls	
Setting Which Calls are Logged	19
Changing Options	20
Changing Ringer Options	
Adjusting the Display Contrast	
Call Log Setup	
Miscellaneous	
Using Self Test	
Selecting the Display Mode	
Default Phone/Erase All Settings Language	
Automatic Gain Control (AGC)	22 23
,	
System Features	
System Features	
Making Calls	
Answering Calls	
Call Forwarding	
Diverting Calls	
Do Not DisturbVoicemail	
Default Feature Codes	21

EU24 Expansion Module	28
EU24 Overview	
Connection	
Using the EU24 Expansion Module	30
Viewing the Alternate Display	
Selecting a Call Appearance/Feature Button	
Understanding Call Appearance/Feature Button Status Icons	
Index	31

The Telephone

Overview


This guide covers the use of the Avaya 5420 and 2420 phones on Avaya IP Office. Both phones are similar, however the 5420 is only supported on the IP Office whereas the 2420 is supported on a range of Avaya phone systems.



- 1. **Display, Call Appearance and Feature buttons:** Call Appearance Keys allow the user to handle multiple calls and the display shows call information. Details on system features (allocated by your System Administrator) can also be displayed.
- 2. **Message lamp:** Lit when the user has voicemail messages. Can also be set to flash when the phone is ringing.
- 3. Previous/Next Page: Move through the different pages of the call handling, speed dials and call log screens. Also used to move the cursor during data entry.
- 4. Messages: Access the user's mailbox.
- 5. Call Handling Buttons:
 - **Hold:** Place call on hold.
 - **(+)** Transfer: Transfer call.
 - **((Conference:** Conference held calls.
 - C+ Drop: Drop call.
 - **Redial:** Redial last number dialed.
- 6. **Dial pad:** Standard 12-button pad for dialing telephone numbers.
- 7. Volume Controls: Adjust the speaker, handset, headset, or ringer volume depending on which is currently in use.
- 8. **Mute:** Turns the microphone on/off. When in use, the associated light is on and the caller cannot hear you.
- 9. Headset: Switches from handset to headset. The light associated with this button turns on when the headset is active.
- 10. **Speaker:** Access the speakerphone. The light associated with this button turns on when the speakerphone is active.
- 11. → **Exit:** Returns you to the main call handling screen.
- 12. **Softkeys:** Used to navigate to or initiate certain features, such as Speed Dial or Call Log, as well as control certain actions within the features. These keys correspond to the text prompts in the display screen immediately above them.

Call Appearance Keys

Normally, the first page of the main call handling screen contains three keys set as 'call appearance' keys. These are allocated to you by your System Administrator and are indicated as **a=**, **b=** and **c=**.



Your System Administrator can change a call appearance key with:

A Bridged Appearance

A bridged appearance key matches the status and operation of the Call Appearance Key on a pre-defined colleague's telephone. Hence, you can pick-up, make and receive calls on behalf of your colleague.

A Line Appearance

An IP Office exchange line (but not IP lines) can be allocated to you such that the status of that line is displayed and you can use the line appearance key to make and receive calls.

Call Coverage Appearance

A call coverage appearance key alerts you when a pre-defined colleague is receiving a call. The covered user does not need to be using call appearance keys. Hence, you can pick-up calls on behalf of your colleague.

All of the above can only be allocated to you by your System Administrator.

For details of Bridged, Line and Call Coverage Appearance Keys set-up and their operation, refer the IP Office Key and Lamp Operation manual.

CAUTIONS:

- 1. Having more than two Call Appearance keys is very useful. When holding a call you can answer/make another call and then switch between calls or transfer or conference. If you are set to receive call waiting indication, the waiting call is shown against the next call appearance key.
- 2. Although the System Administrator can replace the Call Appearance Keys with:
 - A Bridged Appearance
 - A Line Appearance
 - Call Coverage Appearance
 - System Features

This would severely restrict the use of features such as conference and transfer.

It is for these reasons that it is **strongly recommended** that all Call Appearance keys **remain at their default settings**.

Call Appearance Keys Icons

The icons displayed against the Call Appearance/Feature Keys allow you to determine the status (for example, on **Hold**) of each call. Icons also indicate whether a feature has been activated for a particular button.

• Incoming Call: 1

A symbol next to a call appearance key indicates an incoming call. Pressing the adjacent key answers the call and puts any other current call on hold.

Connected: 1

A symbol next to a call appearance key indicates that it is the currently connected call. The caller's telephone number (if available) is also shown. Pressing the adjacent > key puts the call on hold. An H is also shown on the display.

On Hold: ✓

A \subseteq symbol next to a call appearance key indicates a call on hold. Pressing the adjacent \subseteq \subseteq \text{key takes the call off hold and puts any other current call on hold.

• Function Active: -

The button to the left or right of the function key is active.

System Features

System Features can only be set against soft Function Keys by your System Administrator. However, your System Administrator may allocate you two 'self administrator' features that will enable you to add System Features to your soft Function Keys.

In addition, there are a number of System Features that **you can always access yourself** by the use of short codes. Refer to System Features Introduction for details of System Features that you can always access yourself by dialing short codes, for example *17 to listen to your voicemail messages.

Basic Call Handling Features

Answer a Call

When a call arrives at your phone, you hear a ringing tone and a blinking bell icon appears on the associated call appearance.

To answer an incoming call

Do one of the following:

- If you are not active on another call, answer the call using your handset, headset, or speakerphone (see Speakerphone).
- If you are active on a call already, place the active call on hold (Hold), and then answer the incoming call.
- If the call appearance for the ringing call is not displayed on the current screen page, use **► Exit** to return to the first page of the Home screen. When you locate the call appearance for the ringing call, press the corresponding call appearance button.

Make a Call

You can make calls from the phone using a variety of methods as follows:

To manually make a call:

- 1. Dial the required number on the key pad (remember to include the required access code (for example, 9) for an outside line) and listen to the progress of the call.
- 2. Adjust speakerphone volume as necessary.
 - To change the volume use the ▼and ▲buttons. The display shows the volume level.
 (There are eight volume levels.)
- 3. If the call is not answered, you can clear the call by pressing **Ispeaker** or **Ispe**

or

4. When the call is answered, either speak or pick up the handset and speak to the called party.

To automatically make a call:

Do any of the following:

Press Redial and a call appearance key to have the phone dial the last number that you dialed. See Redial.

or

Access the Call Log and initiate a call to a specific entry. See Making Calls from the Call Log.

or

- Access the Speed Dial List in your personal directory and initiate a call to a specific entry. See Dialing a Speed Dial Number.
- When the call is answered, either speak or pick up the handset and speak to the called party.

Clearing a Call

To clear an established call either:

1. Replace the handset

or

2. Press • Drop. You will hear dial tone, unless you are in 'call center mode' of working when you will then hear silence.

Headset Working

When a headset is to be used, it must be plugged in to the headset socket on the base of the phone. To activate the headset and switch off the handset, press A Headset. The lamp beside the button is illuminated when headset working is activated.

To answer an incoming call:

1. Press the call appearance key next to the flashing bell icon (1):

To clear a headset call:

1. Press C+ Drop.

To manually make a call:

1. Dial the number (remember to include the required access code (for example, 9) for an outside line) and listen to the progress of the call.

To automatically make a call:

Do any of the following:

Press Redial and a call appearance key to have the phone dial the last number that you dialed. See Redial

or

Access the Call Log and initiate a call to a specific entry. See Making Calls from the Call Log.

or

- Access the Speed Dial List in your personal directory and initiate a call to a specific entry. See Dialing a Speed Dial Number.
- When the call is answered, speak to the called party.

Speakerphone

The two-way built-in speakerphone allows you to make and answer calls without lifting your handset. Keep in mind that two-way speakerphones may not operate satisfactorily in every environment (such as in very noisy locations).

To make or answer a call without lifting the handset, or to use the speakerphone with any feature

- 1. Press **4** Speaker. The LED beside the button illuminates.
- 2. Make or answer the call, or access the selected feature.
- 3. Adjust the speakerphone volume if necessary. To change the volume use the ▲ and ▼ buttons. The display shows the volume level. (There are eight volume levels).

To change from the speakerphone to the handset (or headset if fitted)

Pick up the handset (or press AHeadset) and talk.

To change from the handset to the speakerphone

- 1. Press **Speaker**.
- 2. Hang up the handset.

To end a speakerphone call

1. Press **Speaker** again.

Speed Dial

The Speed Dial feature allows you to have the phone automatically dial calls to telephone numbers stored in your personal directory (maximum of 104). See Dialing a Speed Dial Number.

To make a call to a personal directory entry using the Speed Dial feature

- 1. From the Home screen, press the SpDial softkey. The Speed Dial screen is displayed.
- 2. Press the button next to the entry you want to call.
- 3. If the entry you want is not displayed, use ◀ and ► to cycle through the entries **or** key the first letter of the required name to jump to the page with a matching entry.
- 4. The phone dials the number for you.

Redial

The Redial feature automatically redials a previously dialed extension or outside number (up to 24 digits). Your phone stores the last ten numbers dialed.

Note: If you have dialed the same number twice in succession, it will only have one appearance in the redial list.

To redial previously dialed number:

1. Press **■ Redial**. Use **and to** step through the entries. When you have located the required number, press the associated key.

Mute

During an active call, the Mute feature prevents the party with whom you are speaking from hearing you. This feature is most commonly used in conjunction with the Speakerphone, but can be used to hold an off-line conversation at any time during a call.

Preventing the other person on the line from hearing you:

- 1. Press **% Mute**. The other party cannot hear you. The indicator next to the Mute button lights when Mute is active.
- 2. To reinstate two-way conversation, press **% Mute** again.

Hold

If, with a call in progress, a second call arrives and is shown against a Call Appearance key, you can then Hold the first call and answer the second call.

To put an existing call on hold:

- 1. Press Hold or the Call Appearance button with the symbol against it. The symbol changes to showing that the line is on hold.
- 2. Answer the second call by pressing the Call Appearance button with the **a**symbol against it. The symbol changes to **3**; showing that the line is connected.

To return to the held call:

- 1. If you have a call in progress, then first put that call on hold as above.
- 2. To retrieve a held call, simply press the Call Appearance button with the **\sume against** it.

Note: After a pre-set time (defined by your System Administrator), you are reminded that you have a call on hold by the

→ hold icon changing for a few moments to
→ and the phone ringing.

Transfer

The Transfer feature allows you to transfer a call from your telephone to another extension or outside number.

To transfer the current call to another extension:

- With a call in progress, press (→(Transfer or = Hold.)
- 2. When you hear dial tone, dial the number to which the call is to be transferred.
- 3. Do one of the following:
 - To transfer the call without announcing it, either hang up or press 【→【Transfer again. The
 transfer is complete. If the transferred call is not answered within a preset time, it is
 returned to you.
 - To announce the call before transferring it, wait for the called party to answer.
 - If the called party is willing to accept the call, press **(+)(Transfer** again to complete the transfer.
 - If the called party does not wish to accept the call, press **! Drop**. You can return to the held call by pressing its call appearance button.
 - If the line is busy or if there is no answer, press **!+ Drop**. You can return to the held call by pressing its call appearance button.

To transfer a new call to a held call using Conference:

- With a call in progress and you wish to make an enquiry call or another call arrives, press Hold. Make or answer the second call. The second call requires to be transferred to the first held call.
- 2. To transfer the new call to the held call, press **((Conference** and then **(+ Drop**). The transfer is complete.

Conference

The Conference feature allows you to conference other parties (including yourself) into a call.

Notes:

- 1. The number of parties allowed in a conference is controlled by your telephone system.
- 2. Two Call Appearance keys are required for the conference feature.

To add another party to a call:

- 1. Press **(((Conference**
- 2. Dial the number of the person you want to add to the call.
- 3. Wait for an answer. If the called party does not answer or does not want to join the conference, press **[+Drop**.
- 4. To add the person to the call, press **((Conference** again. You can return to the held call by pressing its call appearance button.
- 5. Repeat steps 1 through 4 for additional conference connections.

To add a held call(s) to an active call:

- 1. Press **CConference**.
- 2. All held calls are added to the conference.

To leave a conference call:

1. To leave a conference, press **[+Drop**.

Message


Your Message lamp turns on when a caller has left a message for you.

Press the Message button to retrieve your messages, and follow the prompts.

Using Speed Dials


Overview of Speed Dials

The phone can store up to 104 personal speed dials. The list of these speed dials is accessed by pressing \bigcirc SpDial. If \bigcirc SpDial is not shown, press \rightarrow Exit top exit the current screen.



- The speed dial list is sorted alphabetically.
- Press the appropriate letter key to move direct to the first page with a matching name.
- Press the pressure or pressur
- Use the key options to perform other actions.

Pressing Add or Edit gives access to the details of a particular speed dial.



Note: Speed dials can be used for any numbers that can be manually dialed from the extension. Where a dialing prefix is required (for example an external line access digit; usually 9) then that prefix must be part of the speed dial number.

Dialing a Speed Dial Number

You can use the speed dial directory to make a call with the handset on hook or off hook.

- 1. Press SpDial. If SpDial is not shown, press → □ Exit to exit the current screen.
- 2. Press ◀ and ► to display different pages of speed dials **or** key the first letter of the required name to jump to the page with a matching entry.
- 3. When the required entry is displayed, press the adjacent or key.

Deleting a Speed Dial

- 1. Press SpDial. If SpDial is not shown, press → □ to exit the current screen.
- 2. Press Delete.
- 3. Select the speed dial entry you want to delete. Press ◀ and ► to display different pages of speed dials **or** key the first letter of the required name to jump to the page with a matching entry.
- 4. When the required entry is displayed, press the adjacent or key. A request for confirmation will appear.
- 5. Press Yes to delete the entry or Cancel to exit without deleting.
- 6. Select another entry to delete or press **Done** to return to the speed dial list.

Editing a Speed Dial

- 1. Press SpDial. If SpDial is not shown, press → □ to exit the current screen.
- 2. Press Edit.
- 3. Select the speed dial entry you want to edit. Press ◀ and ► to display different pages of speed dials **or** key the first letter of the required name to jump to the page with a matching entry.
- 4. When the required entry is displayed, press the adjacent or key.
- 5. Edit the speed dial using the same methods as for adding a new speed dial. See Adding a New Speed Dial.
- 6. After saving or canceling any changes you will be returned to the speed dial selection list. Select another speed dial to edit or press **Done** to return to the speed dial list.


Converting a Call Log Entry to a Speed Dial

You can create a new speed dial from a call log entry. See Saving a Call Log Entry to Your Speed Dial List.

This process will start the normal speed entry screen but pre-filled with the name and number from the call log entry.

Adding a New Speed Dial

1. Press SpDial. If SpDial is not shown, press to exit the current screen. Press Add. If a message stating that the speed dial list is full appears, you must first delete an existing entry before adding any new entry. See Deleting a Speed Dial.



- You can switch between Name and Number entry by pressing the key next to the item you want to edit. The options also change accordingly.
- 2. With **Name** selected, begin entering text using the telephone keypad. Each key is marked with the letters and number it provides. You may have to press the key more than once depending on the character you require.
 - For example, the key 2 is also marked as A, B and C. To enter a C, press 2 until a C is displayed.
 - If the next character you want to enter is on the same key, press to move the cursor right and then enter the character.
 - By default the first letter is entered in upper-case and the phone then switches to lower-case entry mode. To change the case of the current character press **Case**.
 - To enter a space press
 Space.
 - If you make a mistake, use **Backspace** to delete the character to the left of the cursor.
 - If you have made a mistake in the middle of a character string and do not wish to backspace and re-enter all the characters, use the ◄ key to step back to one character before the point where you wish to edit. Either insert the new character or press Backspace to delete the character to the left of the cursor.
 - Pressing the * key once enters a . (period) or twice a *. To enter more than one * or period, press > to move the cursor to the right and then enter the character.
 - Pressing the # key once enters a (dash) or twice enters a #. To enter more than one # or dash, press ➤ to move the cursor to the right and then enter the character.
- 3. When the name is set as required, select **Number**.
- 4. Enter the number required using the dialing keypad. For external numbers remember to enter any external dialing prefix required (9 say).

 - To enter a 1.5 second pause, press Pause. This will appear as a , (comma) character in the telephone number.
 - Use the

 and

 keys to move the cursor left or right.
- 5. To save the speed dial and return to the speed dial list, press Save.
- 6. To return to the speed dial list without saving the changes press **Cancel**.
- 7. To return to the call handling screen without saving the changes press → **Exit**.

Using the Call Log

Overview of the Call Log

The phone maintains a call log, accessed by pressing — **Log**. This log can store up to 100 entries. These can be a combination of incoming answered calls, incoming unanswered calls and outgoing calls

You can select which types of calls are included in the log. You can also use call log entries to make return calls or convert the entry into a speed dial for future use.


<u>A</u>WARNING:

Calls that are made using pin codes and other information will appear in the call log. Either Logging of outgoing calls should be switched off or those call logs removed manually. See Setting Which Calls are Logged.

Notes:

- 1. Only outgoing calls made using the dial pad or a **SpDial** entry are logged.
- 2. Call log entries are lost if the phone is disconnected from the IP Office.

When **Log** is pressed a screen similar to the following is displayed:



- Missed calls are displayed first. You can select from InAns or Outgo. Alternatively, press More
 and select All to display all three options.
- Logged calls are shown with the most recent first.
- The name of the called or calling party is shown if available.
- The number of the called or calling party is shown.
- Pressing the por particular call.



- The number of the log entry
- The type of log entry, i.e. Answered, Un-answered or Outgoing.
- The name of the called or calling party is shown (if available).
- The number of the called or calling party is shown.
- The date and time of the call.
- Press
 and
 to display the previous or next logged call.
- The keys provide a number of actions.

Using The Call Log

You can make calls directly from the call log. Whilst in the call log you can still make a call by going off-hook, pressing **\(\mathbf{Q}\)** Speaker and dialing a new call. Similarly, you can still receive calls and handle them using the dial pad key functions.

Viewing the Call Log

- 1. Press Log. If Log is not shown press any soft key
- At default, Missed calls are displayed first. You can select from InAns or Outgo. Alternatively, press More and select All to display all three options. To return to Missed or InAns or Outg, press Back and make your selection.
- 3. Press **◄** and **►** to display different pages of log entries.
 - To exit the call log and return to the previous screen press Done.
 - To exit the call log and return to the call handling screen press →□.
 - To view the details of a particular log entry, press the por press the press
- 4. Press **Done** to return to the previous screen.

Making Calls from the Call Log

- 1. Press Log. If Log is not shown press any soft key
- At default, Missed calls are displayed first. You can select from InAns or Outgo. Alternatively, press More and select All to display all three options. To return to Missed or InAns or Outg, press Back and make your selection.
- 3. When you locate the entry you want to call, press the or key next to the entry.
- 4. Press Call make the call.
 - If the number shown is external but doesn't include the external dialing prefix used by your telephone system, go off-hook, dial the prefix and then press Call.

Saving a Call Log Entry to Your Speed Dial List

- 1. Press C Log. If Log is not shown press any soft key
- At default, Missed calls are displayed first. You can select from InAns or Outgo. Alternatively, press More and select All to display all three options. To return to Missed or InAns or Outg, press Back and make your selection.
- 3. Press ◀ and ► to display different pages of log entries.
- 4. When you locate the entry you want to call, press the or key next to the entry.
- 5. Press Save. The speed dial editing screen appears, pre-filled with the details from the call log entry. See Adding a New Speed Dial.

Deleting a Call Log Entry

- 1. Press Log. If Log is not shown press any soft key
- At default, Missed calls are displayed first. You can select from InAns or Outgo. Alternatively, press More and select All to display all three options. To return to Missed or InAns or Outg, press Back and make your selection.
- 3. Press ◀ and ► to display different pages of log entries.
- 4. When you locate the entry you want to call, press the or key next to the entry.
- 5. Press Delete. The entry is deleted from the Call Log and the details of the next call are shown.
- 6. To exit the call log and return to the call handling screen press → **Exit**.

Erasing All Logged Calls

Loss of power to the phone will cause all call log entries to be deleted.

The Erase All option deletes the calls you have selected to log. See Setting Which Calls are Logged.

Caution: This action also deletes all speed dial entries and phone personalization options. See Default Phone/Erase All Settings.

- 1. Press Log. followed by More.
- 2. Press **Delete**. You are presented with a message asking you to confirm that you want to delete all entries.
- 3. Press **Erase** to remove all logged entries

Setting Which Calls are Logged

Caution: If you change these settings, any call details already in the call log that no longer match the selection are deleted.

- 1. Press **Option**. If **Option** is not shown, press **□** to exit the current screen.
- Press Log Setup.
 A menu showing Answered, Un-Answered and Outgoing, with their current settings, is displayed.
- 3. To toggle a particular setting between **Yes** or **No**, press the key next to it. Alternatively, press the key next to a call type to underline its current setting and then press **Yes/No** to change the value of the currently underlined setting.
- 4. Do one of the following: **Note:** If you press **Save** after changing the settings, any existing call log entries that do not match the call types selected are deleted from the call log.
 - To save the settings and return to the options menu, press Save.
 You will hear a confirmation tone.
 - To return to the Options menu without saving any changes, press Cancel.
 - To return to the call handling screen without saving any changes, press→□ Exit.

Changing Options

Changing Ringer Options

The IP Office uses 'distinctive ringing' for different types of calls - a repeated single ring for internal calls, a repeated double ring for external calls and a single ring followed by two short rings for ringback calls. These options are fixed by the IP Office. The phone's own menus allow its ringer sound to be personalized so you can recognize it from other ringing phones.

To change the ringer sound:

You can choose from among eight different ring sounds. This alters the tone and style of ringing used by the phone, the ring pattern is still controlled by the IP Office according to the call type. Note: If you receive a call while selecting a ringer sound, you are automatically returned to the call handling screen.

- 1. Press → Exit to exit any other mode, then press any of the keys below the display.
- 2. Press Option.
- 3. Press Ring Options followed by Ring Pattern. A menu with the current ring pattern appears.
- 4. To select a ringing pattern use either the ◀ and ► keys or press a dial pad key between 1 and 8. You will hear the selected ringing pattern.
- 5. To hear the ringing pattern again press Play or repress the dial pad key.
 - When you have selected a ringing pattern, press Save. You will hear a confirmation tone and be returned to the options menu.
 - If you want to return to the options menu without changing the ring pattern, press Cancel.

To use the Message Lamp for ringing alerts:

- 1. Press → Exit to exit any other mode, then press any of the ⇒ keys below the display.
- 2. Press Option.
- 3. Press Ring Options and set Flash Message Lamp to Yes or No. When set to Yes the Message lamp will flash when you receive a call.
 - Changing this option does not affect the voicemail visual indicator feature.

To automatically show the call handling screen:

- 1. Press → Exit to exit any other mode, then press any of the keys below the display.
- 2. Press Option.
- 3. Press Ring Options and set Show Phone Screen to Yes or No. If set to Yes then, when you are setting up/using Speed Dial, Call Log, etc, you are automatically returned to the call handling screen when you receive a call.

Adjusting the Display Contrast

You can adjust the contrast level on the telephone display. You can choose from among fifteen levels of contrast.

- 1. Press → □ Exit to exit any other mode. Press Option.
- 2. Press Contrast. A menu with the current contrast setting appears.
- 3. Use the ◀ and ► keys to adjust the level of contrast.
- 4. When the contrast is set as required, either:
 - Return to the options menu by pressing Done.
 - Return to the call handling screen by pressing →□Exit.

Call Log Setup

Through the **Option** menu you can specify which types of calls should be included in the phone's call log. See Setting Which Calls are Logged.

Miscellaneous

This option only contains one menu item: Stay in Speed Dial.

When set to **Yes** and you access your personal Speed Dial list the menu will remain displayed regardless of any calls made or received.

- Press → Exit to exit any other mode. Press Option...
- 2. Press —Miscellaneous and set Stay in Speed Dial to Yes.

Using Self Test

Self test can be used to display information about the phone and to check operation of the lamps and display. The information may be required by a telephone system maintainer.

- Press → Exit to exit any other mode. Press Option.
- 2. Press Self Test. The a screen of information appears.
- 3. Press and hold the **Test** key. The screen lines should all go black and all the phone lamps should come on.
- 4. Do one of the following:
 - To return to the options menu, press Done.
 - To return to the call handling screen, press →□.

Selecting the Display Mode

See Display Mode.

Default Phone/Erase All Settings

The Erase All option allows you to reset all personalized settings entered through the phone's Option menus (except contrast level). It also deletes all entries in the phones Call Log and Speed Dial lists.

- 1. Press → □ Exit to exit any other mode. Press □ Erase....
- 2. Press the key next to an items to select/de-select it for erasure. A is shown next to selected items. The items selectable for erasure are:
 - Speed Dials: Selects for erasure all speed dials set in the phone's SpDial store.
 - Call Log: Selects for erasure all entries in the phone's call log.
 - User Labels: Selects for erasure all customized function key labels.
 - Language: Selects to default the phone's language setting back to default.
 - **Options:** Any for erasure or defaulting all other phone options.
 - All: Selects for erasure or defaulting all of the above.

Language

When the phone is first installed, it is set to display screen text in English. You can select the language that you would prefer from the following:

• English, German (Deutsch), French (Français), Spanish (Español), Italian (Italiano), Dutch (Nederlands), Portuguese (Português) or Japanese (Katakana characters).

Note: This does not alter your user language setting on the telephone system.

- 1. Press → Exit to exit any other mode. Press Option.
- 2. Press Language. A menu listing the available languages appears, with the current language underlined.
- 3. Press the or key next to the language required. The screen text changes to the language selected.
- 4. Do one of the following:
 - To save the settings and return to the options menu, press Save. You will hear a confirmation tone.
 - To return to the options menu without saving any changes, press Cancel.
 - To return to the call handling screen without saving any changes, press →□.

Automatic Gain Control (AGC)

Automatic Gain Control (AGC) raises the volume when a caller is speaking quietly and lowers the volume when the caller is loud.

- 1. Press → **Exit** to exit any other mode. Press **Option**.
- 2. Press a ◀ or ► key until a menu listing the current handset, headset and speaker AGC options is displayed.
- 3. To toggle a particular setting between **Yes** and **No**, press the \(\square\) key next to it.
 - Alternatively, press the \infty key next to a call type to underline its current setting and then press \infty Yes/No to change the value of the currently underlined setting.
- 4. Do one of the following:
 - To save the settings and return to the options menu, press Save. You will hear a confirmation tone.
 - To return to the options menu without saving any changes, press Cancel.
 - To return to the call handling screen without saving any changes, press → Exit.

System Features

System Features

As well as your phones specific features, you can access a number of system features by dialing short codes.

These instructions are for the system's default configuration. They assume that you are using the default feature codes. It also assumes that you have full access to all features and the public telephone network.

Making Calls

Internal Calls:

If your System Administrator has allocated you the *Ring Back When Free* feature (see RBak+ - Ringback When Free) under a dial pad digit, you can:

- 1. When you call an extension that does not answer or is busy, press the RBak feature key to set a callback on that extension.
- 2. When the extension you called becomes free, your phone will ring (a burst of three rings).
- 3. Lift the handset and the extension is called automatically.
- 4. When the extension you called is free, your phone will ring (a burst of three rings).
- 5. Lift the handset and the extension is called automatically.

External calls:

To make an external call, either dial the number (prefixed by the access code if required) or use a speed dial code (contact your system manager for a list of your speed codes).

If you hear busy tone while dialing, then the call may be barred. Your system manager can bar certain calls, such as those to premium rate numbers and international calls.

Answering Calls

Ringing at your own extension:

Simply pick up the handset. When in headset mode, press the button associated with the alerting call.

The default ringing cadences are:

- Internal calls have a single ring cadence
- External calls have a double ring cadence.

These can be changed by your System Administrator.

Ringing at another extension:

You can answer from your own phone by using Call Pick-Up; lift your handset and dial:

- *30 to answer a call ringing anywhere.
- *31 to answer a call within your group.
- *32*201# to answer the call for a particular extension, in this example 201.

Note: If your phone rings for any longer than a specified period (15 seconds in default), any re-direction feature that you have activated, such as voicemail or call forwarding, will come into effect.

Call Forwarding

Your calls can be forwarded to another extension or an external number either when you are away from your desk (on no answer), when your extension is busy, and all calls (for example when you go on holiday).

- To switch forward direct station (i.e. not Hunt Group) calls on dial *01, to switch it off dial *02.
- To switch forward on busy on dial *03, to switch it off dial *04.
- To switch forward on no answer on dial *05, to switch it off dial *06.
- To set the number to which your calls are forwarded dial *07*201#, forwarding to 201 in this example.

Diverting Calls

You can divert your calls to another extension. In the examples below **N** is the extension to which you want your calls diverted. Note that, if you do not answer calls at the temporary extension, they are forwarded to your own voicemail or call forwarding number.

At another extension:

- *12*N# from the extension you are temporarily using.
- *13*N# to re-direct the calls back to your own extension, before you return to it.

At your own extension:

- *14*N# from your own extension.
- *14*# to cancel either feature from your own extension.

Do Not Disturb

You may choose to receive no calls at all or only those from particular callers on your exceptions list:

To switch Do Not Disturb on (with or without exceptions) dial *08, to switch it off dial *09.

- *10*N# to add a number to the exception list.
- *11*N# to delete a number from the exception list.

Note: Your callers, other than your exceptions, either hear busy tone or are re-directed to your voicemail.

Voicemail

Note that not all systems support voicemail or have voicemail installed.

- To switch voicemail on dial *18, to switch it off dial *19.
- To retrieve your voicemail, use the code *17.

Your voicemail may be set up to deliver your messages by calling you whenever you hang up: this feature is known as *Voicemail Ringback*.

To turn Voicemail Ringback on dial *48; to turn it off dial *49.

Dialing a number while listening to your messages invokes further facilities:

Once messages have been delivered, they are held on the system for 24 hours (this is fixed for Voicemail Lite, but can be varied by your System Administrator if your IP Office is equipped with VoicemailPro).

You can collect your voicemail from another extension by using the PIN your System Administrator has set up for you. You can collect your messages if you are out of the office, by either dialing from a number that has been registered for the purpose or by dialing your extension number and PIN when prompted. If validation is successful, then dial 1 to retrieve your mail.

The System Administrator also specifies the reception number, to which the call is diverted if the caller dials **0**, and your email address if your voicemail and email are integrated.

Default Feature Codes

The following are the normal default feature codes available to all users. Your System Administrator may add additional codes for other features and for speed dials.

The **N** where shown, should be replaced by the appropriate number. For example, with *07*N#, replace **N** with the extension to which you want your calls forwarded when you have forwarding switched on.

*00	Cancel All Forwarding	*32*N#	Call Pick Up Extension
*01	Forward Unconditionally On	*33*N#	Call Queue
*02	Forward Unconditionally Off	*34	Hold Music
*03	Forward on Busy On	*35*N#	Extn Login
*04	Forward on Busy Off	*36*N#	Extn Logout
*05	Forward on No Answer On	*37*N#	Park Call
*06	Forward on No Answer Off	*38*N#	Ride Call
*07*N#	Forward to number	*39	Relay On
*08	Do Not Disturb On	*40	Relay Off
*09	Do Not Disturb Off	*41	Relay Pulse
*10*N#	Do Not Disturb Exception Add	*42	Relay On
*11*N#	Do Not Disturb Exception Delete	*43	Relay Off
*12*N#	Follow Me Here	*44	Relay Pulse
*13*N#	Follow Me Here Cancel	*45*N#	Call Steal
*14*N#	Follow Me To	*46	Call Steal
*15	Call Waiting On	*47	Conference Add
*16	Call Waiting Off	*48	Voicemail Ringback On
*17	Voicemail Collect	*49	Voicemail Ringback Off
*18	Voicemail On	*50	Forward Hunt Group Calls On
*19	Voicemail Off	*51	Forward Hunt Group Calls Off
*20*N#	Set Hunt Group Night Service	*52	Clear Call
*21*N#	Clear Hunt Group Night Service	*53*N#	Call Pickup Members
*29	Toggle Calls	*57*N#	Forward on busy number
*30	Call Pick Up Any	*70*N#	Dial Physical Extn by Number
*31	Call Pick Up Group	*71*N#	Dial Physical Extn by ID

EU24 Expansion Module

EU24 Overview

The EU24 Expansion Module is an optional device that can be connected to your 2420/5420 phone to extend the number of call appearance and feature buttons available on the telephone.

The expansion module has 24 buttons arranged in two columns. Depending on how they have been programmed by your System Administrator, these buttons can be used for call appearances or features. You can adjust the viewing angle of the EU24 display to match that of your phone.


The following figure shows a top view of the EU24 (the left hand column is displayed).



- 1. Call Appearance/Feature Button.
- 2. Feature Active icon for feature in right column.
- 3. Alternate Display Button
- 4. Feature Active icon for feature in left column.
- 5. Display.

Connection

Before you can begin using the EU24 Expansion Module, the module must be connected to the phone according to the instructions in the EU24 Expansion Module Installation and Safety Instructions (555-233-136).



Using the EU24 Expansion Module

The following sections explain how to use the features of the EU24 Expansion Module. For more information, consult your System Administrator.

Viewing the Alternate Display

Although the EU24 Expansion Module supports an additional 24 call appearance/feature buttons, it only displays the button labels and icons for one column at a time. A dotted line separates the left column from the right column.

When you are viewing the labels and icons for the left column, the icons for the right column are displayed to the right of the dotted line. To view the column not currently displayed, press the Alternate Display button.

Selecting a Call Appearance/Feature Button

To select an available call appearance or feature, press the button next to the label in the column currently displayed.

If the call appearance or feature is not currently displayed, use the Alternate Display key to access the additional 12 call appearance/feature button labels.

Understanding Call Appearance/Feature Button Status Icons

When a call arrives for a call appearance on the EU24 Expansion Module, the bell icon blinks on the corresponding call appearance. To answer the call, press the button associated with the call appearance.

The icons displayed on the call appearance allow you to determine the status (for example, on hold) of each call on the EU24 Expansion Module. Icons also indicate whether a feature has been administered for a particular button on the EU24 Expansion Module. For an explanation of these icons see Call Appearance Keys.

Index

0	All 17, 18, 19	Call Appearance	Call Waiting On 27
0		Call Appearance	Call Waiting On 27
07*N 27	All Logged Calls	Keys Icons 7	Calls
1	Erasing 19	Call	Answer 8
1.5	All Logged Calls 19	Appearance/Feature	Answering 24
enter 16	Alternate Display	Button	Clearing 9
10*N 25, 27	Viewing 30	Selecting 30	Diverting 25
	Alternate Display 30	Call	Incoming 7
11*N 25, 27	Alternate Display	Appearance/Feature	Make 8
12*N 25, 27	button	Button 28	Making 18, 24
13*N 25, 27	press 30	Call	Calls 7
14*N 25, 27	Alternate Display	Appearance/Feature	Calls 8
2	button 28	Button 30	Calls 8
20*N 27	Alternate Display	Call	Calls 9
201	button 30	Appearance/Feature	Calls 18
forwarding 25	Alternate Display key	Button Status Icons	Calls 24
21*N 27	use 30	Understanding 30	Calls 24
	Alternate Display key	Call	Calls 25
3	30	Appearance/Feature	Cancel 15, 16, 19,
32*N 27	Answer	Button Status Icons	20, 22, 23
33*N 27	Call 8, 24	30	Cancel All
35*N 27	showing 19	Call	Forwarding 27
36*N 27	=		_
37*N 27	Answer 8	Appearance/Feature	Case 16
38*N 27	Answer 19	Keys 7	CAUTIONS 6
	Answer 24	Call Coverage	Clear Call 27
4	Answer/make 6	Appearance 6	Clear Hunt Group
45*N 27	Answered, Un-	Call Coverage	Night Service 27
5	answered 17	Appearance Keys 6	Clearing
53*N 27	Appearance/feature	Call Forwarding 25	Call 9
57*N 27	30	Call Handling	Clearing 9
	Appearance/feature	Buttons 4	Colleague's 6
7	button 30	Call Log	Conference 12, 13
70*N 27	Automatic Gain	Access 8, 9	Conference Add 27
71*N 27	Control 23	Overview 17	Connection 29
Α	Avaya 4	Viewing 18	Converting
Access	Avaya 5420 4	Call Log 4	Call Log Entry 15
	Avaya IP Office 4	Call Log 8	Converting 15
Call Log 8, 9	В	Call Log 9	D
speakerphone 4		Call Log 17	_
Speed Dial List 8,	Back 18, 19	Call Log 18	Default Feature
9	Backspace 16	Call Log 18	Codes 27
Access 4	Bridged 6	Call Log 19	Default Phone/Erase
Access 8	Bridged Appearance	Call Log 20	All Settings 22
Access 9	6	Call Log 22	Deleting
Add	Busy Off 27	Call Log Entry	Call Log Entry 19
New Speed Dial	Busy On 27	Converting 15	Speed Dial 15
16	С	Deleting 19	Deleting 15
Pressing 14	Call Appearance 6,	Saving 18	Deleting 19
Add 14	13	_	Deutsch 22
Add 16	Call Appearance	Call Log Entry 15	Dial
Adjust speakerphone	button	Call Log Entry 18	Speed Dial
8	pressing 11	Call Log Entry 19	Number 14
Adjusting	. •	Call Log Setup 21	Dial 14
Display Contrast	Call Appearance	Call Pick Up Any 27	Dial Physical Extn 27
21	button 11	Call Pick Up	Display Contrast
speakerphone 10	Call Appearance	Extension 27	Adjusting 21
Adjusting 10	Keys	Call Pick Up Group	Display Contrast 21
Adjusting 21	replace 6	27	Display Mode
Administrator' 7	Call Appearance	Call Pick-Up 24	Selecting 21
Affect	Keys 4	Call Pickup Members	Display Mode 21
voicemail 20	Call Appearance	27	Display, Call
Affect 20	Keys 6	Call Queue 27	Appearance 4
AGC 23	Call Appearance	Call Steal 27	Diverting
AGG 20	Keys 11	Call Waiting Off 27	Diverting

Calls 25	Follow Me To 27	Log 19	Р
Diverting 25	Forward Hunt Group	М	Park Call 27
Do Not Disturb 25	Calls Off 27	Making	Pause 16
Done 24	Forward Hunt Group	Call 8	Personalization 19
pressing 21	Calls On 27	Calls 18, 24	PIN 26
Done 15, 18 Done 21	Forward	Making 8	Play 20
Done 21	Unconditionally Off 27	Making 18	Português 22
Drop 8, 12, 13	Forward	Making 24	Proce Add 16
-	Unconditionally On	Menu	Press Add 16 Press Call 18
E	27	Speed Dial list 21	Press Conference 13
Edit Speed Dial 15	Forwarding	Message 13, 20 Message button	Press Contrast 21
Edit 14	201 25	Press 13	Press Delete 15, 19
Edit 15	Forwarding 25	Message button 13	Press Done 18
Either Logging 17	Français 22	Miscellaneous 21	Press Drop 9
Email 26	Function Active 7	Missed	Press Edit 15
End	Function Keys 7	return 18, 19	Press Erase 19, 22
speakerphone 10	G	Missed 18	Press Exit 20, 21,
End 10	German 22	Missed 18	22, 23 Dropp Hold 11
English 22	Н	Missed 18	Press Hold 11 Press Language 22
Entering	Headset 9, 10	Missed 19	Press Log 18, 19
1.5 16 Entering 16	Headset Working 9	Mode' 9	Press Log Setup 19
Entering 16 Erase All 19, 22	Hold	More 17, 18, 19 Mute 11	Press Miscellaneous
Erasing	Test key 21	Mute button 11	21
All Logged Calls	Hold 7, 11, 12		Press Mute 11
19	Hold 21	N Name 46	Press Option 19, 20,
Erasing 19	Hold Music 27	Name 16	21, 22, 23
Español 22	Home 8, 10 Hunt Group 25	Nederlands 22 New Speed Dial	Press Redial 8, 9, 10
EU24	Hyphen 16	Adding 16	Press Ring Options
view 28	I I I I I I I I I I I I I I I I I I I	New Speed Dial 16	20 Press Save 18
EU24 28	I	No Answer Off 27	Press Save 16 Press Self Test 21
EU24 Expansion	ID 27	No Answer On 27	Press SpDial 14, 15,
Module	InAns 17, 18, 19 Incoming	Not Disturb 25	16
Using 30 EU24 Expansion	Call 7	Not Disturb	Press Speaker 10
Module 28, 29	Incoming 7	Exception Add 27	Press Yes 15
EU24 Expansion	Internal Calls 24	Not Disturb	Pressing
Module 30	IP 6	Exception Delete 27	Add 14
EU24 Expansion	IP Office 4, 6, 17, 26	Not Disturb Off 27 Not Disturb On 27	Alternate Display
Module Installation	IP Office Key	Number	button 30
29	refer 6	System Features	Call Appearance
EU24 Overview 28	IP Office Key 6	7	button 11 Done 21
Exit	Italian 22	Number 7	Exit 21
pressing 21	Italiano 22	Number 16	Log 17
Exit 8, 14, 16, 19 Exit 21	J	Number 27	Message button
Exit 23	Japanese 22	0	13
Extn Login 27	K	On/off 4	RBak 24
Extn Logout 27	Katakana 22	Option 19, 20, 22	SpDial 14
F	L	Option menu	SpDial softkey 10
Feature 4	Lamp Operation 6	return 19	Speaker 8, 18
Feature Active icon	Language 22	Option menu 19	Pressing 8
28	LED 10	Option menu 21	Pressing 10 Pressing 11
Flash Message	Line 6	Outg 18, 19	Pressing 13
Lamp	Line Appearance 6	Outgo 17, 18, 19 Overview	Pressing 14
set 20	Log	Call Log 17	Pressing 17
Yes 20	pressing 17	Speed Dials 14	Pressing 18
Flash Message	Log 17	Overview 4	Pressing 21
Lamp 20	Log 18 Log 18	Overview 14	Pressing 24
Follow Me Here 27 Follow Me Here	Log 18	Overview 17	Pressing 30
Cancel 27	Log 19		Previous/Next Page

R	up/using Speed	Speed Dial Number	Using The Call Log
RBak	Dial 20 Which Calls 19	14 Speed Dials	18
press 24	Yes 20, 21	Deleting 15	V
RBak 24	Set 19	Editing 15	Viewing
Redial 4, 10 Redial list 10	Set 20	Overview 14	Alternate Display
Redials 10	Set 21	Yes 21	30
Refer	Set Hunt Group	Speed Dials 4, 10	Call Log 18
IP Office Key 6	Night Service 27	Speed Dials 14	EU24 28
Refer 6	Show Phone Screen	Speed Dials 15	Viewing 18
Relay Off 27	set 20	Speed Dials 15	Viewing 28
Relay On 27	Yes 20	Speed Dials 15	Viewing 30
Relay Pulse 27	Show Phone Screen	Speed Dials 21	Voicemail
Replace	20	Speed Dials 22	affect 20
Call Appearance	Showing	Standard 12-button 4	Voicemail 4, 7
Keys 6	Answered 19	Stay 21	Voicemail 20
Replace 6	Showing 19	System	Voicemail 24
Return	Softkeys 4	Administrator 4, 6, 7,	Voicemail 25 Voicemail 25
Missed 18, 19	Space 16	11, 24, 26, 27, 28, 30	Voicemail 26
Options menu 19	Spanish 22	System Features	Voicemail Collect 27
Return 18	SpDial	number 7	Voicemail Lite 26
Return 18	pressing 14	System Features 6	Voicemail Off 27
Return 18	SpDial 14	System Features 7	Voicemail On 27
Return 19	SpDial 14	System Features 24	Voicemail ringback
Return 19	SpDial 15	Т	26
Ride Call 27	SpDial 15	Test key	Voicemail Ringback
Ring Back When	SpDial 16	hold 21	Off 27
Free 24	SpDial 17	Test key 21	Voicemail Ringback
Ring Options 20	SpDial 22	Toggle Calls 27	On 27
Ring Pattern 20	SpDial softkey	Transfer 12	VoicemailPro 26
S	press 10		Volume Controls 4
Safety Instructions	SpDial softkey 10	U	W
29	Speaker	Un-Answered 19	= =
Save	pressing 8, 18	Understanding	WARNING 17
Call Log Entry 18	Speaker 8	Call	Which Calls
Save 16	Speaker 18	Appearance/Feat	Setting 19
Save 18	Speakerphone	ure Button Status	Which Calls 19
Save 19	Access 4	Icons 30	Υ
Save 20	Adjust 10	Understanding 30	Yes
Save 22	end 10	Up/using Speed Dial setting 20	Flash Message
Save 23	use 10	Up/using Speed Dial	Lamp 20
Select/de-select 22	Speakerphone 4	20	set 20, 21
Selecting	Speakerphone 8 Speakerphone 10	Use	Show Phone
Call	Speakerphone 11	Alternate Display	Screen 20
Appearance/Feat	Speakerphones 10	key 30	Speed Dial 21
ure Button 30	Speed Dial List	speakerphone 10	Yes 19
Display Mode 21	Access 8, 9	Use 10	Yes 20
Selecting 21	menu 21	Use 30	Yes 21
Selecting 30	Speed Dial List 8	User Labels 22	Yes 23
Set	Speed Dial List 9	Using	Yes/No 19, 23
Flash Message	Speed Dial List 9	EU24 Expansion	Your Speed Dial List
Lamp 20	Speed Dial Number	Module 30	18
Show Phone	Dialing 14	Using 30	
Screen 20	Diamiy 17	Using Self Test 21	

Performance figures and data quoted in this document are typical, and must be specifically confirmed in writing by Avaya before they become applicable to any particular order or contract.

The company reserves the right to make alterations or amendments to the detailed specifications at its discretion. The publication of information in this document does not imply freedom from patent or other protective rights of Avaya or others.

Intellectual property related to this product (including trademarks) and registered to Lucent Technologies have been transferred or licensed to Avaya.

All trademarks identified by the ® or ™ are registered trademarks or trademarks, respectively, of Avaya Inc. All other trademarks are the property of their respective owners.

This document contains proprietary information of Avaya and is not to be disclosed or used except in accordance with applicable agreements.

Any comments or suggestions regarding this document should be sent to "wgctechpubs@avaya.com".

© 2005 Avaya Inc. All rights reserved.

Avaya Sterling Court 15 - 21 Mundells Welwyn Garden City Hertfordshire AL7 1LZ England

Tel: +44 (0) 1707 392200 Fax: +44 (0) 1707 376933

Web: http://www.avaya.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com