

B2030P

TRUTH

Technical Specifications

Version 1.0 August 2003

ENGLISH



www.behringer.com



TRUTH

High-Resolution, Ultra-Linear Reference Studio Monitor

- ▲ High-resolution, passive 2-way 100-Watt nearfield monitor
- ▲ Ultra-linear frequency response from 75 Hz to 21 kHz
- ▲ Extremely high-resolution, ferrofluid-cooled tweeter
- ▲ Long-throw 6 ¾" woofer with special polypropylene diaphragm and deformation-resistant aluminum die-cast chassis
- ▲ Controlled dispersion characteristics and extremely large "sweet spot" through BEHRINGER's wave guide technology
- ▲ Phase-optimized, low-distortion frequency crossover for accurate reproduction
- ▲ Magnetically shielded for placement near computer monitors
- ▲ Delivered as "matched pairs"
- ▲ Low-vibration, environment-friendly E1 MDF cabinet
- ▲ Designed in Germany. Manufactured under ISO9000 certified management system

B
E
H
R
I
N
G
E
R

SPECIFICATIONS

CONNECTOR

Type binding posts

SYSTEM SPECIFICATIONS

Load capacity 100 watts
Impedance 8 Ω
Frequency response 75 Hz to 21 kHz
Sound pressure level 89 dB (1 W/1 m)

COMPONENTS

Tweeter $\frac{3}{4}$ " dome, ferrofluid-cooled
Woofer 6 $\frac{3}{4}$ " polypropylene diaphragm

CROSSOVER

Crossover frequency 2.3 kHz

DIMENSIONS/WEIGHT

Dimensions (H x W x D) 12 $\frac{1}{2}$ " (317 mm) x 8 $\frac{2}{5}$ " (214 mm) x 8 $\frac{3}{10}$ " (211 mm)
Weight 7.0 kg (15 $\frac{1}{3}$ lbs)

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.

The information contained in this manual is subject to change without notice. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studioteknik GmbH.

BEHRINGER is a registered trademark.

ALL RIGHTS RESERVED.

© 2003 BEHRINGER Spezielle Studioteknik GmbH.

BEHRINGER Spezielle Studioteknik GmbH, Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Müncheide II, Germany
Tel. +49 2154 9206 0, Fax +49 2154 9206 4903

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>