
# Cyber Power<sup>®</sup>

# POWERTRIP<sup>™</sup>240 User Guide POWERTRIP<sup>®</sup> 480 User Guide **AC Mobile Power Inverters**



This guide contains important information regarding the safety, operation, maintenance, and storage of this product. Failure to read this guide and follow the directions could result in injury and/or property damage.

Before installing and using the CyberPower power inverter please read the manual. Misusing or incorrectly connecting the Inverter may damage the equipment or create hazardous conditions for users. Read the following safety instructions and pay special attention to all CAUTION and WARNING statements in the manual.

- Do not operate the inverter near flammable materials, fumes, or gases.
- Always use the inverter where there is adequate ventilation. Do not obstruct the ventilation slots.
- · Never immerse the unit in water or other liquids.
- · Proper cooling is essential when operating the inverter. Refrain from placing the inverter near the vehicle's heat vent or in direct sunlight.
- Always turn the inverter off by removing it from the DC accessory socket when not in use.
- Check the warning labels on battery chargers or adapters before connecting them to the inverter. Do not connect battery chargers or adapters with warnings about using with inverters.


## Introduction


Thank you for choosing a CyberPower power inverter. To enjoy all the features and benefits of Inverter, please read and follow all instructions completely.

The power inverter is a portable source of 120 volt AC power. The AC Power converts DC battery power from your vehicle into standard 120 volt AC power, allowing you to power most notebook computers, cell phone chargers, camcorders, and other electronic products drawing AC power. Your personal devices may exceed the inverters wattage limit. Refer to your device's user guide for actual wattage requirements.

# **Package Contents**

- This product package includes:
- AC Power Inverter
- Cigar Plug Cable
- Battery Clamp Cable (CPS480PAU only)
- User Guide





# **Product Features**


- 1. 120 volt AC outlet
- 2. USB charging port
- 3. LED indicator light [Power LED(Green), Input / Output Fault (Red)]
- 4. ON/OFF Switch
- 5. DC Input positive terminal
- 6. DC Input negative terminal
- 7. Cooling Fan

## Operation - CPS240PAU / CPS480PAU cigar plug cable

Connecting the power cord for loads under 150 watts

Follow these steps to connect the power inverter :

- 1. Place the inverter on a flat surface in your vehicle floor.
- 2. Make sure the power switch on the panel is off.
- 3. Take the power cord equipped with the cigar plug and place the ring terminals over the two cabling terminals on the back of the inverter.
- 4. Place the inverter cigar plug in the vehicle cigarette lighter socket.



# CAUTION :

1. Connect the RED cable to the POSITIVE terminal of the inverter. 2. Connect the BLACK cable to the NEGATIVE terminal of the inverter.

**Back View** 

- 5. Turn on the power switch. The green light indicates that the inverter is operating normally and that AC power is available at the outlet.
- 6. Verify that the connected device(s) draws less than 150 watts and plug into the AC outlet.
- 7. Always turn the inverter off when not in use.

Download from Www.Somanuals.com. All Manuals Search And Download.

Make sure you connect cable red to red and black to black, and make sure you screw the nuts on tightly. CAUTION


Use the cigar plug cable only when the vehicle's engine is running. Use the cigar plug cable with the engine off will cause excessive battery drain.

# **Operation - CPS480PAU only**

Connecting the power cords for loads over 150 watts

Follow these steps to connect the power inverter :

- 1. Place the inverter on a flat surface.
- 2. Make sure the power switch on the panel is off.
- 3. Take the power cord equipped with battery clamps on one end and place the ring terminals over the two cabling terminals on the back of the inverter
- 4. Fasten the positive (red) clamp to the positive battery post, and then fasten the negative (black) clamp to the negative battery post.



# CAUTION :

- 1. Connect the RED cable to the POSITIVE terminal of the battery.
- 2. Connect the BLACK cable to the NEGATIVE terminal of the battery.
- 5. Turn on the power switch. The green light indicates that the inverter is operating normally and that AC power is available at the outlet.
- 6. Take device power cord plug into the inverter AC outlet.
- 7. Always turn the inverter off when not in use.



A reverse polarity connection (positive to negative) will blow a fuse in the inverter and may permanently damage the unit. Damage caused by a reverse polarity connection is not covered by your warranty.



Batteries contain corrosive materials and present an electrical shock hazard. To prevent irritation and burns, wear protective evewear and

clothing when you install the inverter or work with the batteries. Take special care to ensure that metal tools and personal metal objects like rings and bracelets do not contact the battery terminals.

# **Operating and Storage Tips**

**Operating Tips** 

- The inverter should only be operated under the following conditions:
- Dry Do not allow water or other liquids to come into contact with the inverter
- Moderate Temperature Ambient air temperature should be between 32°F - 104°F (0°C - 40°C). Keep the inverter out of direct sunlight.
- Free Air Flow Keep the inverter's ventilation slots unobstructed to ensure air flow to the unit. Do not place any items on or over the inverter during operation. The unit will shut down if it overheats.

## Storage Tips

- Proper storage temperature range is 32°F 122°F (0°C 50°C)
- Store and use the inverter in a cool and dry environment.
- Avoid exposing the inverter to heating elements, direct sunlight, or high humidity.

#### DC Fuse Replacement (For Cigar Plug Cable)

The CPS480PAU inverter contains a fuse inside in the cigar plug (see Figure 1) to protect the unit against overloading. If the inverter draws more than 150 watts, the internal fuse may open to protect the inverter, vehicle battery, and the connected equipment. To replace the fuse, please follow the instructions below:

- 1. Unplug the inverter from the power source.
- 2. Remove the contact retainer from the 12V DC adapter.
- 3. Replace the 15 amp fuse.

Reassemble the fuse, contact pin, and contact screw carefully.
 Ensure all pieces shown in Figure 1 are installed in the correct sequence.




Figure 1. Fuse Replacement

#### Specifications

Model	CPS240PAU	CPS480PAU
Input Voltage	11 to 15 volts	
Output Peak Power	240 Watts	480 Watts
Output Continuous Power	200 Watts	400 Watts
Output Voltage	120 Volts	
Output USB Voltage	5 Volts	
Output Frequency	60 Hz	
Output Waveform	Simulated Sine Wave	
Input Fuse (Internal)	25Amp	25Amp x2
Input Fuse (Cigar plug)	15Amp (CPS480PAU only)	
Protection Features	Overload, Overvoltage,	
	Overheating, Short-circuit	

#### Troubleshooting

Problem	Possible Cause	Suggested Solutions
No AC output - Red LED lit.	1.DC input is below 11 Vdc / Over 15Vdc 2.Short circuit. 3. Overload 4. Inverter hot.	<ol> <li>Check your battery volts and recharge or replace the battery.</li> <li>Disconnect the load.</li> <li>Reduce the load.</li> <li>Disconnect the load and operate the inverter for a few minutes.</li> </ol>
No AC output - Green LED not	1.Bad connection or wiring	1. Tighten all DC connections.
lit.	2.Fuse is blown	2.Check fuse and replace or Call Service
Motorized power tool will not operate	Excessive startup load. If the start up load exceeds the inverters peak load capability it will not work.	Disconnect the load until the inverter operates normally and connect the load again.

## **Limited Warranty**

CyberPower warrants this CPS240PAU / CPS480PAU (the "Inverter") to be free from material and manufacturing defects for two years. If a defect results in product failure during its normal use, CyberPower's sole responsibility is to repair or replace (at its sole option) the Inverter.

The foregoing Limited Warranty is the consumer's sole and exclusive remedy and excludes any incidental or consequential damages. Some States do not allow the exclusion or limitation of incidental and consequential damages, so certain of the above limitations or exclusions may not apply to you (the Consumer). This limited warranty gives the Consumer specific legal rights and the Consumer may have other rights, which vary from State to State.

To make a Limited Warranty claim:

- Pack and ship the Inverter to CyberPower at 4241 12th Avenue East, Suite 400, Shakopee, MN 55379.
- Clearly indicate on the outside of the packaging that this is a "WARRANTY RETURN"
- 3. Clearly include your name and address (a) on the outside packaging and (b) on a sheet of paper enclosed in the box with the Inverter that is being returned.
- You MUST prepay all shipping costs and you are responsible for packaging and shipment.

**CAUTION:** Any changes or modifications not expressly approved by the guarantee of this device could void the user's authority to operate the equipment.

#### **Product Registration**

Thank you for purchasing a CyberPower product. Prompt product registration entitles coverage under the Limited Warranty and also allows the opportunity to be notified of product enhancements, upgrades, and other announcements.

Registration is quick and easy at www.cpsww.com/register

## **Technical Support**

Feel free to contact our Tech Support department with installation, troubleshooting, or general product questions.

CyberPower Technical Support Phone: 1-877-297-6937 Email: tech@cpswv.com Web: www.CPSww.com Address: 4241 12th Ave. E., STE 400, Shakopee, MN 55379 Hours of Operation: Monday – Friday, 7:00am – 6:00pm (CST)

## Legal notices (FCC Part 15)

This equipment has been tested and found to comply with the limits for a Class B Digital Device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: (1) Reorient or relocate the receiving antenna. (2) Increase the separation between the equipment and receiver. (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. (4) Consult the dealer or an experienced radio/TV technician for help. Any special accessories needed for compliance must be specified in the instruction.

**CAUTION:** A shielded-type power cord is required in order to meet FCC emission limits and also to prevent interference to the nearby radio and television reception. It is essential that only the supplied power cord be used. Use only shielded cables to connect I/O devices to this equipment.

#### CyberPower Systems (USA), Inc.

4241 12th Avenue East, Suite 400, Shakopee, MN 55379 TEL: (952) 403-9500 Toll-Free: (877) 297-6937 FAX: (952) 403-0009 E-mail: sales@cpsww.com **CPSww.com** 

#### © 2014 CyberPower Systems, Inc.

All rights reserved. Reproduction in whole or in part without permission is prohibited.

Download from Www.Somanuals.com. All Manuals Search And Download.

#### **Note Page**

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com