

3491 Mission Oaks Blvd., Camarillo, CA 93011

Copyright©2001 by Harbor Freight Tools. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools.

## For technical questions and replacement parts, please call 1-800-444-3353.

Thank you for choosing a Harbor Freight Tools product. For future reference, please complete the owner's record below:

 Model:
 Purchase Date:

 Save the receipt, warranty and these instructions. It is important that you read this entire instruction sheet to become familiar with the unit before you begin using it.

## **Specifications**

Magnification: 30X Front Optic Diameter: 2" Scope View: Wide Angle Tripod Mount: 1/4" - 20 Weight: 1.8 Lbs.

30 X 50 View Eyepiece Diameter: 1-1/2" Field of View: 100 Feet Water Resistant Overall Dimensions: 2-13/16"D x 9-1/4"L Retracted 2-13/16"D x 13-7/8"L Extended

The Spotting Scope is lightweight and provides a good image even in a low light environment. Ideal for sporting, hunting, and other hobby activities. Nylon case included.

Page 1

## Operation

The Spotting Scope is equipped with a system of lenses that magnifies light beams to provide a high quality image to the user This product can be equipped with a tripod (not included).

1. After taking the Spotting Scope out of the case, remove the protective lens caps.

2. Make sure the scope is fully extended before using. To extend the scope, hold the Spotting Scope with one hand and gently pull on the eye piece with the other hand.

3. While looking through the Spotting Scope, rotate the eyepiece to focus in on the object being viewed (see below).

4. Use of a tripod (not included) will provide added stability resulting in an improved image. Use the mounting socket to attach a tripod. To not over-tighten the screw when attaching the tripod.

## Warning: Never use this Spotting Scope to look at the sun. Severe eye damage could occur.

5. Maintaining the Spotting Scope:


Never place the scope in water or use in the rain. The scope is moisture resistant but not waterproof.

Add a small amount of lens cleaning solution to a soft cloth to clean the lenses.

Never pour the lens cleaning solution directly on the lens.

When the scope is moved from a cold environment into a building, you may see condensation form on the lens. This is a perfectly normal reaction which will disappear in a period of about one hour.

When not using the Spotting Scope, put the lens covers on and store in the case.



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com